

Window Schedule – 16/18 Cambrian Road, Newport – **Revised Oct '25.**

Location	Drwg & Det'l No	Window Nos	Existing Spec	Proposed	Comments	Glazing and Approx Size
Front/West Street Elevation - 2 <sup>nd</sup> Floor	PROPF RTELV SS1 and P11/1, 2 & 3.	1, 2a & 2b and 3. (left to right)	4 No Timber, single glazed vertical sliding sash.	<u>4 No</u> Timber, double glazed vertical sliding sash	White with horns.	Clear Glass 1400 mm h x 1050 mm w
Front/West Street Elevation – 1 <sup>st</sup> Floor	PROPF RTELV SS2 and P11/1, 2 & 3.	4, 5a & 5b, and 6. (l to r)	4 No Timber, single glazed vertical sliding sash	<u>4No</u> Timber, double glazed vertical sliding sash	White with horns.	Clear Glass 1630 mm h x 1050mm w
Courtyard – East Elevation - 2 <sup>nd</sup> Floor	PROPS ECA Techn'1 Detail 6	7 Velux in roof to remain, and 8.	1 No Timber, single glazed casement.	<u>1 No</u> uPVC double glazed casement	No 8 window raised cill. White	Mirror Glass 600 mm h x 1800 mm w
Courtyard – East Elevation – 1 <sup>st</sup> Floor	PROPS ECA Techn'1 Detail 9	9 – new window	2 No Bricked up openings	<u>1 No</u> uPVC double glazed casement	Reduced original r h opening size White	Mirror Glass 600 mm h x 1500 mm w
Courtyard – South Elevation - 2 <sup>nd</sup> Floor	PROPS ECB	10 and 11. (l to r)	2 No Upvc double glazed casement	<u>2 No</u> double glazed units only & trickle vents	Re-use existing white Upvc windows	Obsc. Glass 1000 mm w x 1500 mm h
Courtyard – South Elevation – 1 <sup>st</sup> Floor	PROPS ECB Techn'1 Details 3 & 4	12 (+1No bricked up opening above air con unit – 13) (l to r)	1 No Timber, single glazed casement	<u>2 No</u> Upvc double glazed casement	Access to 1 <sup>st</sup> Floor Courtyard & new window. White	Obsc. Glass <u>1000 mm</u> w x 1500 mm h & 600 mm h
<u>Summary.</u>				8 No Timber, 4 No Upvc 2 No DG Us <b><u>14 No Total</u></b>		

Notes:-

Glazed units to be minimum 32 dB Rw+Ctr rated glazing (10/12/6mm) Acoustic glass, and with 32 dB Dne,w+Ctr trickle ventilation (Trimvent Select Xtra S13).

(W12 to be as existing elevation, but in Upvc, as per Cambrian Road – Replacement Windows.)

N. B. Technical Detail ref from Cambrian Road – Replacement Windows schedule – Rev Oct '25.