

- GENERAL NOTES**
1. Do Not Scale
 2. The contractor is to check and verify all buildings and site dimensions and levels, including sewer invert levels, before works start on site. The contractor is to comply in all aspects with the current building legislation, British Standards, building regulations etc.
 3. Positions of existing services/statutory undertakers apparatus adjacent to or crossing proposed excavations are to be checked by the contractor prior to starting work
 4. This drawing is to be read in conjunction with and checked against all other drawings, Engineering Details, Specification and any structural, geotechnical or other specialist document provided.
 5. Any anomaly or contradiction between any of the above is to be reported to the Client.
 6. This drawing is schematic for clarity only, positions of pipe runs and manholes may vary on site due to site conditions.


- ROAD AND SEWER ADOPTION NOTES**
1. All works for adoption under a Section 38 agreement shall be carried out to the approval of the Newport Council.
 2. All works for adoption under a section 104 agreement shall be carried out to the national water council guide "sewers for adoption" 7th edition (S/A7) and the requirements of Dwr Cymru Welsh Water as the statutory sewerage undertaker and the Welsh ministers build standard.
 3. A Section 106 application to connect must be made to DCWW, the developer shall give 21 days notice prior to connection, the works may only be undertaken by a DCWW health & safety approved contractor.
 4. An accredited contractor by the British Plastics Federation will be used to lay any adoptable plastics pipes, a copy of the accreditation certificate to be supply to DCWW before any order is placed or work commences on site.
 5. Streetlighting positions to be pegged on site and agreed by the Local Authority PRIOR to erection commencing.

Full utilities survey required along Traston Road prior to commencing works. Existing services will inform the route of the foul drainage

REV.	DATE:	DETAILS:	BY:	CHK:
P02	14.01.26	Layout updated	TOR	SJD
P01	22.10.25	Layout updated	TOR	SJD
7	05.12.24	First Issue	TOR	SJD

CLIENT:

Bron Afon  **WELLSPRING** 

phg 

CONSULTING ENGINEERS

PHG CONSULTING LTD
107 COWBRIDGE ROAD EAST
CARDIFF CF11 5AG
T: 44029 200281
E: enquiries@phg-consulting.com
W: www.phg-consulting.com

X @PHG_consulting
www.linkedin.com/company/phg-consulting-engineers

PROJECT: **Traston Road, Newport**

DRAWING TITLE: **Pumping Station Layout**

DRG NO:	PROJECT ORIGIN	VOLUME	LEVEL	TYPE	ROLE	NUMBER
2595-PHG-XX-XX-DR-C-0004						
DRAWN:	CHK:	PHG JOB NO:	SCALE	AT A1:		
TOR	SJD	2595	1:200			
DATE:	SUITABILITY:	REV:	STATUS:			
05.12.24	Planning	P03	S1			