Glan Llyn
Phase 4E

Desk Study & Phase 2 Geo-Environmental Interpretative Report

Glan Llyn, Newport

Phase 4E

Desk Study & Phase 2 Geo-Environmental Report

For

Brighton STM Developments Limited (BSTMDL)

DATE: May 2026

REV: P01

18669-RLL-26-XX-RP-O-0856-P01

Document Reference & Control

Project Name:	**Glan Llyn, Phase 4E**
Project Reference:	**P18-669**
Report Title:	**Desk Study & Phase 2 Geo-Environmental Report**
Client:	**Brighton STM Developments Limited (BSTMDL)**
Document Reference:	**18669-RLL-26-XX-RP-O-0856**
Report Status:	**FINAL**

Approval Status	Name & Position
Prepared by:	**Ruth Hardy** BSc (Hons) Graduate Geo-Environmental Consultant
Reviewed by:	**Aimee Meredith-Smith** BSc (Hons) MScR FGS Geo-Environmental Consultant **Jason Bradley** BSc (Hons) MSc CGeol CEnv FGS MIEnvSc Principal Engineer
Approved by:	**Chris Wilson** BSc (Hons) MCIWEM Principal Geo-Environmental Consultant

Revision Status	Date	Summary of Revision
P01	May 2026	First Issue

Executive Summary

This presents the salient points of the report and should not be referred to in isolation.

Summary	Rodgers Leask Ltd (RLL) were commissioned by Brighton STM Developments Limited (BSTMDL) to prepare a combined Desk Study and Phase 2 Geo-Environmental Interpretative Report for Phase 4E of the Glan Llyn development on the former Llanwern steelworks (hereafter referred to as the 'Site'). The Site is proposed to be developed for residential end-use.
Site Location and Description	The Site covers approximately 1.5 hectares and is located within the Glan Llyn development at the former Llanwern Steelworks, approximately 5.5km to the east of Newport at National Grid Reference 336317E, 186693N. The Site is irregular in shape and presently comprises an area used for storage of excavated Made Ground originating from the wider Llanwern Site.
History	Historically, the Site is shown to comprise part of four open fields, segregated by reens and trees, until 1967 where the Site formed part of Llanwern Steelworks. Following construction of the steelworks, the Site was shown to comprise of railway sidings and access tracks running approximately north to south through the centre of Site and the western side formed part of an ore stockyard. To the west of the Site were ore stockpiles, conveyors, travelling booms, roadways, a wetland area with drains, marshland and a small pond. As the steelworks expanded a sinter plant was constructed, encroaching on the western side of the Site alongside associated structures, conveyors, and tracks. The Site currently comprises an area used for the stockpiling of materials from the wider Glan Llyn Site The Site was partially demolished by 2006 and above ground structures were completely demolished to slab level by 2009.
Geology / Ground Conditions	The 2016 (IFA) and 2018 (Atkins) ground investigations generally found the Site to be underlain by Made Ground from ground level or underlying asphalt surfacing in all 30 locations, to depths of between 0.60mbgl to 3.60mbgl. Beneath the Made Ground, Superficial Tidal Flat Deposits were encountered in 28 locations, to depths of between 1.65mbgl and 3.60mbgl. The base of these deposits was only encountered in the IFA investigation at 10.00mbgl, while the 2018 Atkins investigation recorded the deposits to depths of up to 3.70mbgl. The Mercia Mudstone Group was not encountered during the 2018 Atkins investigation of Phase 4E but was encountered in one IFA borehole location (CWCP31) between 10.00m and 10.50mbgl. Hydrocarbon odours/ oil sheens in groundwater were encountered in ten locations within the Made Ground, at depths ranging from 0.00mbgl to 1.40mbgl. Buried obstructions such as concrete slabs, electric cables and brick walls, steel cables, hard layers of slag or iron ore aggregate, and compacted layers of gravelly ashy sand or sandy gravel were encountered in 7 locations at depths between 0.00mbgl to at 1.50mbgl.

	Perched water was encountered within the Made Ground or surface of the in 27 locations between 0.6mbgl and 1.50mbgl. Regional groundwater was only encountered in one exploratory hole (CWCP31) within Phase 4E during the IFA ground investigation, at a depth of 9.50mbgl within the basal sand layer of the Tidal Flat Deposits. As reported in the CWDQRA for the wider Site, groundwater is present beneath the Site as perched water within the Made Ground, or regional groundwater within the Tidal Flat Deposits (confined to the basal sand layers) and Mercia Mudstone.
Hydrology and Hydrogeology	The Mercia Mudstone Group is classified as a Secondary B Aquifer. The Tidal Flat Deposits are classified as Secondary (Undifferentiated) Aquifer. The nearest surface water feature is the Central Lake and East Lake located north of the Site. These form part of the private reen network. The Site lies within an area shown as having a Low Flood Risk from Sea according to Natural Resources Wales Flood Risk mapping.
Controlled Waters	With regard to controlled waters, the following pathways are considered applicable to the Site, following completion of the development and once relevant approvals have been granted to allow discharge into Monks Ditch: ▪ Leaching of soil-borne contamination in Made Ground and subsequent lateral migration through permeable pathways in Made Ground to Monks' Ditch via onsite reens; and ▪ Newly created preferential pathways associated with the redevelopment of the Site e.g. foundations and infrastructure. As such, it is recommended that this report is read in conjunction with the Phase Specific Controlled Waters Risk Assessment.
Contamination	79 soil samples were collected during the 2018 Atkins ground investigation for contamination testing, all of which were taken from the Made Ground. The samples collected were conservatively assessed against LQM/ CIEH 2015 S4ULs (Suitable for Use Levels) for a residential end use with plant uptake (1% SOM). Chemical testing has identified some exceedances of lead, vanadium, benzene, benzo[b]fluoranthene, benzo[a]pyrene and dibenz(a,h)anthracene. Asbestos was identified within 5 of the 30 soil samples tested in the form of debris or loose fibres at concentrations of <0.001% to 0.0077%. The presence of asbestos and elevated contaminants identified on site are a risk to human health and will be managed through the remedial works and succeeding housebuilder requirements.
Ground Gas and Radon	No gas monitoring has been undertaken within Phase 4E. A programme of shallow gas monitoring is recommended following turnover and earthworks reengineering. The Site is located within a radon affected area, with 1-3% of properties being above the action level and as such no radon protection measures will be required in the construction of the new development.
Recommendations	Following the completion of the ground investigations, completed by others, the following recommendations have been made:

	▪ Turnover of the Made Ground to natural geology with removal of obstructions. ▪ Compaction and reengineering of materials in accordance with the approved Remediation Strategy to an appropriate specification to achieve the required formation level. ▪ Chemical validation of the placement of material following turnover. ▪ A programme of shallow gas monitoring and assessment is recommended following the turnover and reengineering of the earthworks. ▪ Concrete classification testing should be undertaken in accordance with BRE Special Digest 1. ▪ Phase-specific geotechnical assessments and validation relating to the proposed development. ▪ Removal of identified hotspot contamination on a grid square basis, and subsequent validation testing and reporting. ▪ Construction of buildings and hardstanding with suitable construction materials to break the pathway with underlying Made Ground, to intercept rainwater and to reduce infiltration. ▪ A 600mm clean cover system, suitable for a residential with plant uptake end use, will be required in areas of residential gardens and landscaping. ▪ Consultation with the water supply company in relation to the potential use of barrier pipe. ▪ Preparation of a Piling Risk Assessment. ▪ Preparation of a Detailed Quantitative Controlled Waters Risk Assessment to assess the risk posed to controlled waters within the future development and inform the Remediation Strategy. ▪ Preparation of an MMP to facilitate the reuse of excavated materials and import of soil for use in the cover system.

Contents

1.0 Introduction 1
1.1. Terms of Reference 1
1.2. Proposed Development 1
1.3. Purpose 1
1.4. Objectives 2
1.5. Scope 2
1.6. Sources of Information 3
1.7. Limitations and Confidentiality 3
2.0 Site Location and Description 5
2.1. Site Location 5
2.2. Site Boundaries and Surrounding Area 5
2.3. Site Walkover 5
2.4. Site History - Ordnance Survey Maps 6
2.5. Site History – Aerial Photographs 9
2.6. Site History - Available Information 9
3.0 Ground Conditions and Mining Review 11
3.1. Published Geology 11
3.2. BGS Borehole Records 11
3.3. Mining History 11
3.4. Railway and Tunnel Features 12
3.5. Radon 12
3.6. Potential for Ground Stability Hazards 12
3.7. Hydrogeology 12
3.8. Hydrology 13
3.9. Unexploded Ordnance (UXO) 13
4.0 Regulatory Review 14
4.1. Authorisations and Consents 14
4.2. Environmental permits, incidents and registers 14
4.3. Waste Management and Hazardous Substances 14
4.4. Landfills and Other Waste Sites 15
4.5. Current Land Use: Industrial Data 15
4.6. Designated Environmentally Sensitive Areas 15
4.7. Archaeology 15
5.0 Previous Ground Investigations 16
5.1. Existing Reports 16
5.2. Encountered Ground Conditions 16
5.2.1. Made Ground - Surfacing 16

5.2.2. Made Ground 16
5.2.3. Superficial Deposits 17
5.2.4. Bedrock 17
5.2.5. Perched Water 18
5.2.6. Encountered Buried Obstructions or Services 18
5.2.7. Visual/ Olfactory Evidence of Contamination 18
5.2.8. Instability 19
5.3. Gas Screening 19
6.0 Chemical Testing 20
6.1. Risks to Human Health 20
6.1.1. Methodology 20
6.1.2. Results 20
6.1.3. Asbestos 21
6.1.4. Groundwater 22
7.0 Conceptual Site Model (CSM) 23
7.1. Potential Pollutant Linkages 23
7.1.1. Sources 23
7.2. Potential Receptors 24
7.2.1. Potential Pathways 24
7.2.2. Preliminary Remediation Assessment 25
7.2.3. Proposed Mitigation 26
8.0 Geotechnical Testing 28
8.1. Sampling and Testing 28
8.2. Classification Testing 28
8.2.1. Natural Moisture Content 28
8.2.2. Material Grading and Classification 28
8.3. BRE Total Expansion Tests 29
9.0 Conclusions and Recommendations 30
9.1. Conclusion 30
9.2. Recommendations 31

Appendices

Appendix A: Drawings and Plans
Appendix B: Site Walkover Photographs
Appendix C: Historical Maps
Appendix D: Envirocheck Report
Appendix E: Flood Risk Map
Appendix F: UXO Map
Appendix G: EH Logs
Appendix H: Chemical Screening
Appendix I: Chemical Test Certificates
Appendix J: Geotechnical Testing
Appendix K: Geotechnical Test Certificates

1.0 Introduction

1.1. Terms of Reference

Rodgers Leask Ltd (RLL) was commissioned by Brighton STM Developments Limited (BSTMDL) to prepare a combined Desk Study and Phase 2 Geo-Environmental Interpretative Report for Phase 4E of the Glan Llyn development in Newport (hereafter referred to as the 'Site').

The Site is situated within the ongoing redevelopment of the former Llanwern Steelworks. The Site location plan is shown on Drawing 18669-RLL-24-XX-DR-O-0657-P01, included in **Appendix A**.

In July 2024 the Client, St Modwen Developments were rebranded to be called Revantage Real Estate, then in 2025 to Brighton STM Developments Limited (BSTMDL). Any reference to the previous company names in this report should be referred to accordingly.

1.2. Proposed Development

It is understood that the Site is proposed to be redeveloped for a residential end use with gardens and public open space areas. An illustrative masterplan (ref. 8111-08-A011, Rev P09, dated April 2019) is available in **Appendix A**.

The development will form part of the wider Glan Llyn development.

1.3. Purpose

This report has been prepared to support the discharge of Planning Condition 27 of the Outline Planning Permission Reference 06/0471 for the proposed development of residential development Phase 4E as part of a wider mixed-use development at Llanwern, Newport.

Planning Condition 27 states the following.

"(27) Prior to the commencement of each phase of development as defined by Condition 03 (or at such other date or stage in development or for such specified activities or works as may be agreed in writing with the Local Planning Authority), the following components of a scheme to deal with the risks associated with contamination relating to that phase or activity shall each be submitted to and approved, in writing, by the Local Planning Authority:

(1) A preliminary risk assessment which has identified:
- *(a) all previous uses;*
- *(b) potential contaminants associated with those uses;*
- *(c) a conceptual model of the site indicating sources, pathways and receptors;*
- *(d) potentially unacceptable risks arising from contamination at the site.*

(2) A site investigation scheme, based on (1) to provide information for a detailed assessment of the risk to all receptors that may be affected, including those off site.

(3) The site investigation results and the detailed risk assessment (2) and, based on these, an options appraisal and remediation strategy giving full details of the remediation measures required and how they are to be undertaken.

(4) A verification plan providing details of the data that will be collected in order to demonstrate that the works set out in (3) are complete and identifying any requirements for longer term monitoring of pollutant linkages, maintenance and arrangements for contingency action. Any changes to these components require the express consent of the Local Planning Authority.

Reason: To ensure that the proposed development will not cause pollution of the environment or harm to human health."

The scope of this report is detailed in Section 1.4 below. It is considered that this report addresses the requirements of Condition 27 part 1 and 2. Part 3 and part 4 will be addressed in future reporting including a Remediation Strategy and Validation Report.

1.4. Objectives

The objectives of this report were to:

- Obtain desktop information to assist in the assessment of potential environmental and ground related issues that may have implications for the proposed development.
- Review the available information to determine the anticipated ground conditions and identify the potential for contamination to be present within the Site boundary, including formulation of an initial Conceptual Site Model.
- Present the findings of the ground investigations, completed by others, and produce an updated Ground Model.
- Present contamination data and undertake risk assessment to establish the nature and extent of any contamination within the Site.
- Prepare a refined Conceptual Site Model for the site using the findings of the desktop study and ground investigation works, including identification of Source Pathway Receptor Linkages that require mitigation.
- Make outline recommendations for remedial actions, where required, to mitigate unacceptable risks.

1.5. Scope

In order to achieve the outlined objectives, the scope of the study includes:

- A review of existing geo-environmental data for the Site including a review of historical maps and existing ground investigation data.
- A site visit/ walkover survey.
- Undertake an intrusive ground investigation, including chemical and geotechnical laboratory testing.

- An assessment of the levels of contamination present within the soils on Site against generic screening criteria based on the results of laboratory testing of samples collected during the investigation.

1.6. Sources of Information

The following documents and data sources have been reviewed in preparation of this Desk Study & Phase 2 Geo-Environmental Interpretative Report and should be read in conjunction with it:

Landmark Envirocheck Report

- Landmark Envirocheck Report, Historical Map Pack (**Appendix C**).
- Landmark Envirocheck Report, Datasheet. 30488531_1_1, dated December 2022 (**Appendix D**).

It should be noted that the Landmark Envirocheck Report includes the Site area as well as the adjacent Phase 4G and Phase 4C (Drawing 8111-08-A011).

The following reports have been prepared to be read in conjunction with this report:

- IOM, Assessment of asbestos contamination at former Llanwern Steelworks Site, Newport, Wales, ref. 610-34464 Rev 1, dated March 2024; and
- RLL, Phase 4E Controlled Waters Detailed Quantitative Risk Assessment Addendum, ref. 18669-RLL-26-XX-RP-O-0865-P01, dated May 2026.

1.7. Limitations and Confidentiality

All conclusions and recommendations made within this report are based upon and limited to the factual information obtained as part of this investigation. No responsibility can be taken by RLL for information obtained by third parties and it has been assumed that all third-party information provided is true and correct.

No liability can be accepted for conditions not revealed within the exploratory holes or pits undertaken by this investigation. The exploratory points cover only a small proportion of the total site area. RLL has where necessary undertaken extrapolation between locations and no responsibility can be taken for different conditions which may occur between locations.

RLL has undertaken the work in accordance with our understanding of current best practice at the time of undertaking the report. Further assessment and revision of the report may be required should new information come to light or legislation/ changes to best practice be introduced after the date of issue of the report.

RLL has prepared the report for the sole use and reliance of the Client. The report may not be used or relied upon by any unauthorised third party without the explicit written agreement of RLL.

The interpretive work undertaken within this report remains the intellectual property of RLL and must not be divulged to any commercial third party without prior written agreement of RLL.

At the time of writing, detailed information on the proposed structures, such as detailed layout, loadings and serviceability limits, was not available. Accordingly, where geotechnical design advice is provided it is for information only and should be reassessed by a competent specialist once the development layout and structural loadings are known.

2.0 Site Location and Description

2.1. Site Location

The Site is located within the Glan Llyn development at the former Llanwern Steelworks, approximately 5.5km to the east of Newport City Centre, at approximate National Grid Reference 336317E, 186693N. The wider Glan Llyn development covers approximately 250 hectares and is proposed to be redeveloped for residential, commercial and open space use. The Site location plan is included on RLL Drawing 18669-RLL-24-XX-DR-O-0657-P01 in **Appendix A.**

The Site is irregular in shape, covers an area of approximately 1.5ha and is located near the centre of the wider Glan Llyn development. On its western side the Site historically housed part of a sinter plant and open space across much of the central, southern and eastern areas. In addition, roads are indicated to cross the Site in an approximate north to south orientation, and a conveyor and associated pipelines cross the northern section of the Site in an approximate east to west orientation. The Site currently comprises an area used for the stockpiling of excavated Made Ground from the wider Glan Llyn Site.

The Site boundary is shown on RLL Drawing 18669-RLL-24-XX-DR-O-0657-P01, **Appendix A**.

2.2. Site Boundaries and Surrounding Area

The Site is bounded on all sides by the wider undeveloped Glan Llyn development site. To the north of the Site is the proposed East Lake, Sports Pitches and Phase 5F. The east of the Site is bounded by Baldwin Drive Road, beyond which is Phase 5E1. To the south are Phases 4H & 5E1 & Phase 5e2, and to the west is Phase 4G and the proposed Central Lake.

There are no physical boundaries between the Site and the wider undeveloped Glan Llyn development.

2.3. Site Walkover

A site walkover was conducted in 2021 and again in 2023 by an RLL Engineer as part of the wider development. The purpose of the site walkover was to provide a general description of the Site. Copies of relevant photographs are included in **Appendix B**.

At the time of the 2021 site walkover, the Site had been demolished to slab level and housed one large stockpile of Made Ground material originating from the wider Llanwern site, located centrally within the Site. Numerous tracks and temporary haul routes were present across the Site, connecting the stockpile and the phase to the wider site.

With the exception of minimal vegetation on the stockpile and vegetation on the banks of Central Lake, very little vegetation was present on the phase.

At the time of the 2023 site walkover, there were seven large stockpiles (W214, W167, 3CPA, 3C, W153, SP57, W202-3) covered the west of the phase (some overgrown). Construction haul roads ran approximately north to west in the north-west corner and in the in the east to south-east. A site compound was located in the east of the phase. At the time of the walkover. the Site appeared waterlogged with significant surface water pooling observed across the north, southwest and centre of the Site.

2.4. Site History - Ordnance Survey Maps

Historical Ordnance Survey maps have been assessed to identify former land uses at the Site and the surrounding area. Records have been obtained from a Landmark Envirocheck Report commissioned for Site in 2022 (**Appendix C**).

Map Date	Site Feature	Adjacent Features
1886 – 1887 OS	The Site comprised part of four open fields, segregated by drains, hedgerows and trees.	Surrounding land is characterised by open agricultural fields segregated by reens and trees. Two parallel reens are shown to the west of the Site, with one reen located to the east. The central main watercourse (Ellen Reen), with connected field drains to the east and west (including Middle Reen), is shown to flow in a southerly direction. Collectively this system is labelled Kings Wall. Monks Ditch; which forms part of Black Wall is shown approximately 400m east. Decoypool Farm and the associated Decoy Pool (marshy pond) are located from approximately 300m northwest of the Site. A footpath with various foot bridges runs from Decoypool Farm in a north easterly direction towards Llanwern Station which is approximately 800m northeast. The mainline railway (Great Western Railway), orientated east to west, runs approximately 700m north of Site at its closest point. Various farms and residential properties are shown within approximately 1km (Monkspill Cottage 750m northeast, Pwll-pan 1km northwest, Tatton Farm 1km southwest, New House 1km southeast).
1902 OS	Little significant change is observed within the Site, with the exception of the removal of trees ion the field boundaries.	Decoy Pool is renamed Old Decoy Pool. Little significant change is observed within 1km.

Map Date	Site Feature	Adjacent Features
1921 OS	Little significant change.	Llanwern lime Works and Goods Shed located from approximately 850m north. Little significant change is observed within 1km. Ellens Reen and Middle Reen are indicated to have southeasterly flow direction.
1938 – 1954 OS	No significant change.	Llanwern Golf Club is shown to the north of the Great Western Railway line.
1954 OS	No significant change.	Roman Burials (found AD 1925) indicated to the west of Llanwern Golf Club. Little significant change is observed within 1km.
1965 OS	No significant change.	Little significant change is observed within 1km.
1967-1968 OS	The Site is shown to form part of the Llanwern Steelworks. Much of the site shown as a part of the railway sidings orientated approximately north to south, parallel to the railway sidings are tracks. A pipeline crosses the western site boundary in an approximate north to south orientation over indicated marshy ground, with an unnamed structure positioned to the west of the pipeline.	Mapping shows the surrounding area to comprise the Spencer Steelworks (later known as the Llanwern Steelworks). Within the steelworks, land to the north comprised travelling booms, chimneys, hoppers, tanks, and other infrastructure associated with the coking works. Land to the northeast comprised infrastructure associated with a sinter plant, including a gas holder located 56m northeast. A Benzole plant/ Benzene plant are located to the north. To the west was the ore stocks alongside associated conveyors, travelling booms, roadways, a wetland area with drains, marshland and a small pond. To the south of the site was tanks and infrastructure associated with the Benzole refinery.
1973-1974 OS	A conveyor is shown to cross the northern side of the Site in an approximate east to west orientation. In addition, the marshy ground is now indicated as open space. Railway sidings that were present on the eastern side of the site are no longer indicated with open space in their place.	Previously indicated marshland and ponds directly to the west of the Site now comprises open space. The eastern half of the railway siding tracks have been removed with open space now occupying their place. To the northeast of the site an unnamed factory building is located east of the western railway siding tracks.

Map Date	Site Feature	Adjacent Features
1981 – 1989 OS	The Site evolved in line with the expansion of the steelworks, with former railway sidings and tracks replaced by open space. A second conveyor is located south of the original, associated with the sinter plant. In addition, a hopper, conveyors and unnamed factory buildings are located on the western side of the Site.	Some additional structures are indicated to the south of the Site associated with expansion of the Benzole refinery approximately 100m south. Expansion is shown to the Benzole plant approximately 150m to the north of the site with additional tanks and structures shown. Various infrastructure associated with the steelworks is located to the west of the Site comprising conveyors, hoppers, chimneys and several unnamed buildings.
1992 OS	Little significant change.	Little significant change.
1995 OS	An embankment is indicated on the western Site boundary, extending from the south in an approximate north-south orientation.	Several embankments, pits and tracks are located to the north south and southwest of the Site.
1999 OS	The western embankment is no longer present.	Little significant change.
2006 OS	Little significant change.	Infrastructure associated with the Llanwern Steelworks to the west and south of the Site has been demolished, leaving open space in its place. Little change is shown to the Llanwern Steelworks infrastructure to the north and east.
2022 OS	Infrastructure associated with the Llanwern Steelworks has been demolished within the Site, leaving open space in its place.	A residential area associated with the Glan Llyn development is shown from approximately 500m west. Notable features include Glan Llyn West Primary School, numerous residential houses with private gardens, numerous roads, recreational park areas and an updated surface water drainage network. Four new commercial units, a surface water drainage network and access roads are shown from approximately 400m east of the Site associated with the Celtic Business Park. The land surrounding the north, east and south of the Site is characterised by open space where infrastructure associated with the former steelworks has been demolished.

2.5. Site History – Aerial Photographs

Historical aerial photography included in the Landmark Envirocheck Report and photography from other sources[1] provides additional information relating to the Site (**Appendix C**).

1947: Low resolution black and white photography shows the Site comprising fields use for agricultural purposes. Ellens Reen is visible to the west, Kings Wall Reen system to the south-west, and Black Wall to the east. Decoy Pool and Decoypool Farm are identifiable to the north of the Site.

2001: Low resolution colour photography shows two large conveyors extending across the northern area of the Site. A sinter plant is shown along the eastern boundary with associated structures. The mapping also indicates that the Site formed part of an ore stockyard. These features appear to be separated by a track and a fence running parallel to one another in a north-south orientation along the eastern boundary of the stockyard.

2004: High resolution, colour aerial imagery shows much of the Site and the surrounding area to have been demolished to slab level. Infrastructure associated with the sinter plant remains along the western boundary. The track and fencing also remains, along with stockpiles of demolition materials.

2006: High resolution, colour aerial imagery shows the majority of the Site to be demolished to ground level, with outlines of the former building slabs and tracks still visible.

2015: High resolution, colour aerial imagery shows approximately two large stockpiles comprising material from the wider earthwork operation across the wider Site. The track along the western side of the Site remains.

2018: Moderate resolution, colour aerial imagery shows approximately one small stockpile across the centre of the Site. A haul route is shown on the western side of the Site, orientated north to south. Ongoing development is evident associated with Glan Llyn to the west and Celtic Business Park to the east.

2020: High resolution, colour aerial imagery shows numerous stockpiles across the Site. Some vegetation is visible on a few of the stockpiles.

2.6. Site History - Available Information

According to the Royal Commission on the Ancient and Historical Monuments of Wales[2], the Llanwern Steelworks were built between 1958 and 1962 for Richard & Thomas Baldwin, and was subsequently owned by British Steel, and is currently owned by Tata Steel Europe (formerly known as Corus Group). Reportedly due to the lack of a deep-water iron ore unloading terminal, the Steelworks struggled and steel making ceased in 2001 with demolition commencing in 2004.

[1] Google Earth Pro, Accessed 27/02/2026, BNG 336317E, 186693N, URL: https://earth.google.com/
[2] https://coflein.gov.uk/en/site/86821/

Blueprints and a Historical Site Layout Plan of the wider Llanwern Steelworks site indicates that the Site comprised part of the 'C Sinter Plant', the ore stockyards, and various conveyors. Within the sinter plant various infrastructure is shown including sinter bins, coke cutting plant, a rod mill, a precipitator, return fines plant and control room. Surrounding the sinter plant were various accessways and haul routes.

The historical overlays of the Site are shown on RLL Drawings 18669-RLL-22-XX-DR-O-0390 and 18669-RLL-26-XX-DR-O-0859-P01, and the original Operational Site Layout Drawing (ref. 839181, dated December 1999), included in **Appendix A**.

3.0 Ground Conditions and Mining Review

3.1. Published Geology

Information pertaining to the underlying ground conditions at the Site has been obtained via the BGS Onshore Geoindex[3].

The published geological information shows the Site to be void of Made Ground. However, due to the Site's history, Made Ground is known to be present associated with the previous development and subsequent demolition.

Superficial deposits are shown to comprise Tidal Flat Deposits.

Tidal Flat Deposits are described by the BGS as *'unconsolidated sediment, mainly mud and/ or sand. They may form the top surface of a deltaic deposit. Normally a consolidated soft silty clay, with layers of sand, gravel and peat.'*

The underlying bedrock is shown to be the Mercia Mudstone Group.

The Mercia Mudstone Group is described by the BGS as comprising '*predominantly red, less commonly green-grey, mudstones and subordinate siltstones with thick halite bearing units in some basinal areas. Thin beds of gypsum/anhydrite are widespread; sandstones are also present'*.

There is an inferred fault approximately 700m northeast of the Site which trends roughly north to south and extends northwards away from Site.

3.2. BGS Borehole Records

The nearest non-confidential BGS borehole record is located approximately 185m south-west of the Site. Record ST38NE/8 was drilled to 30.50m and encountered topsoil to 0.10m, overlying Tidal Flat Deposits which comprised layers of soft blue clay to 1.67m, brown fibrous peat to 9.45m. Underlying the Tidal Flat Deposits from 9.45m to 30.50m was the Mercia Mudstone Group, comprising firm reddish brown clay marl becoming firmer with depth.

3.3. Mining History

The Site does not lie in a coal mining reporting area, as defined by the Coal Authority.

There are no records relating to historical mining or extraction activities within 500m of the Site (**Appendix D**).

[3] http://mapapps2.bgs.ac.uk/geoindex/home.html

3.4. Railway and Tunnel Features

Information presented in the Landmark Envirocheck report (**Appendix D**) indicates that there are no railways, underground railways or tunnels present within 250m of the Site boundary.

However, it is known that railway sidings and tunnels were present throughout the wider Llanwern Steelworks during its history. The historical review identified railway sidings within 50m to the east.

3.5. Radon

Information available from the 'UK Maps of Radon'[4] interactive map, shows the Site to lie within a radon affected area, where the maximum radon potential is 1-3%. As such, the site is in a radon effected area but no radon protection measures are likely to be required in the construction of the new development.

3.6. Potential for Ground Stability Hazards

The Site has been given the following BGS classifications with regards to ground stability hazards (**Appendix D**):

- Potential for Collapsible Ground Stability Hazards: **No Hazard**
- Potential for Compressible Ground Stability Hazards: **Moderate**
- Potential for Ground Dissolution Stability Hazards: **No Hazard**
- Potential for Landslide Ground Stability Hazards: **Very Low**
- Potential for Running Sand Ground Stability Hazards: **Moderate**
- Potential for Shrinking or Swelling Clay Ground Stability Hazards: **Low**

3.7. Hydrogeology

Information presented in the Landmark Envirocheck Report (**Appendix D**) indicates that the underlying Mercia Mudstone Group strata is defined as a Secondary B Aquifer and the superficial Tidal Flat Deposits are defined as Unproductive Strata.

Secondary B Aquifers are classified as comprising '*predominantly lower permeability layers which may store and yield limited amounts of groundwater due to localised features such as fissures, thin permeable horizons and weathering. These are generally the water-bearing parts of the former non-aquifer*'.

Unproductive Strata classification has been given to cases where '*rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow'.*

There are no records relating to groundwater abstraction licences for the Site.

[4] UKradon - UK maps of radon

The Site is not located within a groundwater Source Protection Zone and there are no reported Source Protection Zones within 500m of the Site boundary.

3.8. Hydrology

Information presented in the Landmark Envirocheck Report (**Appendix D**) indicates that the nearest surface water feature is located 192m north of the Site and refers to a drain that is orientated approximately east to west.

There are no active surface water discharge consents within 500m of the Site.

The Site lies within an area shown as having a Low Flood Risk from Sea according to Natural Wales Flood Risk mapping[5] from Natural Resources Wales. The Flood risk map is presented in **Appendix E**.

3.9. Unexploded Ordnance (UXO)

Regional Unexploded Bomb Risk maps obtained from Zetica indicates that the Site is in a low-risk area for UXO. The UXO report is presented in **Appendix F**.

[5] https://check-your-flood-risk.naturalresources.wales/?culture=en-GB

4.0 Regulatory Review

4.1. Authorisations and Consents

Data regarding Natural resources Wales and Local Authority authorisations and consents has been obtained for the Site via a Landmark Envirocheck Report (**Appendix D**) commissioned for Site in December 2022.

The Landmark Envirocheck Report contains factual information which is produced from a database of records obtained from various sources including; Local Authorities, Environment Agency (Wales Region), Natural Resources Wales and UK Health Security Agency (formerly Public Health England).

4.2. Environmental permits, incidents and registers

There are six records of Integrated Pollution Controls within 500m of the Site. The closest of which is located 172m southwest, relating to carbonisation and associated processes within the Fuel & Power Industry for Bitmac Ltd, in 1999.

There are no records of prosecutions relating to authorised processes in the vicinity of the Site.

There are seven Local Authority Pollution Prevention and Controls within 500m of the Site, the closest refers to the mineral industries under Cambrian Stone Ltd, located 143m southwest of the Site.

There is one record of Notification of Installations Handling Hazardous Substances (NIHHS) sites, located 379m east of the Site and related to B.S.C.

There are no active discharge consents within 500m of the Site.

4.3. Waste Management and Hazardous Substances

There are three records of Licensed Waste Management Facilities within 500m of the Site. The closest is 194m southwest of the Site and relates to the Englobe Wastewater Treatment Plant within the wider Glan Llyn development, operated by Englobe Regeneration UK Ltd.

There is one record for Registered Waste Treatment or Disposal Site within 500m, located 60m southwest of the Site, associated with incineration of waste produced at the Llanwern Works, operated by Bitmac Ltd.

There is one record of Control of Major Accident Hazard Sites (COMAH) located within 187m northeast of the Site, related to British Oxygen Co Ltd. A Planning Hazardous Substance Consent record is located 116m northeast of the Site, relating to British Steel for liquefied extremely flammable gas and natural gas within the wider former Llanwern Steelworks. Neither of these records are currently active.

There are two records of contemporary trade directory entries located within 500m of the Site, the nearest of which is located 364m northeast and refers to Tarmac Western Ltd, stone product manufacturers.

4.4. Landfills and Other Waste Sites

The Landmark Envirocheck Report (2021) indicates that there are no active or historical landfills recorded on the Site or within 500m of the Site boundary.

There are eight records of Potentially Infilled Land (Water) located within 500m of the Site, all relating to unknown infilled land (pond, marsh, river, stream, dock, etc.) which are thought to be associated with the reen/ drainage network which was infilled when Llanwern Steelworks was built.

4.5. Current Land Use: Industrial Data

Information presented in the Landmark Envirocheck Report (2021) indicates there are fifty-four records of Points of Interests – Manufacturing and Production points within 500m of the Site boundary, all relating to tanks, industrial features, unspecified quarries or mines and stone quarrying and preparation activities; relating to the Llanwern Steelworks or Tarmac Western Ltd.

4.6. Designated Environmentally Sensitive Areas

Reference to the Data Map Wales Website[6] (accessed February 2026) and the Landmark Envirocheck Report (2021) indicates there is a SSSI located 220m south relating to the Gwent Levels - Nash and Goldcliff.

No further designated environmentally sensitive sites are recorded within 500m of the Site.

4.7. Archaeology

A preliminary search of the Historic Wales[7] archaeological database (accessed February 2026) indicates no records within the Site boundary.

[6] New map | DataMapWales
[7] https://historic-wales-rcahmw.hub.arcgis.com/ (accessed June 2025)

5.0 Previous Ground Investigations

5.1. Existing Reports

Two ground investigation were undertaken within the wider Glan Llyn development that included the Site area: one by IFA in June 2016 and one by Atkins in November 2018. As part of these investigations, Atkins excavated 28 trial pits and IFA drilled 2 boreholes within the Site area.

The following table provides a summary of the exploratory holes that were situated within the Site boundary.

Summary of Historical Exploratory Holes within the Site Boundary	
Report	**Exploratory Holes**
IFA (2016)	1 Window Sample Borehole (CWWS31) and 1 Cable Percussion Borehole (CWCP31)
Atkins (2018)	28 Trial Pits (4GC1, 4GC2, 4GC3, 4GC4, 4GC5, 4GC6, 4GD1, 4GD2, 4GD3, 4GD4, 4GD5, 4GD6, 4GD7, 4GE1, 4GE2, 4GE3, 4GE4, 4GE5, 4GE6, 4GF1, 4GF2, 4GF3, 4GF4, 4GF5, 4GF6, 4GF7, 4GG5, 4GG6)

RLL Drawing 18669-RLL-22-XX-DR-O-0376 presented in **Appendix A** shows the location of the exploratory holes.

The historical logs within the Site boundary are presented in **Appendix G**.

5.2. Encountered Ground Conditions

The Site was generally found to be underlain by Made Ground overlying superficial deposits, reported as Tidal Flat Deposits. Bedrock of the Mercia Mudstone Group was encountered in one location (CWCP31).

5.2.1. Made Ground - Surfacing

Surfacing of tarmac was encountered in three locations (4GC6, 4GF7 & 4GG5) from ground level to depths between 0.10mbgl to 0.15mbgl.

5.2.2. Made Ground

Made Ground was encountered within all 30 exploratory holes. The Made Ground was encountered from ground level or underlying the surfacing at thicknesses of between 0.60m to 3.60m, and was generally described as:

- Black/ dark brown/brown/light brown/light grey/reddish brown gravelly SAND with cobbles and occasional slag;
- Black/ dark brown gravelly ashy SAND with cobbles;
- Dark brown/ brown/ light brown/ orange clayey gravelly SAND;

- Light grey slightly clayey silty SAND;
- Black/ dark brown/ red/ blue/ purple sandy GRAVEL with cobbles;
- Dark brown/ brown/ light brown clayey sandy GRAVEL with occasional cobbles;
- Light brown CLAY;
- Dark brown/ brown/ light brown/ red gravelly CLAY; and
- Dark brown/ brown/ light brown/ dark grey/ grey sandy gravelly CLAY.

Gravel and cobble components typically comprised concrete, brick, iron ore, slag, mudstone, coke, asphalt, siltstone, steel slag and furnace slag.

Two locations (4GC3 and 4GC6) refused at depths of 0.60mbgl and 1.50mbgl. Refusal occurred within slag layers/ fused slag horizons or was due to obstructions from iron ore aggregate and/ or concrete.

5.2.3. Superficial Deposits

Tidal Flat Deposits were encountered beneath the Made Ground in 28 locations (CWWS31, CWCP31, 4GC1, 4GC2, 4GC4, 4GC5, 4GD1, 4GD2, 4GD3, 4GD4, 4GD5, 4GD6, 4GD7, 4GE1, 4GE2, 4GE3, 4GE4, 4GE5, 4GE6, 4GF1, 4GF2, 4GF3, 4GF4, 4GF5, 4GF6, 4GF7, 4GG5, 4GG6). The top of the strata was encountered from depths of between 1.65mbgl and 3.60mbgl. The base of the formation was not encountered during the 2018 Atkins ground investigation, although the formation was recorded to depths of up to 3.70m. In contrast, the base of the formation was recorded at 10.00mbgl during the 2016 IFA ground investigation.

The Tidal Flat Deposits were generally described as:

- Soft to firm blue peaty silty CLAY;
- Firm blue/brownish grey/ greenish grey mottled brown silty CLAY with rootlets or rare roots;
- Very soft to soft dark brown/ brown/ dark grey/ blue fibrous PEAT;
- Very soft grey SILT; and
- Loose grey slightly gravelly fine to medium SAND.

5.2.4. Bedrock

Bedrock of the Mercia Mudstone Group was not encountered in the 2018 Atkins ground investigation. However, the Mercia Mudstone was encountered in one of the IFA boreholes (CWCP31). The top of the strata was encountered at 10.00mbgl. The base of the formation was not encountered but the strata was recorded to a maximum depth of 10.95mbgl.

The Mercia Mudstone Group was described as:

- Very stiff reddish brown mottled grey, silty CLAY (Mercia Mudstone Group Grade IVa).

5.2.5. Perched Water

During the Atkins intrusive investigation, perched water was encountered in 27 locations, typically perched within the Made Ground, or towards the base of the Made Ground perched on top of the natural clay. The depth below ground level was recorded from 0.6m to 1.50m.

In the IFA intrusive investigation, perched water was encountered in 1 location (CWCP31) within the Tidal Flat Deposits. The depth below ground level was recorded at 9.50m.

5.2.6. Encountered Buried Obstructions or Services

Buried obstructions or services were encountered in 7 exploratory locations as detailed in the following table.

Encountered Buried Obstructions			
Borehole	**Depth (m)**	**Strata**	**Remarks**
4GC1	0.50	MG	Steel cables
4GC3	1.50	MG	Concrete Slab
4GD2	0.50	MG	Cables
4GD3	0.00	MG	Electric cables and brick wall
4GD4	0.15	MG	Electric cables and brick wall
4GD5	0.00	MG	Electric cables and brick wall
4GG6	0.60	MG	Slag/iron ore aggregate

Notes: MG= Made Ground

5.2.7. Visual/ Olfactory Evidence of Contamination

During the intrusive investigation, visual or olfactory evidence of contamination was encountered in 10 locations as detailed in the following table.

Visual/ Olfactory Evidence of Contamination			
Exploratory Hole	**Depth (m)**	**Strata**	**Remarks**
4GC4	1.20	MG	Oil sheen coming from north of trial pit, no hydrocarbon odour.
4GC6	1.10	MG	Oil sheen on groundwater.
4GD6	0.70	MG	Oil sheen on groundwater, slight hydrocarbon odour.
4GE3	0.00	MG	Oil sheen in groundwater.
4GE4	0.60	MG	Light hydrocarbon odour.
4GE5	0.70	MG	Oil sheen in groundwater, slight hydrocarbon odour.
4GF1	1.40	MG	Light hydrocarbon odour.
4GF2	0.85	MG	Oil sheen in groundwater, hydrocarbon odour.
4GF4	0.60	MG	Light hydrocarbon odour.
4GF5	0.75	MG	Oil sheen in groundwater, slight hydrocarbon odour.

Notes: MG= Made Ground

5.2.8. Instability

Evidence of instability within the exploratory holes was not noted during the 2016 IFA or 2018 Atkins intrusive investigations.

5.3. Gas Screening

No gas monitoring was undertaken during the 2016 IFA and 2018 Atkins ground investigations. A programme of shallow gas monitoring is recommended following turnover and earthworks reengineering.

The classification of the Site will depend on the gas generation potential of the Made Ground and permeability of the upper clay of the Tidal Flat Deposits following earthworks. A site-specific ground gas assessment is recommended following the completion of the earthworks.

6.0 Chemical Testing

6.1. Risks to Human Health

6.1.1. Methodology

To assess the risk posed to the health of site end users, the concentrations of contaminants recorded in soils have been compared to appropriate Site Assessment Criteria (SAC). These have been derived using the Contaminated Land Exposure Assessment Model (CLEA). SACs used in this generic quantitative risk assessment, include:

- Defra Category 4 Screening Levels (C4SLs) (Defra, 2014); and
- Land Quality Management & Chartered Institute of Environmental Health (LQM & CIEH, 2015) Suitable for use levels (S4ULs).

Where C4SL or S4UL are not available for a contaminant or are not considered appropriate for the risk assessment reference has been made to the Environment Agency Soil Guideline Values (SGV), the LQM/CIEH Generic Assessment Criteria (GAC) and the Environmental Industries Commission GAC (EIC GAC).

The C4SL and EA SGV have been derived based on the CLEA default value for Soil Organic Matter (SOM) content of 6% and a sandy loam soil type. The LQM/CIEH S4UL and GAC and the EIC GAC are based on 1%, 2.5% and 6% SOM content and a sandy loam soil type.

The Site has been assessed based on a residential end use with plant uptake as defined in the Environment Agency (EA) CLEA model v1.071 'Updated technical background to the CLEA model Science Report – SC050021/SR3'.

6.1.2. Results

79 soil samples were collected during the 2018 Atkins ground investigation for contamination testing taken from the Made Ground and Superficial Deposits (Samples suffix "-V"). No samples were taken during the 2016 IFA ground investigation.

Samples were tested for heavy metals, polycyclic aromatic hydrocarbons (PAH), total petroleum hydrocarbon (TPH), gasoline range organics (GROs), BTEX, pH, soil organic matter (SOM), cyanide, phenols, ammoniacal nitrogen and select samples were also tested for asbestos.

The samples collected were conservatively assessed against LQM/ CIEH 2015 S4ULs (Suitable for Use Levels) for a residential end use with plant uptake (1% SOM). A summary of exceedances is presented in the following table, and the chemical analysis results are presented in full in **Appendix H**.

Summary of Exceedances of S4ULs Residential with Plant Uptake Criteria.				
Contaminant	**No. of Exceedances**	**Location of Exceedances**	**Exceedance Concentration Range (mg/kg)**	**Screening Value (mg/kg)**
Lead	1 of 79 (1.27%)	4G-E3-V	276.00	200.00
Vanadium	5 of 79 (6.33%)	4G-C2, 4G-F3, 4G-C7, 4G-D3, 4G-D7	515.00 – 2400.00	410.00
Benzene	79 of 79 (100.00%)	All Samples	0.18 – 1.80	0.087
Benzo[b]fluoranthene	5 of 79 (6.33%)	4G-C1, 4G-C5, 4G-F1, 4G-D6, 4G-E6	2.94 – 7.74	2.60
Benzo[a]pyrene	3 of 79 (3.80%)	4G-C1, 4G-F1, 4G-E6	5.58 – 3.08	2.20
Dibenz(a,h)Anthracene	10 of 79 (12.66%)	4G-C1, 4G-C2, 4G-C3, 4G-C5, 4G-D2, 4G-F1, 4G-C7, 4G-D6, 4G-E5, 4G-E6	0.24 – 1.26	0.24

79 of 79 samples were shown to exceed the screening criteria for benzene. It should be noted that only two samples had concentrations above the limit of detection for benzene. The detection limit for benzene tested listed by the laboratory was between 90µg/kg (74 samples), 180µg/kg (2 samples) or 1800µg/kg (1 sample) these are greater than the screening value of 87µg/kg (0.087mg/kg) and causes a significant skew in the results. Where samples are reported at the detection limit, for screening purposes, it has been conservatively assumed that the value is 90µg/kg, 180µg/kg or 1800µg/kg. The true concentration is likely to be significantly lower than this value.

Of the 79 samples tested, 27 were collected from the natural ground (Tidal Flat Deposits). One exceedance was recorded for lead (4G-E3-V at 2.20m bgl) within the natural ground. This isolated exceedance is considered likely to result from contamination associated with the overlying Made Ground, rather than being representative of elevated concentrations within the natural deposits.

6.1.3. Asbestos

Asbestos was identified in 5 samples from the 30 analysed; a summary of the asbestos identified is given in the below table.

Summary of Asbestos Identified within the Site		
Location (Depth in m bgl)	**Asbestos Type**	**Quantification (%)**
4G-D5 (0.50)	Amosite Asbestos	0.0035
4G-E5 (0.2)	Amosite Asbestos	<0.001
4G-F3 (0.6)	Amosite Asbestos	<0.001
4G-C1 (1.0)	Amosite Asbestos	0.0077
4G-C5 (1.2)	Amosite Asbestos	<0.001

Asbestos was identified in five samples; all positive samples were quantified to ascertain the weight for weigh concentration of asbestos in soil and returned results ranging between <0.001% to 0.0077%. The Institute of Occupational Medicine (IOM) risk assessment report for the reuse of soils containing asbestos at Llanwern

(Ref. 401134-IOM-14-XX-RP-Z-0001) and has been agreed with Natural Resources Wales, states the following:

- Within the clean cover system a minimum of 0.6m of clean soil (asbestos content <0.001%) will be placed across the Llanwern site.
- Beneath the cover system, soil will be screened and, if asbestos contamination is less than 0.02% (200PPM) in the soil, that soil may be used in residential areas.

6.1.4. Groundwater

No samples of perched groundwater were taken during the 2016 IFA or 2018 Atkins intrusive investigation.

Historical investigations undertaken by Atkins across the wider development have identified elevated concentration of contaminants associated with the Site's former usage that may present a risk to Controlled Waters.

Further assessment of the risk posed by the Site as part of the wider development has been completed via preparation of a Controlled Waters Detailed Quantitative Risk Assessment (Ref. 18669-RLE-19-RP-O-0006) for the wider development and a phase specific addendum to this (Ref. 18669-RLL-26-XX-RP-O-0865-P01).

Due to the history of the Site, it is anticipated that further remedial works including turnover of the Made Ground will be undertaken with post remedial monitoring of water and gas following the completion of the earthworks.

7.0 Conceptual Site Model (CSM)

This section provides a qualitative assessment of the risk posed from potential on and off-site contamination sources identified from the information presented in the previous sections. The CSM considers the findings of all ground investigations that have been undertaken at the Site.

The assessment carried out assumes that the Site will be redeveloped for a residential with plant uptake end-use, as the most sensitive of the proposed uses. Should the end use be altered, potential pathways and receptors should be re-assessed.

The conceptual site model below has been developed based on the commonly adopted source-pathway-receptor model as recommended within the Environment Agency Land Contamination Risk Management guidance and the Welsh Government's Contaminated Land Statutory Guidance for Wales 2012, and the Welsh Government, Natural Resources Wales & Welsh Government's Development of Land Affected by Contamination: A Guide for Developers (2017).

7.1. Potential Pollutant Linkages

7.1.1. Sources

The Site makes up part of the former Llanwern Steelworks; the Site historically comprised part of an ore stockyard, conveyors and part of a sinter plant. Within the sinter plant various infrastructure was present including sinter bins, coke cutting plant, a rod mill, a precipitator, return fines plant and control room. Surrounding the sinter plant there were various accessways and haul routes.

Chemical analysis of soil samples has identified concentrations higher than the selected screening criteria for lead, vanadium, benzene, benzo[b]fluoranthene, benzo[a]pyrene and dibenz(a,h)anthracene. Asbestos was identified in five of the thirty soil samples tested in the form of debris and loose fibres at concentrations of <0.001% to 0.0077%.

Potential contaminant sources are summarised in the following table.

Summary of Potential On Site Sources of Contamination		
Source	**Site Area**	**Key Contaminants**
Deep Made Ground, including slag material	Whole Site	Heavy metals, PAHs, Benzene and ground gas.
Historical Steelworks infrastructure	Whole Site	Heavy metals, PAHs, TPHs.
Made Ground	Isolated locations across the Site	Low concentrations of asbestos.
Natural Strata	Whole Site	Potential for ground gas from organic materials in the Tidal Flat Deposits. Potential for sulphates and pyrites in the underlying Tidal Flat Deposits and Mercia Mudstone Group.

7.2. Potential Receptors

The following receptors (current and proposed) have been identified at the Site. Given the absence of significant ecological designations in the vicinity of the Site, ecological receptors are not considered below.

Humans:

- Construction workers and maintenance workers; and
- Residents on and off-site (current and future).

Controlled Waters:

- Mercia Mudstone Group (Secondary B Aquifer) and Tidal Flat Deposits (Secondary [Undifferentiated] Aquifer); and
- East Lake, Kings Wall Reen and associated development drainage network within 500m.

Property:

- Existing and proposed buildings and services on and immediately surrounding the Site; and
- Proposed infrastructure on the Site.

7.2.1. Potential Pathways

Human Health

There is the potential for exposure of site end users to contaminants in soils via the following pathways, based on a residential with plant uptake end use (Environment Agency CLEA land use scenario):

- Direct soil and dust ingestion;
- Dermal contact with soil directly and indoor dust;
- Plant uptake followed by consumption of homegrown produce;
- Inhalation of vapours;
- Inhalation of dust; and
- Inhalation of gases.

Due to the levels of contamination encountered it is recommended that appropriate risk assessments and method statements are prepared and safety measures (use of PPE/ hygiene rules) implemented in order to provide adequate protection for construction workers.

If materials are required to be imported to Site they will have to be assessed and validated in line with the agreed import criteria detailed in the remediation strategy and site-specific Materials Management Plan (MMP).

Basic radon protection measures are not required.

Controlled Waters

It is considered that due to the low permeability nature of the underlying Tidal Flat Deposits, there is no feasible pathway for vertical migration of contaminants into the underlying Mercia Mudstone Aquifer.

Currently Monks Ditch crosses the wider development within a concrete channel and no connection with the private drainage system presently exists. It is proposed that the future surface water network of reens and lakes will discharge via a pumping system into Monk's Ditch. This on-site surface water system will discharge, via a permit, into Monks Ditch once the specified quality criteria are met and the application to connect the system is approved.

Monks Ditch is not currently a receptor (it is understood to be hydraulically isolated as it flows between the Glan Llyn development and the business park the east, within a concrete channel), although it could potentially be a future receptor if surface water discharge is permitted into the Monks Ditch.

With regard to Controlled Waters, the following pathways are considered applicable to the Site, following completion of the development and once relevant approvals have been granted to allow discharge into Monks Ditch:

- Leaching of soil-borne contamination in Made Ground and subsequent lateral migration through permeable pathways in Made Ground to Monks' Ditch via onsite reens.

As such, a Site Specific Detailed Controlled Waters Risk Assessment (Ref. 18669-RLL-26-XX-RP-O-0865) has been prepared for the Site and should be read in conjunction with this report.

Structures

Concrete classification testing has not been undertaken. A Design Sulphate (DS) class and Aggressive Chemical Environment for Concrete (ACEC) class should be derived for the Site in accordance with the recommendations given within BRE SD1 and based on pH and sulphate testing.

A site-specific ground gas assessment is recommended following the earthworks. The classification of the Site will depend on the gas generation potential of the Made Ground and permeability of the upper clay of the Tidal Flat Deposits.

7.2.2. Preliminary Remediation Assessment

The Site has previously undergone various phases of ground investigation and remedial earthworks.

A preliminary assessment of remedial works has been undertaken based on information from the ground investigations on the Site. The preliminary assessment indicates that the provision of clean cover is likely to make the Site suitable for human health but some material is anticipated to be removed to render the site suitable in terms of the risks to controlled waters (private reen network). The Made Ground will be tested, re-assessed and where the soil does not meet the reuse criteria it will be

excavated, removed, and replaced with suitable fill that meets the criteria. Prior to filling, excavations of unsuitable material shall be validated to demonstrate compliance with the Remediation Strategy.

The installation and validation of gas mitigation measures may be required following completion of the post-earthworks ground gas risk assessment.

7.2.3. Proposed Mitigation

The proposed remedial approach is to remove unsuitable material based on the grid of testing and turnover the Made Ground to natural geology, approximately 0.60m to 3.60mdgl to remove obstructions and reduce the permeability of the Made Ground. Based on the results of chemical testing, the Made Ground is not suitable for reuse at shallow depths within the residential plot but is likely to be suitable for use as part of the reengineered formation beneath 600mm of clean cover.

Construction of buildings and hardstanding with suitable construction materials to break the pathway with underlying Made Ground, to intercept rainwater and to reduce infiltration through to Controlled Waters (private reen network) is recommended.

To break the identified contamination linkages, the following mitigation measures are required:

- Excavation of Made Ground to natural clay and removal of unsuitable material and buried obstructions to facilitate reengineering and reuse of the Made Ground;
- Identify, remove and validate the removal of gross contamination and potential obstructions on a grid square basis, and subsequent validation testing and reporting;
- Treatment or off-site disposal of impacted soils (where required);
- Reengineering of materials in accordance with the approved Remediation Strategy and Earthworks Specification to an appropriate specification to achieve the required formation level;
- Chemical and geotechnical validation of the placement of material following turnover;
- Site-specific geotechnical assessment relating to the proposed development;
- Installation of a 600mm clean cover system, suitable for a residential with plant uptake end use, will be required in areas of residential gardens and landscaping;
- Consultation with the water supply company in relation to the potential use of barrier pipe;
- Preparation of a Piling Risk Assessment;
- With respect to asbestos, a minimum of 600mm of clean soil (in accordance with Llanwern Asbestos Risk Assessment prepared by IOM) will be placed across the Llanwern site. Made Ground material will be screened and, if asbestos contamination is less than 0.02% (200PPM) then it may be used in residential areas below the clean cover. The materials used in the preparation of the site

will be recorded in a validation report assessing compliance with the approved criteria;

- A Design Sulphate (DS) class and Aggressive Chemical Environment for Concrete (ACEC) class should be derived for the Site in accordance with the recommendations given within BRE SD1 and based on pH and sulphate testing; and
- A programme of shallow gas monitoring is recommended following the turnover and reengineering of the Made Ground to determine whether protective measures are needed with proposed buildings.

The risk to Controlled Waters has been assessed in both the sitewide CWRA (ref. 18669-RLE-19-RP-O-0006) and phase specific CWRA (ref. 18669-RLL-26-XX-RP-O-0865) to further determine whether additional works are required to protect Controlled Waters receptors post-development. This, along with a formal Remediation Strategy should be agreed with Natural Resources Wales (NRW) and Local Authority (LA).

8.0 Geotechnical Testing

8.1. Sampling and Testing

Geotechnical sampling was undertaken by an Atkins Engineer during the 2018 ground investigation. No geotechnical sampling was undertaken in the 2016 IFA ground investigation.

Samples collected on Site were sent for geotechnical laboratory testing, which were undertaken in accordance with BS1377:1990. Laboratory testing was undertaken by Celtest and included the following:

Summary of Geotechnical Testing Undertaken on Samples	
Test	**Number of Samples Tested**
Moisture Content	24
Particle Size Distribution by Wet Sieve	24
Compaction Using 4.5kg rammer	24
Total Expansion BRE Tests	23

The above testing provided results to show the principal geotechnical properties of the major geological units identified during the ground investigation. A summary of the geotechnical laboratory results is presented in the following sections, and the laboratory data is included within **Appendix J**.

8.2. Classification Testing

8.2.1. Natural Moisture Content

24 compaction tests (4.5kg rammer) were undertaken on samples of Made Ground and recorded an optimum moisture content for the Made Ground of between 6.70% and 13.00%.

Moisture content tests were undertaken on 24 samples and recorded water content between 7.60% and 21.50%.

8.2.2. Material Grading and Classification

Particle size distribution tests were undertaken on 24 samples of the Made Ground on Site. The results of the particle size distribution tests on the Made Ground indicate the material can be generally described as a slightly clayey sandy GRAVEL or sandy GRAVEL with occasional cobbles, falling into Class falling into Class 1A & 1B – General Granular Fill[8]. This grading of material, when compacted/ reengineered, is likely to have limited permeability (approximately 10^{-7}), classed as poor draining soils and therefore inhibiting the downward migration of infiltrated rainwater into the Made Ground.

[8] Series 600 Earthworks, Manual of Contract Documents for Highway Works - Volume 1, Specification for Highway Works, Amendment February 2017.

8.3. BRE Total Expansion Tests

23 samples were scheduled for testing in accordance with BRE 481 Part B - Appendix B to determine the expansion of steel slag (over 28 days at 80°C) and recorded a total expansion of -0.6% to 1.2%. It is worth noting that the BRE test is a conservative test crushing material >20mm and placing it in a bath of water at 80°c for 28 days.

According to the RLL Technical Note (ref. 17480-RLE-18-XX-RP-O-001, dated March 2018) Geotechnical Guidance for Reuse of Made Ground Containing Slag, the guideline average expansion value considered to be acceptable is 2.5%.

Of the 23 samples tested, the mean value recorded was 0.31%. No samples produced results over 2.5%. The maximum total expansion value recorded was 1.20%.

A full copy of the results are included in **Appendix J**.

9.0 Conclusions and Recommendations

9.1. Conclusion

The Site is located within the Glan Llyn development at the former Llanwern Steelworks, approximately 5.5km to the east of Newport City Centre, at approximate National Grid Reference 336317E, 186693N. The Site is irregular in shape, covers an area of approximately 1.5ha and is located near the centre of the wider Glan Llyn development. It is understood that the Site is proposed to be redeveloped for a residential end use.

Historically, the Site comprised part of four open fields, segregated by reens and trees until 1967 when the Site formed part of Llanwern Steelworks. 1973 historic mapping shows railway sidings and access tracks to run approximately north to south through the centre of Site and the western side to form part of the ore stockyard. To the west of the Site were ore stockpiles, conveyors, travelling booms, roadways, a wetland area with drains, marshland and a small pond. As the steelworks expanded a sinter plant was constructed, encroaching on the western side of the Site alongside associated structures, conveyors, and tracks. The Site currently comprises an area used for the stockpiling of materials from the wider Glan Llyn Site.

The 2016 IFA ground investigation comprised 2 boreholes, with groundwater encountered in 1 location (CWCP31) within the Tidal Flat Deposits at a depth of 9.50mbgl. The 2018 Atkins ground investigation comprised 28 trial pits, with perched water encountered within the Made Ground in 27 locations.

Made Ground was encountered within all 30 exploratory holes. The Made Ground was encountered from ground level or underlying the surfacing at thicknesses of between 0.60m to 3.60m. Tidal Flat Deposits were encountered beneath the Made Ground in 28 locations, at depths of between 1.60m and 3.60m. The base of the formation was not encountered during the 2018 Atkins ground investigation, although the formation was recorded to depths of up to 3.70m. The base of the superficial deposits was proven at 10.00mbgl during the 2016 IFA ground investigation. Mercia Mudstone was encountered in one of the IFA boreholes (CWCP31) between 10.00mbgl to 10.95mbgl, with the base of the formation not proven.

Regional groundwater was only encountered in one exploratory hole (CWCP31) within Phase 4E during the IFA ground investigation, at a depth of 9.50mbgl within the basal sand layer of the Tidal Flat Deposits. As reported in the CWDQRA for the wider Site, groundwater is present beneath the Site as perched water within the Made Ground, or regional groundwater within the Tidal Flat Deposits (confined to the basal sand layers) and Mercia Mudstone.

Hydrocarbon odours/ oil sheens in perched water were encountered in ten locations within the Made Ground, at depths ranging from 0.00mbgl to 1.40mbgl. Given the relatively low number of exploratory locations at which evidence of hydrocarbon contamination was identified, the presence of gross contamination, unsuitable for retention within the development is considered unlikely. This is further supported by only limited elevated speciated hydrocarbons within soils samples.

Buried obstructions such as concrete slabs, electric cables and brick walls, steel cables and hard layers of slag or iron ore aggregate were encountered in 7 locations at depths between 0.00mbgl to at 1.50mbgl.

79 soil samples were collected and scheduled for analysis within the Made Ground and Superficial Deposits. The samples collected were conservatively assessed against LQM/ CIEH 2015 S4ULs (Suitable for Use Levels) for a residential end use with plant uptake (1% SOM). Chemical analysis has identified exceedances of lead, vanadium, benzene, benzo[b]fluoranthene, benzo[a]pyrene and dibenz(a,h)anthracene.

Asbestos was identified in five soil samples at concentrations of <0.001% to 0.0077%. In accordance with the IOM report soils with these concentrations are considered suitable for reuse beneath the clean cover system.

No water sampling has been undertaken within the Site as part of the 2016 IFA and 2018 Atkins investigation. Ground investigations undertaken across the wider development have identified elevated concentrations of contaminants that may potentially present a risk to Controlled Waters, this has been assessed in the DQRA.

A Site-specific ground gas assessment is recommended following the earthworks, comprising a programme of shallow ground gas monitoring following the turnover of the Made Ground to natural geology and reengineering of the site won Made Ground to formation levels. The classification of the Site will depend on the permeability of the upper clay of the Tidal Flat Deposits. Radon protection measures are not required.

9.2. Recommendations


Following the completion of the ground investigation the following recommendations have been made:

- Removal of identified hotspot contamination on a grid square basis, and subsequent validation testing and reporting.
- Turnover of the Made Ground to natural geology with removal of obstructions.
- reengineering of materials in accordance with the approved Remediation Strategy and Earthworks Specification to an appropriate specification to achieve the required formation level.
- Chemical and geotechnical validation of the placement of material following turnover.
- A programme of shallow gas assessment is recommended following the earthworks to turnover and reengineer the Site.
- Concrete classification testing should be undertaken in accordance with BRE Special Digest 1.

- Phase-specific geotechnical assessments relating to the proposed development.
- Construction of buildings and hardstanding with suitable construction materials to break the pathway with underlying Made Ground, to intercept rainwater and to reduce infiltration.
- A 600mm clean cover system, suitable for a residential with plant uptake end use, will be required in areas of residential gardens and landscaping.
- Consultation with the water supply company in relation to the potential use of barrier pipe.
- Preparation of a Piling risk Assessment.
- Preparation of a Detailed Controlled Waters Risk Assessment to assess the risk posed to controlled waters within the future development and inform the Remediation Strategy.
- Preparation of an MMP to facilitate the reuse of excavated materials and import of soil for use in the cover system.

Appendices

Appendix A
Drawings and Plans



GENERAL NOTES

NO DIMENSIONS TO BE SCALED OFF THIS DRAWING.

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWINGS.

ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.

ALL LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.

ANY DISCREPANCIES NOTED ON SITE ARE TO BE REPORTED TO THE ENGINEER IMMEDIATELY.

KEY:

Approximate Site Boundary

Rev	Date	Amendments	By	Chk

Client

St Modwen Developments

Project

P18-669 Llanwern Reclamation

Drawing Title

Phase 4e

Site Location Plan

INFORMATION

	Drawn	Checked	Date
1:1250 @ A1	AMS	CW	28.10.24


Drawing No. Rev.

18669-RLL-24-XX-DR-O-0657 P01

Copyright © Rodgers Leask Limited

Seven House ● 18 High Street ● Longbridge ● B31 2UQ ● Tel: 0121 475 8462 ● Fax: 01332 291728 ● www.rodgersleask.co.uk

Glan Llyn -ESAMP Indicative Masterplan



Glan Llyn Residential Numbers (based on existing masterplan)					
Phase/Plot	Outlet	Area (HA)	Area (Acres)	Density (HA)	Total Units
1	Persimmon	**9.77**	**24.15**	31.4	307
2/a	Bellway	5.20	12.84	35	182
2/b	SMH	4.06	10.02	35	142
2/c	Bellway	4.30	10.62	35.3	152
2/d	Persimmon	4.98	12.30	35	174
2/e&f	SMH	5.10	12.61	29.8	152
1 and 2/Total		**33.40**	**82.54**		**1109**
3a		5.86	14.49	35	205
3b		2.32	5.74	35	81
3c		6.72	16.60	38.1	256
3d		3.45	8.53	35	121
3 Total		18.36	45.36		663
4a		7.19	17.78	34.8	250
4b		2.04	5.04	35	71
4c		1.53	3.78	35	54
4d		3.65	9.03	35	128
4e		1.49	3.68	35	52
4f		-	-	-	-
4g		4.64	11.46	35	162
4h		5.15	12.73	35	180
5a		5.65	13.95	35	198
5b		6.23	15.41	35	218
5c	Sports	2.67	6.60	35	93
5d		2.24	5.53	35	78
5e		13.72	33.90	35	480
5f		2.49	6.15	35	87
5g		5.06	12.50	35	177
4 and 5/Total		**63.75**	**157.53**		**2230**
1,2,3,4,5 Total		**115.51**	**285.44**		**4002**

NOTE: Areas and housing numbers assume that plot 5c sports is moved to CBP and converted to resi

SGP
Architects + Masterplanners

Waterfront House,
2a Smith Way, Grove Park,
Enderby, Leicester,
LE19 1SX
t: +44 (0)116 247 0557
www.stephengeorge.co.uk

SGP File Ref: 8111-08-A011
Project No: 8111-08
Drawn By: NV
Date: 10/04/2019

Drawing No: 8111-08-A011
Rev: Rev P09
Scale: 1:5000 @A1


Notes:
Residential areas quoted are approximate gross site areas and include Leaps, Laps and on plot road infrastructure

Notes:
Residential areas quoted are approximate gross site areas and include Leaps, Laps and on plot road infrastructlayture

0 50 100 200 250 300 400 500
Metres at scale 1:5000

ST.MODWEN

This drawing, the works and concepts depicted are copyright of Stephen George + Partners LLP and may not be reproduced or made use of, either directly or indirectly without express written consent. Do not scale off this drawing. All heights, levels, sizes and dimentions to be checked on site before any work is put to hand.



GENERAL NOTES

NO DIMENSIONS TO BE SCALED OFF THIS DRAWING.

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWINGS.

ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.

ALL LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.

ANY DISCREPANCIES NOTED ON SITE ARE TO BE REPORTED TO THE ENGINEER IMMEDIATELY.

Rev	Date	Amendments	By	Chk

Client

St Modwen Developments

Project

P18-669 Llanwern Reclamation

Drawing Title

Phase 4E

Historical Obstruction Plan

INFORMATION


	Drawn	Checked	Date
NTS	SR	CW	05.01.23

Drawing No. Rev.

18669-RLL-22-XX-DR-O-0391

Copyright © Rodgers Leask Limited

Seven House ● 18 High Street ● Longbridge ● B31 2UQ ● Tel: 0121 475 8462 ● Fax: 01332 291728 ● www.rodgersleask.co.uk



GENERAL NOTES

NO DIMENSIONS TO BE SCALED OFF THIS DRAWING.

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWINGS.

ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.

ALL LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.

ANY DISCREPANCIES NOTED ON SITE ARE TO BE REPORTED TO THE ENGINEER IMMEDIATELY.

KEY:

SITE BOUNDARY

WIDER SITE PHASING PLAN

Rev	Date	Amendments	By	Chk
P01	04/03/2026	First Issue	AMS	CW

Client

Revantage Real Estate

Project

P18-669 Glan Llyn, Llanwern, Newport

Drawing Title

Phase 4E

Historical Working Plan Overlay

INFORMATION

	Drawn	Checked	Date
NTS	AMS	CW	04/03/26

Drawing No. | Rev.


18669-RLL-26-XX-DR-O-0859 P01

Copyright © Rodgers Leask Limited

1/100A Woodlands Court ● Ash Ridge Road ● Bristol ● B32 4LB ● Tel: 01332 285 000 ● www.rodgersleask.co.uk

ORIGINATING OFFICE DRG.No. 839181	RECEIVING OFFICE DRG.No.	FIRST ANGLE PROJECTION	CONFIDENTIAL - BRITISH STEEL LIMITED	DO NOT SCALE

MAP 1
APPENDIX 15.1



No. OFF	ITEM	DRG. No. OR MATL	DESCRIPTION
		SCALE 1:5000 @ a0	PLANT LLANWERN ESTABLISHMENT
		UNIT OF MEASUREMENT	SECTION OUTLINE LAYOUT OF ESTABLISHMENT
		DRAWN N.W.C. 09.12.99	DESCRIPTION
		CHECKED	ROADS, RAILS AND STOCKING AREAS FOR COMAH REPORT
		TRACED	
		PASSED	COPYRIGHT-BRITISH STEEL LIMITED© 19

REVISIONS

CONFIDENTIAL
THIS DRAWING IS THE PROPERTY OF BRITISH STEEL LIMITED AND MUST NOT BE COPIED WITHOUT WRITTEN PERMISSION. ITS CONTENTS ARE CONFIDENTIAL, MUST NOT BE DISCLOSED OUTSIDE BRITISH STEEL LIMITED WITHOUT WRITTEN PERMISSION AND ARE TO BE USED ONLY FOR THE PURPOSE FOR WHICH THE DRAWING IS SUPPLIED.


ORIGINATING OFFICE
DRG.No. 839181
RECEIVING OFFICE
DRG.No.

DIVISION STRIP PRODUCTS
WORKS LLANWERN

British Steel Limited

C.A.D.

PRELIMINARY No 5 7/2/01



GENERAL NOTES

NO DIMENSIONS TO BE SCALED OFF THIS DRAWING.

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWINGS.

ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.

ALL LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.

ANY DISCREPANCIES NOTED ON SITE ARE TO BE REPORTED TO THE ENGINEER IMMEDIATELY.

KEY:

PHASE BOUNDARY

CWRA BOREHOLE

ATKINS TRIAL PITS

Rev	Date	Amendments	By	Chk
A	22:12:22	Atkins TPs Added	SR	CW

Client

ST Modewn Developments

Project

P18-669 Llanwern Reclamation

Drawing Title

4e Historical BH plan

INFORMATION

	Drawn	Checked	Date
NTS	ET	CW	05/12/22

Drawing No.

18669-RLL-22-XX-DR-O-0376

Rev.

Copyright © Rodgers Leask Limited

Seven House ● 18 High Street ● Longbridge ● B31 2UQ ● Tel: 0121 475 8462 ● Fax: 01332 291728 ● www.rodgersleask.co.uk

Appendix B
Site Walkover Photographs

Phase 4E Site Walkover Photos



Photograph 1 (August 2021): West facing view of Made Ground stockpile located in the approximate centre of Phase 4E.



Photograph 2 (November 2023): South facing view of Phase 4E showing stockpiles Made Ground in the approximate centre of the phase and standing surface water.



Photograph 3 (November 2023): Northeast facing view of the northern side of Phase 4E showing significant standing surface water between two Made Ground stockpiles.




Photograph 4 (November 2023): Northeast facing view of the southwestern side of Phase 4E showing standing surface water pooled on open space within the phase.

Appendix C
Historical Maps

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Co. Burgh Bdy.

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy
London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Monmouthshire	1:2,500	1883	2
Monmouthshire	1:2,500	1901	3
Monmouthshire	1:2,500	1921	4
Ordnance Survey Plan	1:1,250	1967	5
Ordnance Survey Plan	1:2,500	1967 - 1968	6
Supply of Unpublished Survey Information	1:1,250	1974	7
Additional SIMs	1:1,250	1986	8
Additional SIMs	1:1,250	1991	9
Large-Scale National Grid Data	1:1,250	1992	10
Large-Scale National Grid Data	1:1,250	1995	11
Historical Aerial Photography	1:2,500	2001	12

Historical Map - Segment A10




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1883


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1901


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1921


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

ST3586NW 1967 1:1,250	ST3586NE 1967 1:1,250	ST3686NW 1967 1:1,250
ST3586SW 1967 1:1,250	ST3586SE 1967 1:1,250	ST3686SW 1967 1:1,250

Historical Map - Segment A10



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

335600 335800 336000

186800 186600 186400

Spencer Steelworks
Ore Stocks
Travelling Boom Conveyor
Lighting Tower
Drain
Pond
QUEEN'S WAY
4772 139·66
0004 12·46
0004 148·75
0250 1·05
0004 1·07
4335 7·30

© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.


0 100 m

Envirocheck®
LANDMARK INFORMATION GROUP®


Ordnance Survey Plan
Published 1967 - 1968
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Supply of Unpublished Survey Information

Published 1974


Source map scale - 1:1,250

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a `work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Additional SIMs

Published 1986


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3586NW 1986 1:1,250	ST3586NE 1986 1:1,250	ST3686NW 1986 1:1,250
ST3586SW 1986 1:1,250	ST3586SE 1986 1:1,250	ST3686SW 1986 1:1,250

Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Additional SIMs

Published 1991


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Large-Scale National Grid Data

Published 1992


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3586NW 1992 1:1,250	ST3586NE 1992 1:1,250	ST3686NW 1992 1:1,250
ST3586SW 1992 1:1,250	ST3586SE 1992 1:1,250	ST3686SW 1992 1:1,250

Historical Map - Segment A10



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

335600 335800 336000

186800 186600 186400

Ore Stocks
Travelling Hopper
Conveyor
Lighting Tower
Hopper
Spencer Steelworks
QUEENS WAY
Tank
Slurry
RM 6.85m

© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®

Large-Scale National Grid Data

Published 1995


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3586NW 1995 1:1,250		ST3686NW 1995 1:1,250
ST3586SW 1995 1:1,250	ST3586SE 1995 1:1,250	ST3686SW 1995 1:1,250

Historical Map - Segment A10




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®


LANDMARK INFORMATION GROUP®

Historical Aerial Photography

Published 2001

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A10



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details


Site at 336079,186662

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)

Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Monmouthshire	1:2,500	1883	2
Monmouthshire	1:2,500	1901	3
Monmouthshire	1:2,500	1921	4
Ordnance Survey Plan	1:1,250	1967	5
Ordnance Survey Plan	1:2,500	1968	6
Supply of Unpublished Survey Information	1:1,250	1974	7
Additional SIMs	1:1,250	1986	8
Additional SIMs	1:1,250	1991	9
Large-Scale National Grid Data	1:1,250	1992	10
Large-Scale National Grid Data	1:1,250	1995	11
Historical Aerial Photography	1:2,500	2001	12

Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1883


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1901


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1921


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

ST3686NW 1967 1:1,250	ST3686NE 1967 1:1,250
ST3686SW 1967 1:1,250	ST3686SE 1967 1:1,250

Historical Map - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1968


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Supply of Unpublished Survey Information

Published 1974


Source map scale - 1:1,250

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a `work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Additional SIMs

Published 1986


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3686NW 1986 1:1,250	ST3686NE 1986 1:1,250
ST3686SW 1986 1:1,250	ST3686SE 1986 1:1,250

Historical Map - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®


Additional SIMs

Published 1991


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Large-Scale National Grid Data

Published 1992


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3686NW 1992 1:1,250	ST3686NE 1992 1:1,250
ST3686SW 1992 1:1,250	ST3686SE 1992 1:1,250

Historical Map - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Large-Scale National Grid Data

Published 1995


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3686NW 1995 1:1,250	ST3686NE 1995 1:1,250
ST3686SW 1995 1:1,250	ST3686SE 1995 1:1,250

Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®


LANDMARK INFORMATION GROUP®

Historical Aerial Photography

Published 2001

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
·285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Electricity Transmission Line
Pole
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Monmouthshire	1:10,560	1886 - 1887	3
Monmouthshire	1:10,560	1902	4
Monmouthshire	1:10,560	1922	5
Monmouthshire	1:10,560	1938 - 1954	6
Historical Aerial Photography	1:10,560	1947	7
Historical Aerial Photography	1:10,560	1947	8
Monmouthshire	1:10,560	1954	9
Ordnance Survey Plan	1:10,000	1965	10
Ordnance Survey Plan	1:10,000	1973	11
Ordnance Survey Plan	1:10,000	1981 - 1989	12
Newport	1:10,000	1983	13
Ordnance Survey Plan	1:10,000	1987	14
10K Raster Mapping	1:10,000	1999	15
10K Raster Mapping	1:10,000	2006	16
VectorMap Local	1:10,000	2022	17

Historical Map - Slice A



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Direction and velocity of current
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub

Key to Numbers on Mapping

ST38NE_Newport

No.	Description
29	Mill (Steel)
71	Railway Station


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Monmouthshire	1:10,560	1886 - 1887	3
Monmouthshire	1:10,560	1902	4
Monmouthshire	1:10,560	1922	5
Monmouthshire	1:10,560	1938 - 1954	6
Historical Aerial Photography	1:10,560	1947	7
Historical Aerial Photography	1:10,560	1947	8
Monmouthshire	1:10,560	1954	9
Ordnance Survey Plan	1:10,000	1965	10
Ordnance Survey Plan	1:10,000	1973	11
Ordnance Survey Plan	1:10,000	1981 - 1989	12
Newport	1:10,000	1983	13
Ordnance Survey Plan	1:10,000	1987	14
10K Raster Mapping	1:10,000	1999	15
10K Raster Mapping	1:10,000	2006	16
VectorMap Local	1:10,000	2022	17

Russian Map - Slice A



Order Details


Order Number: 304885831_1_1
Customer Ref: Llanwern 4c 4g 4e
National Grid Reference: 336080, 186650
Slice: A
Site Area (Ha): 8.34
Search Buffer (m): 1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Monmouthshire

Published 1886 - 1887

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

02900
1886
1:10,560

03400
1887
1:10,560

Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1902


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1922


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Monmouthshire

Published 1938 - 1954


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

029SW 1938 1:10,560	029SE 1954 1:10,560
034NW 1938 1:10,560	034NE 1954 1:10,560

Historical Map - Slice A



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Landmark Information Group and/or Data Suppliers 2022.

Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Aerial Photography


Published 1947

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



BRITISH LIBRARY

Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Landmark Information Group and/or Data Suppliers 2022.

Envirocheck®

LANDMARK INFORMATION GROUP

Historical Aerial Photography


Published 1947

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



BRITISH LIBRARY

Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Monmouthshire

Published 1954

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

029SW
1954
1:10,560

034NW
1954
1:10,560

Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1965


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1973


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1981 - 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Newport

Published 1983


Source map scale - 1:10,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1987


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2022


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Geology 1:50,000 Maps Legends

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TFD	Tidal Flat Deposits	Clay and Silt	Not Supplied - Holocene
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LVN	Lavernock Shales Member	Mudstone	Not Supplied - Hettangian
	PNG	Penarth Group	Mudstone	Not Supplied - Rhaetian
	STM	St Mary's Well Bay Member	Limestone and Mudstone, Interbedded	Not Supplied - Rhaetian
	BAN	Blue Anchor Formation	Mudstone and Siltstone	Not Supplied - Norian
	BAN	Blue Anchor Formation	Mudstone	Not Supplied - Norian
	MMG	Mercia Mudstone Group	Mudstone	Not Supplied - Early Triassic
	SMG	St Maughans Formation	Argillaceous Rocks and [Subequal/Subordinate] Sandstone, Interbedded	Not Supplied - Early Devonian
		Faults		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**2**	**Map ID:**	**1**
Map Sheet No:	**250**	**Map Sheet No:**	**249**
Map Name:	**Chepstow**	**Map Name:**	**Newport**
Map Date:	**1981**	**Map Date:**	**1969**
Bedrock Geology:	**Available**	**Bedrock Geology:**	**Available**
Superficial Geology:	**Available**	**Superficial Geology:**	**Available**
Artificial Geology:	**Not Available**	**Artificial Geology:**	**Available**
Faults:	**Not Supplied**	**Faults:**	**Not Supplied**
Landslip:	**Available**	**Landslip:**	**Available**
Rock Segments:	**Not Supplied**	**Rock Segments:**	**Not Supplied**

Geology 1:50,000 Maps - Slice A



Order Details:


Order Number:	304885831_1_1
Customer Reference:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details:

Site at 336079,186662

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A



Order Details:


Order Number:	304885831_1_1
Customer Reference:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details:

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


1947
Google Earth
Image © 2025 The GeoInformation Group
N


2001
Google Earth
© 2025 Infoterra Ltd & Bluesky
N


2004
Google Earth
Image © 2025 Maxar Technologies
N



2006
Google Earth
Image © 2025 Maxar Technologies
N


2015
Google Earth
Image © 2025 Maxar Technologies
N


2018
Google Earth
Image © 2025 Maxar Technologies
N


2020
Google Earth
Image © 2025 Maxar Technologies
N

Appendix D
Envirocheck Report



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice A



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
304885831_1_1

Customer Reference:
Llanwern 4c 4g 4e

National Grid Reference:
336080, 186650

Slice:
A

Site Area (Ha):
8.34

Search Buffer (m):
1000

Site Details:

Site at 336079,186662

Client Details:

Mr R Taylor
Rodgers Leask Ltd
Rodgers Leask Ltd
Seven House
18 High Street
Longbridge
Birmingham
B31 2UQ

Envirocheck®
LANDMARK INFORMATION GROUP

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	54
Hazardous Substances	57
Geological	58
Industrial Land Use	60
Sensitive Land Use	75
Data Currency	76
Data Suppliers	82
Useful Contacts	83

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2022. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2022. © Natural Resources Wales & United Kingdom Research and Innovation 2022.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2022. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility					n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 1			1	12
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices	pg 4				2
Integrated Pollution Controls	pg 4		2	4	28
Integrated Pollution Prevention And Control	pg 9				5
Local Authority Integrated Pollution Prevention And Control	pg 10		1	2	
Local Authority Pollution Prevention and Controls	pg 11		2	4	1
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 11		Yes		
Pollution Incidents to Controlled Waters	pg 12				1
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances	pg 12				2
River Quality	pg 12		1		1
River Quality Biology Sampling Points	pg 13				1
River Quality Chemistry Sampling Points	pg 14				1
Substantiated Pollution Incident Register	pg 14				2
Water Abstractions					
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 15	Yes	n/a	n/a	n/a
Bedrock Aquifer Designations	pg 15	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 15	Yes	n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences	pg 15	Yes	Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 17	Yes	Yes	n/a	n/a
Areas Benefiting from Flood Defences	pg 18	Yes	Yes	n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 19		10	46	253

Envirocheck®
LANDMARK INFORMATION GROUP

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)	pg 54				1
Licensed Waste Management Facilities (Locations)	pg 54		2	1	
Local Authority Landfill Coverage	pg 54	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 54				1
Potentially Infilled Land (Water)	pg 54		2	6	23
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites	pg 56		1		
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)	pg 57		1		1
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)	pg 57			1	
Planning Hazardous Substance Consents	pg 57		1		
Planning Hazardous Substance Enforcements					

Envirocheck®
LANDMARK INFORMATION GROUP

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 58	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 58	Yes		Yes	Yes
BGS Recorded Mineral Sites	pg 59				2
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential for Collapsible Ground Stability Hazards				n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 59	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 59	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 59	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 59	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 60			2	17
Fuel Station Entries					
Points of Interest - Commercial Services	pg 61				3
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 62		25	29	59
Points of Interest - Public Infrastructure	pg 71		4	8	7
Points of Interest - Recreational and Environmental	pg 73			4	8
Gas Pipelines					
Underground Electrical Cables	pg 74				4

Envirocheck®
LANDMARK INFORMATION GROUP

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 75				2
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest	pg 75		1		
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern - Steelworks Blast Furnace, Blast Furnaces Lagoon Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ac0099001 Permit Version: 1 Effective Date: 20th August 1975 Issued Date: 20th August 1975 Revocation Date: 7th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 4 **Status: Consent expired** Positional Accuracy: Located by supplier to within 100m	A15SW (N)	430	2	336300 187200
2	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Filter Uni Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034302 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	693	2	337040 186850
2	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Filter Uni Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034303 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	693	2	337040 186850
2	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Filter Uni Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034304 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	693	2	337040 186850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Filter Uni Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034305 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	693	2	337040 186850
2	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Filter Uni Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034306 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	693	2	337040 186850
2	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Filter Uni Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034307 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Numbwer 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	693	2	337040 186850
3	**Discharge Consents** Operator: Llanwern Community Council Property Type: Undefined Or Other Location: Tennyson Avenue, Llanwern, Newport Authority: Natural Resources Wales Catchment Area: Monks Ditch Reference: An0218901 Permit Version: 2 Effective Date: 10th September 1990 Issued Date: 10th September 1990 Revocation Date: 20th November 1992 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Monksditch **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A15NE (NE)	694	2	336550 187430

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks - Power Pl Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ac0098801 Permit Version: 1 Effective Date: 11th July 1975 Issued Date: 11th July 1975 Revocation Date: 7th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	698	2	337060 186700
5	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Hood & Lan Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034301 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	735	2	337060 186960
5	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Hood & Lan Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034308 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	735	2	337060 186960
5	**Discharge Consents** Operator: British Steel Corporation Property Type: Undefined Or Other Location: Llanwern Steelworks-Hood & Lan Authority: Natural Resources Wales Catchment Area: Llanwern Outfall Reference: Ab0034310 Permit Version: 1 Effective Date: 15th February 1963 Issued Date: 15th February 1963 Revocation Date: 6th March 1986 Discharge Type: Unspecified Discharge Environment: Not Supplied Receiving Water: Stream Number 5 **Status: Consent expired** Positional Accuracy: Located by supplier to within 10m	A12NW (E)	735	2	337060 186960

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	**Discharge Consents** Operator: Llanwern Community Council Property Type: Undefined Or Other Location: Tennyson Avenue, Llanwern, Newport Authority: Natural Resources Wales Catchment Area: Monks Ditch Reference: An0218901 Permit Version: 1 Effective Date: 1st January 1901 Issued Date: 1st January 1901 Revocation Date: 9th September 1990 Discharge Type: Unspecified Discharge Environment: Freshwater Stream/River Receiving Water: Monksditch **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 100m	A15NE (NE)	749	2	336500 187500
7	**Enforcement and Prohibition Notices** Location: Barn Farm, Station Road, Llanwern, NEWPORT, Gwent, NP6 2DW Permit Reference: SM85/99KC Enforcement Date: 19th March 1999 Details: EA News Release 19/03/1999, Consistent unauthorised waste activities following repeated warnings. Positional Accuracy: Manually positioned to the address or location	A15NE (NE)	877	3	336736 187552
7	**Enforcement and Prohibition Notices** Location: Barn Farm, Station Road, Llanwern, NEWPORT, Gwent, NP6 2DW Permit Reference: SM85/99KC Enforcement Date: 19th March 1999 Details: EA Data 23/03/1999, Illegal tipping of controlled waste at farm premises, following long-standing complaints of unauthorised waste activities & flouting of repeated warnings from EA. First time Env. Act 1995 s37(1a) implemented for this purpose. Positional Accuracy: Manually positioned to the address or location	A15NE (NE)	892	3	336733 187570
8	**Integrated Pollution Controls** Name: Bitmac Ltd Location: Llanwern Works, Queensway, NEWPORT, Gwent, NP19 4QX Authority: Environment Agency, Welsh Region Permit Reference: BG7746 Dated: 4th August 1999 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (B) Carbonisation and associated processes within the Fuel & Power Industry **Status: Application has met the requirements for authorisation (but not yet authorised)** Positional Accuracy: Manually positioned to the road within the address or location	A10SE (SW)	172	3	335747 186389
8	**Integrated Pollution Controls** Name: Bitmac Ltd Location: Llanwern Works, Queensway, NEWPORT, Gwent, NP9 0QX Authority: Environment Agency, Welsh Region Permit Reference: BC3854 Dated: 5th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status: Application has met the requirements for authorisation (but not yet authorised)** Positional Accuracy: Manually positioned to the road within the address or location	A10SE (SW)	176	3	335752 186384
9	**Integrated Pollution Controls** Name: Cambrian Stone Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QX Authority: Environment Agency, Welsh Region Permit Reference: BG4437 Dated: 12th October 1999 Process Type: IPC major (substantial) variation Description: 2.1 A (L) Iron and Steel processes within the Metal Industry **Status: Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A7NE (SE)	364	3	336430 186251
9	**Integrated Pollution Controls** Name: Cambrian Stone Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QX Authority: Environment Agency, Welsh Region Permit Reference: BD7006 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 2.1 A (L) Iron and Steel processes within the Metal Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A7NE (SE)	364	3	336430 186251

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	**Integrated Pollution Controls** Name: Cambrian Stone Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QX Authority: Environment Agency, Welsh Region Permit Reference: AW7487 Dated: 23rd October 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 2.1 A (L) Iron and Steel processes within the Metal Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A7NE (SE)	364	3	336430 186251
9	**Integrated Pollution Controls** Name: Cambrian Stone Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QX Authority: Environment Agency, Welsh Region Permit Reference: AD1925 Dated: 25th June 1992 Process Type: IPC new application Description: 2.1 A (L) Iron and Steel processes within the Metal Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A7NE (SE)	364	3	336430 186251
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BH7920 Dated: 28th January 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BH8047 Dated: 28th January 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status: Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BH2685 Dated: 22nd November 1999 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Koppers Uk Ltd Location: Llanwern Works,Queensway, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BF2358 Dated: 28th June 1999 Process Type: IPC major (substantial) variation Description: 1.2 A (B) Carbonisation and associated processes within the Fuel & Power Industry **Status: Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Multiserv (Asr) Ltd Location: Integrated Works - Llanwern, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BF2714 Dated: 12th April 1999 Process Type: IPC minor (non-substantial) variation to previous variation Description: 2.1 A Iron and Steel processes within the Metal Industry **Status: Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BF1831 Dated: 29th January 1999 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BF1858 Dated: 29th January 1999 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Multiserv (Asr) Ltd Location: Integrated Works - Llanwern, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BD9726 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 2.1 A Iron and Steel processes within the Metal Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BE1950 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Koppers Uk Ltd Location: Llanwern Works,Queensway, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BC6284 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (B) Carbonisation and associated processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BE0864 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: BA1079 Dated: 19th January 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	**Integrated Pollution Controls** Name: Multiserv (Asr) Ltd Location: Integrated Works - Llanwern, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AY8271 Dated: 22nd October 1997 Process Type: IPC new application Description: 2.1 A Iron and Steel processes within the Metal Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AZ5561 Dated: 9th October 1997 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AU1941 Dated: 1st October 1997 Process Type: IPC staged application Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status:** **Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AW9986 Dated: 30th October 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AU8512 Dated: 5th June 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status:** **Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Multiserv Group Ltd Location: Llanwern Works,Queensway, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AQ9898 Dated: 30th July 1995 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 2.1 A (L) Iron and Steel processes within the Metal Industry **Status:** **Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Multiserv Group Ltd Location: Llanwern Works,Queensway, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AQ9928 Dated: 30th July 1995 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 2.1 A Iron and Steel processes within the Metal Industry **Status:** **Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AQ0726 Dated: 7th June 1995 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 2.1 A (H) Iron and Steel processes within the Metal Industry **Status: Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Koppers Uk Ltd Location: Llanwern Works,Queensway, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AK0677 Dated: 26th November 1993 Process Type: IPC major (substantial) variation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AF8475 Dated: 25th August 1993 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Koppers Uk Ltd Location: Llanwern Works,Queensway, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AF8491 Dated: 29th June 1993 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 1.2 A (A) Carbonisation and associated processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AF8467 Dated: 2nd May 1993 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AF8459 Dated: 1st May 1993 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AG6214 Dated: 15th March 1993 Process Type: IPC major (substantial) variation Description: 2.1 A (H) Iron and Steel processes within the Metal Industry **Status: Authorisation revoked** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AB3285 Dated: 27th March 1992 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 2.1 A (H) Iron and Steel processes within the Metal Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
10	**Integrated Pollution Controls** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Environment Agency, Welsh Region Permit Reference: AA2631 Dated: 30th November 1991 Process Type: IPC application for process that was regulated by HMIP for air releases under previous legislation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry **Status: Authorisation superseded by a substantial or non substantial variation** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	3	335106 186809
11	**Integrated Pollution Prevention And Control** Name: Queensway Non-Haz Landfill Epr/Gp3331sv Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Natural Resources Wales Permit Reference: GP3331SV Original Permit Ref: Fp3637nm Effective Date: 12th August 2013 **Status: Effective** Application Type: Bespoke App. Sub Type: Not Supplied Positional Accuracy: Automatically positioned to the address Activity Code: 5.2 A(1) (A) Activity Description: Not Supplied Primary Activity: Y	A9NE (W)	722	2	335106 186809
11	**Integrated Pollution Prevention And Control** Name: Tata Steel Uk Limited Location: Llanwern Works East, Llanwern Works, Newport, Gwent, NP19 4QZ Authority: Natural Resources Wales Permit Reference: Bv9969is Original Permit Ref: Bv9969is Effective Date: Not Supplied **Status: Application refused** Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 5.2 A(1) (A) Activity Description: Waste Landfilling; Greater Than 10 T/D With Capacity Greater Than 25,000T Excluding Inert Waste Primary Activity: Y	A9NE (W)	722	2	335106 186809
11	**Integrated Pollution Prevention And Control** Name: Tata Steel Uk Limited Location: Llanwern Steelworks Nrw/Epr/Bs3905ip/V004, Tata Steel Strip Products Uk, Llanwern Works,,, Newport, South Wales, NP19 4QZ Authority: Natural Resources Wales Permit Reference: TP3931ZP Original Permit Ref: Bs3905ip Effective Date: 13th May 2013 **Status: Effective** Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Located by supplier to within 100m Activity Code: 2.1 A(2) (C) Activity Description: Ferrous Metals; Applying Protective Fused Metal Coatings to Greater Than 2 tonnes/hour of Steel Primary Activity: N Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N Activity Code: 2.3 A(1) (A) Activity Description: Surface Treating Metals And Plastics; Electrolytic/Chemical Greater Than 30 Cubic Metres Primary Activity: N Activity Code: 2.1 A(1) (C) Activity Description: Ferrous Metals; Hot Rolling Greater Than 20T/Hr Primary Activity: Y	A9NE (W)	725	2	335100 186800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
11	**Integrated Pollution Prevention And Control** Name: Tata Steel Uk Limited Location: Llanwern Steelworks Ea/Epr/Bs3905ip/V002, Corus Strip Products, Llanwern Works,,, Newport, South Wales, NP19 4QZ Authority: Natural Resources Wales Permit Reference: DP3838GB Original Permit Ref: Bs3905ip Effective Date: 26th October 2009 **Status: Superseded By Variation** Application Type: Variation App. Sub Type: Standard Positional Accuracy: Located by supplier to within 100m Activity Code: 2.1 A(1) (C) Activity Description: Ferrous Metals; Hot Rolling Greater Than 20T/Hr Primary Activity: Y Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N Activity Code: 2.1 A(2) (C) Activity Description: Ferrous Metals; Applying Protective Fused Metal Coatings to Greater Than 2 tonnes/hour of Steel Primary Activity: N Activity Code: 2.3 A(1) (A) Activity Description: Surface Treating Metals And Plastics; Electrolytic/Chemical Greater Than 30 Cubic Metres Primary Activity: N	A9NE (W)	725	2	335100 186800
12	**Integrated Pollution Prevention And Control** Name: Llanwern Steelworks Epr/Bs3905ip Location: Corus Strip Products, Llanwern Steelworks, Newport, Gwent, NP19 4QZ Authority: Natural Resources Wales Permit Reference: Bs3905ip Original Permit Ref: Tp3931zp Effective Date: 13th May 2013 **Status: Effective** Application Type: Bespoke App. Sub Type: Not Supplied Positional Accuracy: Manually positioned to the address or location Activity Code: 2.1 PART A (1) C) Activity Description: Not Supplied Primary Activity: Y Activity Code: 2.1 PART A (2) C) Activity Description: Not Supplied Primary Activity: N Activity Code: 1.1 A(1) (A) Activity Description: Not Supplied Primary Activity: N	A12NE (E)	950	2	337291 186908
13	**Local Authority Integrated Pollution Prevention And Control** Name: Cambrian Stone Ltd Location: Llanwern Works, Newport Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: APA/011 Dated: Not Supplied Process Type: Mineral Industries Description: 3/15 **Status: Permit Issued** Positional Accuracy: Manually positioned to the address or location	A10SE (SW)	143	4	335948 186426
14	**Local Authority Integrated Pollution Prevention And Control** Name: Civil & Marine Ltd Location: Llanwern Works, Newport, NP19 4QX Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: LA-IPPC/001/05/v2 Dated: Not Supplied Process Type: Production and Processing of Metals Description: Drying & Grinding of blast furnace slag **Status: Permit Revoked** Positional Accuracy: Manually positioned to the address or location	A15SW (NE)	387	4	336313 187157
14	**Local Authority Integrated Pollution Prevention And Control** Name: Newport Galvanisers Ltd Location: Llanwern Works, Newport, NP19 4QX Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: LA-IPPC002/06 Dated: Not Supplied Process Type: Production and Processing of Metals Description: Hot dip galvanising **Status: Permit Issued** Positional Accuracy: Manually positioned to the address or location	A15SW (NE)	387	4	336313 187157

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	**Local Authority Pollution Prevention and Controls** Name: Corus Group Plc Location: Llanwern Works, Zodiac Line, NEWPORT, Gwent, NP9 0XD Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: Apa/013/92 Dated: 28th October 1992 Process Type: Local Authority Air Pollution Control Description: PG2/2 Hot dip galvanising processes **Status:** **Authorised** Positional Accuracy: Manually positioned to the address or location	A10SE (SW)	142	4	335948 186427
15	**Local Authority Pollution Prevention and Controls** Name: Cambrian Stone Ltd Location: Llanwern Works, NEWPORT, NP9 0QX Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: APA/011 Dated: 16th August 1993 Process Type: Local Authority Air Pollution Control Description: PG3/15 Mineral drying and roadstone coating processes **Status:** **Authorised** Positional Accuracy: Manually positioned to the address or location	A10SE (SW)	143	4	335948 186426
16	**Local Authority Pollution Prevention and Controls** Name: Tarmac Limited Location: Llanwen Works, Queensway, Newport, Np19 0dx Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: LAPPC/039/07/v1 Dated: 6th June 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG3/1Blending, packing, loading and use of bulk cement **Status:** **Permitted** Positional Accuracy: Manually positioned to the address or location	A15SW (NE)	387	4	336313 187157
16	**Local Authority Pollution Prevention and Controls** Name: Civil & Marine Ltd (Heidelberg Cement Group) Location: Llanwern Works, NEWPORT, Gwent, NP19 4QX Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: LA-IPPC001/05/v2 Dated: 8th June 1993 Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement **Status:** **Transferred to LAIPPC** Positional Accuracy: Manually positioned to the address or location	A15SW (NE)	387	4	336313 187157
16	**Local Authority Pollution Prevention and Controls** Name: Newport Galvanisers Ltd Location: Llanwern Works, Newport, Np19 4qx Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: LA-IPPC002/06/v1 Dated: 26th August 1992 Process Type: Local Authority Air Pollution Control Description: PG6/23 Coating of metal and plastic **Status:** **Transferred to LAIPPC** Positional Accuracy: Manually positioned to the address or location	A15SW (NE)	387	4	336313 187157
16	**Local Authority Pollution Prevention and Controls** Name: Tarmac Topmix Location: Llanwern Works, Queensway, Llanwern, Newport, NP19 0QX Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: LAPPC/031/05/v2 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG3/1Blending, packing, loading and use of bulk cement **Status:** **Permitted** Positional Accuracy: Manually positioned to the address or location	A15SW (NE)	387	4	336313 187157
17	**Local Authority Pollution Prevention and Controls** Name: Nationwide Crash Repair Location: Curlew Close, Queensway Meadows Industrial Estate, Newport, Gwent, Np19 4sy Authority: Newport City Council, Public Protection and Environmental Services Permit Reference: LAPPC/015/05/v1 Dated: 29th January 1997 Process Type: Local Authority Pollution Prevention and Control Description: PG6/34 Respraying of road vehicles **Status:** **Permitted** Positional Accuracy: Manually positioned to the address or location	A9SE (W)	760	4	335069 186333
	Nearest Surface Water Feature	A10NW (W)	192	-	335667 186746

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	**Pollution Incidents to Controlled Waters** Property Type: Not Given Location: Farm Authority: Environment Agency, Welsh Region Pollutant: Sewage - Septic Tank Effluent Note: Not Supplied Incident Date: 15th June 1992 Incident Reference: 4272 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A5SE (SW)	961	3	335200 185800
19	**Registered Radioactive Substances** Name: Corus Uk Ltd Location: Llanwern Works, Newport, Gwent, NP19 4QZ Authority: Natural Resources Wales Permit Reference: Bw8747 Dated: 1st December 2003 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Minor variation to authorisation under RSA **Status: Authorisation either revoked or cancelled** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	2	335106 186809
19	**Registered Radioactive Substances** Name: Corus Uk Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QZ Authority: Natural Resources Wales Permit Reference: AE9085 Dated: 31st March 1991 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA **Status: Authorisation either revoked or cancelled** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	2	335106 186809
	River Quality Name: Monks D GQA Grade: River Quality C Reach: Bsc Transformer Stn. - Barn Fm. Estimated Distance (km): 2.5 Flow Rate: Flow less than 0.31 cumecs Flow Type: River Year: 2000	A11NE (E)	158	3	336500 186815
	River Quality Name: Monks D GQA Grade: River Quality B Reach: Barn Fm. - M4 Estimated Distance (km): 3.1 Flow Rate: Flow less than 0.31 cumecs Flow Type: River Year: 2000	A15NE (NE)	657	3	336500 187406

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	**River Quality Biology Sampling Points** Name: Monks Ditch Reach: Bsc Transformer Station To Barn Farm Estimated Distance: 2.50 Positional Accuracy: Located by supplier to within 100m Year: 1990 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 1995 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2000 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2002 GQA Grade: River Quality Biology GQA Grade Not Supplied Year: 2003 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2004 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2005 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2006 GQA Grade: River Quality Biology GQA Grade A - Very Good Year: 2007 GQA Grade: River Quality Biology GQA Grade A - Very Good Year: 2008 GQA Grade: River Quality Biology GQA Grade A - Very Good Year: 2009 GQA Grade: River Quality Biology GQA Grade C - Fairly Good	A15NE (NE)	651	3	336500 187400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	**River Quality Chemistry Sampling Points** Name: Monks Ditch Reach: Bsc Transformer Stn. To Barn Farm Estimated Distance: 2.50 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade E - Poor Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade E - Poor Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied	A7NE (SE)	502	3	336723 186301
22	**Substantiated Pollution Incident Register** Authority: Natural Resources Wales Incident Date: 13th June 2013 Incident Reference: 1121873 Water Impact: Category 4 - No Impact Air Impact: Category 3 - Minor Incident Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Contaminated Water: Other Contaminated Water	A9SW (W)	810	2	334986 186549
23	**Substantiated Pollution Incident Register** Authority: Natural Resources Wales Incident Date: 7th March 2013 Incident Reference: 1092554 Water Impact: Category 4 - No Impact Air Impact: Category 3 - Minor Incident Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Sewage Materials: Grey Water	A5NW (W)	980	2	334844 186323

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A10SE (W)	0	2	336000 186652
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Low Vulnerability Combined Vulnerability: Low Combined Aquifer: Productive Bedrock Aquifer, Unproductive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: >90% Superficial Thickness: 3-10m Superficial Recharge: Low	A11SW (S)	0	2	336084 186652
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - B	A11SW (S)	0	2	336084 186652
	Superficial Aquifer Designations Aquifer Designation: Unproductive Strata	A11SW (S)	0	2	336084 186652
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (E)	0	2	336295 186640
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (N)	0	2	336084 186660
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	0	2	336250 186755
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	0	2	336320 186735
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A11SW (S)	0	2	336084 186652
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (E)	10	2	336345 186615
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (E)	11	2	336290 186580
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	25	2	336200 186795

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	30	2	336305 186800
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (SE)	40	2	336280 186540
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	40	2	336390 186775
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	54	2	336180 186800
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NE (E)	62	2	336420 186730
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (S)	95	2	336140 186470
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	104	2	336250 186870
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	116	2	336405 186870
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (S)	123	2	336170 186440
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	129	2	336185 186875
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (SE)	156	2	336265 186405
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (SE)	205	2	336335 186380
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10SE (SW)	214	2	335785 186340
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NE (E)	241	2	336590 186800
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A6NE (S)	242	2	336035 186320
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	247	2	336535 186470

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (N)	0	2	336084 186660
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	0	2	336320 186735
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	0	2	336250 186755
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (E)	0	2	336295 186640
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial/Tidal Models Boundary Accuracy: As Supplied	A11SW (S)	0	2	336084 186652
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (E)	10	2	336345 186615
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (E)	11	2	336290 186580
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	25	2	336200 186795
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	30	2	336305 186800
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (SE)	40	2	336280 186540
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (E)	40	2	336390 186775
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	54	2	336180 186800
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NE (E)	62	2	336420 186730
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (S)	95	2	336140 186470
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	104	2	336250 186870
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	116	2	336405 186870

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (S)	123	2	336170 186440
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NW (NE)	129	2	336185 186875
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (SE)	156	2	336265 186405
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SW (SE)	205	2	336335 186380
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A10SE (SW)	214	2	335785 186340
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11NE (E)	241	2	336590 186800
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A6NE (S)	242	2	336035 186320
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Tidal Models Boundary Accuracy: As Supplied	A11SE (E)	247	2	336535 186470
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (E)	0	2	336295 186640
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NE)	0	2	336250 186755
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (E)	0	2	336320 186735
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (N)	0	2	336084 186660
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (E)	10	2	336345 186615
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (E)	11	2	336290 186580
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NE)	25	2	336200 186795
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NE)	30	2	336305 186800
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (SE)	40	2	336280 186540
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (E)	40	2	336390 186775
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NE)	54	2	336180 186800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (E)	62	2	336420 186730
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (S)	95	2	336140 186470
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NE)	104	2	336250 186870
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NE)	116	2	336405 186870
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (S)	123	2	336170 186440
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NE)	129	2	336185 186875
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (SE)	156	2	336265 186405
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (SE)	205	2	336335 186380
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A10SE (SW)	214	2	335785 186340
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (E)	241	2	336590 186800
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A6NE (S)	242	2	336035 186320
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SE (E)	247	2	336535 186470
	Flood Water Storage Areas None				
	Flood Defences None				
24	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 818.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SE (S)	204	5	335963 186336
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SE (SW)	218	5	335807 186336
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SE (SW)	221	5	335807 186333

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
27	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SE (SW)	222	5	335807 186332
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 331.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SE (S)	228	5	336055 186328
29	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SE (S)	229	5	335963 186336
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 64.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SW (SW)	231	5	335735 186332
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 152.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (S)	233	5	335963 186309
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 104.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (SW)	235	5	335812 186319
33	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (S)	241	5	335963 186324
34	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (S)	255	5	335964 186310
35	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 175.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (S)	255	5	335964 186310

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1296.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (SE)	255	5	336248 186301
37	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (SE)	256	5	336294 186309
38	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SW (SW)	261	5	335639 186342
39	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 311.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (SE)	262	5	336311 186307
40	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 137.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SW (W)	267	5	335534 186648
41	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10NW (W)	267	5	335540 186672
42	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 194.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10NW (W)	267	5	335541 186678
43	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 159.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (S)	276	5	336188 186282
44	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SW (SW)	285	5	335562 186392

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
45	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 282.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	286	5	335655 186305
46	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 86.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	286	5	335659 186301
47	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 208.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SW (SW)	296	5	335554 186384
48	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SW (W)	322	5	335476 186522
49	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SW (W)	325	5	335473 186527
50	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 128.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (SW)	334	5	335854 186223
51	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 311.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	342	5	335691 186228
52	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	342	5	335691 186228
53	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10NW (W)	382	5	335519 186864

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
54	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 148.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10NW (W)	394	5	335515 186877
55	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1057.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Monks' Ditch Catchment Name: Usk and Llwyd Primacy: 1	A11SE (E)	394	5	336750 186597
56	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 166.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14SE (NW)	397	5	335860 187130
57	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 329.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	398	5	335721 186164
58	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 126.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	398	5	335721 186164
59	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 55.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A10SW (W)	400	5	335408 186457
60	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 36.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (S)	403	5	336088 186169
61	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (S)	406	5	336220 186150
62	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	417	5	335393 186447

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
63	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (S)	417	5	336032 186147
64	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (S)	422	5	336035 186142
65	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 749.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A12NW (E)	432	5	336794 186690
66	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 90.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (S)	433	5	336192 186124
67	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (S)	433	5	336192 186124
68	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 104.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (S)	436	5	336041 186129
69	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 257.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	439	5	335382 186408
70	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Longditch Reen Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	439	5	335382 186409
71	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Longditch Reen Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	439	5	335382 186408

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
72	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NE (SE)	442	5	336621 186281
73	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Longditch Reen Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	444	5	335376 186413
74	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 85.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NE (SE)	454	5	336638 186280
75	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	458	5	335367 186396
76	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 209.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (S)	459	5	335905 186105
77	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	481	5	335326 186455
78	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14SW (NW)	482	5	335510 187025
79	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 58.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14SW (NW)	494	5	335510 187042
80	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 77.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	502	5	335395 186251

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
81	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SE (SW)	502	5	335341 186344
82	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	502	5	335395 186251
83	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 180.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (SW)	509	5	335766 186046
84	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 244.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NE (SW)	509	5	335766 186046
85	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 294.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Longditch Reen Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	510	5	335304 186418
86	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Monks' Ditch Catchment Name: Usk and Llwyd Primacy: 1	A7NE (SE)	519	5	336723 186274
87	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 40.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Monks' Ditch Catchment Name: Usk and Llwyd Primacy: 1	A7NE (SE)	521	5	336723 186271
88	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NE (SE)	521	5	336723 186271
89	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 83.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NE (SE)	524	5	336728 186272

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
90	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (S)	529	5	336099 186042
91	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 23.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	532	5	336820 187014
92	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14SW (NW)	535	5	335510 187101
93	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 67.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7NW (S)	536	5	336104 186034
94	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 126.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	545	5	336822 187038
95	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Monks' Ditch Catchment Name: Usk and Llwyd Primacy: 1	A7NE (SE)	546	5	336720 186232
96	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15SW (NE)	549	5	336402 187314
97	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 203.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	549	5	335391 186184
98	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14SW (NW)	553	5	335511 187127

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
99	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 81.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15SW (N)	558	5	336271 187327
100	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 553.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Monks' Ditch Catchment Name: Usk and Llwyd Primacy: 1	A7NE (SE)	563	5	336718 186206
101	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15SW (N)	567	5	336211 187328
102	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 190.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14SW (NW)	570	5	335506 187145
103	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14SW (NW)	570	5	335506 187145
104	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 74.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15SW (N)	574	5	336131 187336
105	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 140.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	577	5	336213 187375
106	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	577	5	336350 187347
107	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 91.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	580	5	336422 187344

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
108	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 39.4 Watercourse Level: Underground Permanent: True Watercourse Name: Monks' Ditch Catchment Name: Usk and Llwyd Primacy: 1	A15SE (NE)	584	5	336642 187269
109	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (NE)	589	5	336388 187356
110	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 104.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	591	5	336483 187342
111	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	591	5	336483 187342
112	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	591	5	336132 185972
113	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (NE)	592	5	336396 187358
114	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	594	5	335208 186478
115	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1126.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Monks' Ditch Catchment Name: Usk and Llwyd Primacy: 1	A15SE (NE)	595	5	336615 187297
116	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (NE)	595	5	336401 187360

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
117	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	595	5	335406 186105
118	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 63.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	599	5	335409 186098
119	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 300.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	608	5	335198 186726
120	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 172.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8NW (SE)	610	5	336831 186264
121	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 369.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	610	5	336147 187402
122	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	610	5	336195 187369
123	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 125.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	610	5	336428 187372
124	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 52.9 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SE (W)	613	5	335183 186545
125	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	613	5	336213 187375

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
126	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 218.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	616	5	335602 185970
127	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 110.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	616	5	335602 185970
128	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	617	5	336192 187379
129	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	618	5	335876 187360
130	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 129.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	620	5	336161 187382
131	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 184.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	626	5	336027 187387
132	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	628	5	336062 187391
133	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 37.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	628	5	335198 186788
134	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	631	5	336064 187395

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
135	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 324.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8NW (SE)	632	5	336780 186169
136	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	637	5	335208 186845
137	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	637	5	335208 186845
138	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 584.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8NW (E)	644	5	336906 186316
139	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	644	5	335868 187386
140	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 41.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	646	5	335866 187387
141	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 177.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	646	5	335866 187387
142	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 207.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	646	5	336061 187409
143	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	646	5	335197 186840

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
144	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	647	5	335197 186845
145	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	647	5	335197 186845
146	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	648	5	335211 186877
147	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: Underground Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	648	5	335268 186178
148	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	651	5	336934 187053
149	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	651	5	335267 186175
150	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 78.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6NW (SW)	652	5	335413 186026
151	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 37.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	654	5	335258 186183
152	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 107.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NE (W)	659	5	335214 186909

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
153	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 179.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	659	5	335266 186163
154	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15SE (NE)	660	5	336751 187287
155	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 800.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	669	5	336955 187051
156	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	672	5	335231 186192
157	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 137.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 1	A15NE (NE)	675	5	336556 187408
158	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	680	5	336205 185875
159	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 45.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A15SE (NE)	682	5	336746 187319
160	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 35.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A15SE (NE)	682	5	336746 187319
161	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	682	5	336203 185874

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
162	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 172.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	682	5	336203 185874
163	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	685	5	336207 185871
164	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	686	5	336212 185869
165	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 206.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	687	5	335854 187426
166	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 212.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	687	5	336217 185868
167	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	688	5	335986 187446
168	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 395.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	689	5	335975 187445
169	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 281.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	689	5	336214 185867
170	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 159.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	691	5	335240 186145

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
171	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	693	5	336233 187459
172	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 152.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	697	5	335443 185953
173	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 52.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	697	5	335443 185953
174	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	698	5	335651 185871
175	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 111.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	702	5	335653 185867
176	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 66.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	706	5	336791 187314
177	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	706	5	336791 187314
178	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 152.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	706	5	335683 187396
179	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 76.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	707	5	336231 187472

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
180	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	708	5	336742 187354
181	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 452.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Black Wall Catchment Name: Usk and Llwyd Primacy: 2	A8NW (SE)	709	5	336813 186094
182	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14SW (NW)	714	5	335526 187334
183	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13SE (W)	718	5	335209 187014
184	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	723	5	335662 187405
185	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 66.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13SE (NW)	724	5	335211 187027
186	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SE (SE)	731	5	336431 185854
187	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	732	5	336743 187382
188	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	734	5	336877 187275

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
189	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 103.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SE (S)	739	5	335845 185816
190	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SE (S)	739	5	335845 185816
191	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 237.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	740	5	336857 187303
192	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	740	5	336857 187303
193	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SE (S)	740	5	335843 185815
194	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 149.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SE (S)	742	5	335839 185814
195	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A12SE (E)	744	5	337092 186534
196	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	744	5	335654 187425
197	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 144.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	744	5	335440 185902

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
198	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13SE (NW)	745	5	335234 187089
199	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 52.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	749	5	336752 187395
200	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 181.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	751	5	336876 187299
201	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SE (SE)	758	5	336496 185848
202	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	759	5	335649 187439
203	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 125.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	762	5	335648 187442
204	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8NW (SE)	764	5	337009 186254
205	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 117.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8NW (SE)	766	5	337009 186250
206	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8NW (SE)	766	5	337007 186246

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
207	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 122.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13SE (NW)	770	5	335232 187133
208	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SE (SE)	771	5	336477 185826
209	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	775	5	335531 187406
210	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.2 Watercourse Level: Underground Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	775	5	335261 185994
211	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 69.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	779	5	335260 185990
212	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NW (N)	783	5	336215 187547
213	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 157.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5NE (SW)	783	5	335253 185990
214	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SE (SE)	783	5	336460 185809
215	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 135.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SE (SE)	784	5	336459 185807

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
216	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SE (SE)	784	5	336459 185807
217	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 328.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SE (SE)	785	5	336460 185806
218	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 120.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	789	5	335448 185847
219	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 161.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	795	5	335697 185766
220	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 109.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	797	5	335451 185835
221	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	797	5	335451 185835
222	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 136.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 1	A15NE (NE)	800	5	336632 187514
223	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 70.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	800	5	335292 185933
224	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	801	5	336780 187440

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
225	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	804	5	336781 187443
226	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Oxleaze Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	809	5	336786 187445
227	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	809	5	336785 187446
228	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: Underground Permanent: True Watercourse Name: Oxleaze Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	811	5	336791 187444
229	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Oxleaze Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	812	5	336795 187443
230	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 420.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Oxleaze Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	814	5	336799 187442
231	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	814	5	336799 187442
232	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 98.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	821	5	335581 187478
233	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	821	5	335524 187454

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
234	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 308.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	821	5	335581 187478
235	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	823	5	335519 187453
236	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 190.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	824	5	336092 185742
237	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 394.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	824	5	336092 185742
238	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 248.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Middle Reen Catchment Name: Usk and Llwyd Primacy: 2	A7SE (SE)	830	5	336638 185833
239	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 116.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SE (S)	836	5	335888 185722
240	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SE (S)	836	5	335888 185722
241	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SE (S)	837	5	335885 185721
242	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	840	5	336798 187475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
243	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 83.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	840	5	336727 187519
244	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 270.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SE (S)	840	5	335883 185718
245	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 141.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NW (NW)	842	5	335483 187456
246	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 65.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	844	5	336817 187467
247	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 57.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	846	5	335340 185842
248	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	846	5	335340 185842
249	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 109.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	847	5	335340 185841
250	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: Underground Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	848	5	336803 187481
251	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	856	5	336807 187488

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
252	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.2 Watercourse Level: Underground Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	857	5	335287 185865
253	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 315.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ellen Reen Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	857	5	336365 185710
254	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 63.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	863	5	336725 187542
255	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	864	5	336723 187544
256	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 77.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	864	5	335286 185858
257	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: Underground Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	868	5	336813 187498
258	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	868	5	336721 187549
259	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 194.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8SW (SE)	869	5	336885 185944
260	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	872	5	336816 187501

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
261	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 127.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SW (W)	875	5	334925 186479
262	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 254.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NW (W)	877	5	334938 186813
263	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	878	5	335747 187598
264	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 266.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	881	5	335482 185731
265	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 172.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	881	5	335493 185725
266	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.0 Watercourse Level: Underground Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	883	5	336822 187509
267	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 140.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	883	5	335236 185871
268	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 23.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	885	5	335239 185867
269	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 44.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	892	5	335252 185848

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
270	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SW (NE)	895	5	337091 187266
271	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	895	5	335754 187618
272	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 86.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A14NE (N)	897	5	335755 187620
273	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	897	5	336831 187520
274	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	898	5	336809 187539
275	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 96.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	898	5	336832 187522
276	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 23.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NW (W)	898	5	334903 186685
277	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	901	5	336809 187539
278	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 157.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 1	A8NE (E)	902	5	337156 186238

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
279	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	902	5	336780 187559
280	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NW (W)	902	5	334949 186908
281	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	903	5	336737 187581
282	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	903	5	336756 187571
283	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	903	5	336768 187565
284	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	903	5	336776 187561
285	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 146.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	904	5	336715 187592
286	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A15NE (NE)	904	5	336715 187592
287	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 261.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NW (W)	905	5	334951 186922

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
288	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16SE (NE)	906	5	337092 187284
289	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 193.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	909	5	336855 187520
290	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A16SE (NE)	909	5	337093 187288
291	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	909	5	336855 187520
292	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 195.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	911	5	336390 185659
293	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 123.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A7SW (S)	911	5	336390 185659
294	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 1	A15NE (NE)	916	5	336643 187633
295	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.6 Watercourse Level: Underground Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A16SE (NE)	917	5	337109 187279
296	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 403.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Barn Reen Catchment Name: Usk and Llwyd Primacy: 2	A16SE (NE)	918	5	337114 187274

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
297	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 1	A15NE (NE)	918	5	336645 187634
298	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 62.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NW (W)	920	5	334931 186912
299	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 395.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8SW (SE)	922	5	336877 185871
300	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	926	5	336865 187534
301	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 120.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A6SW (SW)	927	5	335593 185650
302	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 167.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	930	5	336867 187537
303	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 180.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A2NW (SW)	934	5	335626 185636
304	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 73.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13NE (NW)	935	5	335253 187409
305	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	937	5	335107 185920

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
306	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	937	5	335107 185920
307	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: Underground Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	937	5	335225 185811
308	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 140.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	940	5	335213 185818
309	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 110.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Julian's Reen Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	941	5	335221 185809
310	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 99.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A2NE (S)	947	5	335932 185615
311	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 33.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A2NE (S)	947	5	335932 185615
312	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 62.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13NE (NW)	955	5	335350 187509
313	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 893.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9NW (W)	957	5	334850 186744
314	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 62.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	957	5	335247 185771

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
315	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13NE (NW)	959	5	335291 187471
316	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	959	5	335250 185767
317	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A2NE (S)	961	5	335963 185602
318	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 152.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	962	5	335254 185760
319	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 121.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A2NE (S)	964	5	335960 185599
320	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 80.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A2NE (S)	964	5	335960 185599
321	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 46.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13SW (W)	972	5	334932 187045
322	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 93.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A8NE (SE)	974	5	337187 186144
323	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 105.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SW (W)	978	5	334846 186326

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
324	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 71.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5NW (W)	978	5	334848 186314
325	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 22.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A9SW (W)	990	5	334807 186510
326	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	992	5	336761 187667
327	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A16NW (NE)	994	5	336893 187597
328	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 143.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 1	A16NW (NE)	994	5	336875 187611
329	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A5SE (SW)	995	5	335070 185874
330	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 124.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13NE (NW)	997	5	335273 187506
331	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13NE (NW)	997	5	335273 187506
332	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 40.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Usk and Llwyd Primacy: 2	A13NE (NW)	999	5	335272 187507

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
333	**Licensed Waste Management Facilities (Landfill Boundaries)** Name: Llanwern Landfill : South Side Of Queensway Licence Number: 30009 Location: Llanwern Landfill South Side Of Queensway, Corus, Llanwern Works, Newport, Gwent, NP19 4QX Licence Holder: Corus Strip Products P P C (Gp3331sv) Authority: Natural Resources Wales Site Category: Industrial Waste Landfills Max Input Rate: Not Supplied **Licence Status:** **Modified** Issued: 31st May 1979 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	A8NW (SE)	605	2	336788 186218
334	**Licensed Waste Management Facilities (Locations)** Licence Number: CB3491HU Location: Englobe Wastewater Treatment Plant Glan Llyn St Modwen Development Site, Queen¿s Way, Llanwern, Newport, NP19 4TZ Operator Name: Englobe Regeneration UK Limited Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Physico-chemical Treatment Facilities **Licence Status:** **Effective** Issued: 2nd March 2022 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11SW (SE)	194	2	336338 186394
334	**Licensed Waste Management Facilities (Locations)** Licence Number: PAN-011383 Location: Glan Llyn Development Site, Queensway, Llanwern, NP19 4TZ Operator Name: Celtic Technologies Ltd Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Mobile Plant for remediation of land **Licence Status:** **Effective** Issued: 15th October 2020 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11SW (SE)	196	2	336365 186408
335	**Licensed Waste Management Facilities (Locations)** Licence Number: PAN-015198 Location: Phase 4a and 5, Glan Llyn Former Coking Works, Llanwern, Newport, NP19 4QZ Operator Name: Vertase FLI Operator Location: Not Supplied Authority: Natural Resources Wales Site Category: Mobile Plant for remediation of land **Licence Status:** **Effective** Issued: 8th November 2021 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A15SW (N)	292	2	336187 187042
	Local Authority Landfill Coverage Name: Newport County Borough Council - Has no landfill data to supply		0	6	336084 186652
336	**Potentially Infilled Land (Non-Water)** Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1989	A15NW (N)	800	10	336349 187576
337	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1989	A10NE (N)	211	10	336078 186975
338	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1989	A11NW (N)	211	10	336081 186975

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
339	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A11NE (E)	311	10	336668 186769
340	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A10SW (W)	344	10	335453 186569
341	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A10SW (W)	374	10	335422 186638
342	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	406	10	335390 186570
343	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A10NW (W)	418	10	335419 186779
344	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	467	10	335330 186615
345	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	525	10	335272 186603
346	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5NE (SW)	534	10	335324 186306
347	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	578	10	335220 186613
348	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	588	10	335211 186489
349	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A12SW (E)	590	10	336945 186592
350	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9NE (W)	669	10	335169 186830
351	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	717	10	335081 186624
352	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	718	10	335079 186611
353	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	745	10	335052 186607
354	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	758	10	335069 186339
355	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	760	10	335067 186340
356	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9NW (W)	763	10	335045 186730
357	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	776	10	335030 186431
358	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	870	10	334929 186488
359	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	874	10	334926 186476

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
360	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5NW (SW)	876	10	335031 186127
361	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5NW (SW)	880	10	335025 186129
362	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	891	10	334906 186593
363	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5NW (W)	943	10	334892 186286
364	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9NW (W)	968	10	334838 186726
365	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	983	10	334814 186580
366	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5SW (SW)	983	10	335004 185973
367	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	987	10	334810 186550
368	**Registered Waste Treatment or Disposal Sites** Licence Holder: Bitmac Ltd Licence Reference: 026/80 Site Location: Llanwern Works, NEWPORT, Gwent, NP9 0XN Operator Location: Queensway, Llanwern Works, Newport, Gwent Authority: Environment Agency Wales, South East Area Site Category: Incineration Max Input Rate: Undefined Waste Source Restrictions: Only waste produced on site Licence Status: Site now IPC authorisedAuthorised Dated: 1st March 1980 Preceded By Licence: Not Given Superseded By Licence: Not Given Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste Sulphuric Acid (Acid Tars)	A11SW (SE)	60	3	336200 186500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
369	**Control of Major Accident Hazards Sites (COMAH)** Name: British Oxygen Co Limited Location: NEWPORT, Gwent, NP18 2DS Reference: Not Supplied Type: Lower Tier **Status: Record Ceased To Be Supplied Under COMAH Regulations** Positional Accuracy: Manually positioned to the address or location	A11NE (E)	187	7	336546 186739
370	**Control of Major Accident Hazards Sites (COMAH)** Name: Air Products Public Limited Company Location: Llanwern Works, Newport, Gwent, NP19 4QZ Reference: Not Supplied Type: Lower Tier **Status: Active** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	7	335106 186809
371	**Notification of Installations Handling Hazardous Substances (NIHHS)** Name: B.S.C. Location: Llanwern Works, NEWPORT, Gwent, NPT 0XN **Status: Not Active** Positional Accuracy: Manually positioned to the address or location	A11NE (E)	379	7	336722 186844
372	**Planning Hazardous Substance Consents** Name: British Steel Location: Llanwern Steelworks, Llanwern, Newport , Gwent, NP9 0XN Authority: Newport City Council, Planning Department Application Ref: 93/0089/Hsc Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 320 Application date: 9th February 1993 **Decision: Deemed Consent GrantedGranted** Positional Accuracy: Located by supplier to within 10m	A11NW (NE)	116	8	336229 186868

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Triassic Rocks (Undifferentiated)	A11SW (S)	0	1	336084 186652
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11SW (S)	0	1	336084 186652
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 120 - 180 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A15SW (N)	486	1	336130 187263
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A15SW (N)	531	1	336137 187306
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 25 - 35 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 120 - 180 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A16SW (NE)	613	1	336795 187190
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A16SW (NE)	654	1	336845 187194
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 35 - 45 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	A15NW (N)	689	1	336107 187491

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
373	**BGS Recorded Mineral Sites** Site Name: Llanwern Steelworks Slag Location: Llanwern, Newport, Gwent Source: British Geological Survey, National Geoscience Information Service Reference: 13203 Type: Tip **Status: Ceased** Operator: Tarmac (A Crh Company) Operator Location: Not Supplied Periodic Type: Not Available Geology: Blast Furnace Slag Commodity: Blast Furnace Slag Positional Accuracy: Located by supplier to within 100m	A7NE (SE)	529	1	336500 186100
374	**BGS Recorded Mineral Sites** Site Name: Llanwern Works Location: Llanwern, Newport, Gwent Source: British Geological Survey, National Geoscience Information Service Reference: 13204 Type: Tip **Status: Ceased** Operator: Hanson Cement Operator Location: Not Supplied Periodic Type: Not Available Geology: Ground Granulated Blast Furnace Slag - Addition, Cementitious Commodity: Blast Furnace Slag Positional Accuracy: Located by supplier to within 100m	A8NW (SE)	843	1	337000 186100
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
375	**Contemporary Trade Directory Entries** Name: Tarmac Westen Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QX Classification: Stone Products - Manufacturers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7NE (SE)	364	-	336430 186251
376	**Contemporary Trade Directory Entries** Name: Civil & Marine Ltd Location: Llanwern Works, NEWPORT, Gwent, NP19 4QX Classification: Concrete Products **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7NW (SE)	377	-	336294 186184
377	**Contemporary Trade Directory Entries** Name: Petras Cleaning Co Ltd Location: 33, Bridling Crescent, Newport, NP19 4TU Classification: Commercial Cleaning Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A9SE (W)	509	-	335288 186553
378	**Contemporary Trade Directory Entries** Name: Cariad Location: 54, Bloomery Circle, Newport, NP19 4TT Classification: Hospitals **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A9NE (W)	520	-	335311 186785
379	**Contemporary Trade Directory Entries** Name: Hope Oven Cleaning Location: 4, BESSEMER DRIVE, NEWPORT, NP19 4TP Classification: Oven cleaning **Status: Active** Positional Accuracy: Automatically positioned to the address	A9NE (W)	586	-	335274 186865
380	**Contemporary Trade Directory Entries** Name: Rushlift Location: Plover Close, Queensway Meadows Industrial Estate, Newport, Gwent, NP19 4SZ Classification: Fork Lift Trucks **Status: Active** Positional Accuracy: Automatically positioned to the address	A9SE (W)	637	-	335182 186389
381	**Contemporary Trade Directory Entries** Name: Tarmac Location: LLANWERN WORKS, LLANWERN, NEWPORT, NP19 4QX Classification: Concrete Products **Status: Active** Positional Accuracy: Automatically positioned to the address	A7SE (SE)	677	-	336460 185920
381	**Contemporary Trade Directory Entries** Name: Tarmac Western Ltd Location: Llanwern Works, Newport, NP19 4QX Classification: Quarries **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A7SE (SE)	678	-	336462 185920
382	**Contemporary Trade Directory Entries** Name: Stiller Group Location: Llanwern Works, Newport, Gwent, NP19 4QZ Classification: Road Haulage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	-	335106 186809
382	**Contemporary Trade Directory Entries** Name: R & R Industrial Location: Llanwern Works, Newport, Gwent, NP19 4QZ Classification: Engineering Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A9NE (W)	722	-	335106 186809
383	**Contemporary Trade Directory Entries** Name: Nationwide Crash Repair Centres Location: Curlew Close, Newport, NP19 4SY Classification: Car Body Repairs **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A9SE (W)	759	-	335070 186332

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
384	**Contemporary Trade Directory Entries** Name: Landrover Newport Location: Longditch Road, Queensway Meadows Industrial Estate, Newport, Gwent, NP19 4SW Classification: Car Customisation & Conversion Specialists **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A5NW (W)	801	-	335046 186275
385	**Contemporary Trade Directory Entries** Name: J & B Sewing Machines Location: Curlew Close, Newport, NP19 4SY Classification: Sewing Machines - Industrial **Status: Active** Positional Accuracy: Automatically positioned to the address	A9SW (W)	802	-	335008 186409
385	**Contemporary Trade Directory Entries** Name: Stratstone Land Rover Location: Longditch Road, Queensway Meadows Industrial Estate, Newport, NP19 4SW Classification: Car Dealers **Status: Active** Positional Accuracy: Automatically positioned to the address	A9SW (W)	846	-	334967 186387
386	**Contemporary Trade Directory Entries** Name: Motorpoint Newport Location: Meadows Road, Queensway Meadows Industrial Estate, Newport, Gwent, NP19 4SS Classification: Car Dealers - Used **Status: Inactive** Positional Accuracy: Automatically positioned to the address	A5NW (SW)	905	-	334992 186138
386	**Contemporary Trade Directory Entries** Name: Motorpoint Location: Meadows Road, Queensway Meadows Industrial Estate, Newport, NP19 4SS Classification: Car Dealers **Status: Active** Positional Accuracy: Automatically positioned to the address	A5NW (SW)	906	-	334992 186137
387	**Contemporary Trade Directory Entries** Name: Grant Rail Location: British Steel Site,Llanwern Wks, Newport, Gwent, NP6 1XX Classification: Mechanical Engineers **Status: Inactive** Positional Accuracy: Manually positioned within the geographical locality	A16SE (NE)	956	-	337154 187282
388	**Contemporary Trade Directory Entries** Name: Dutton Forshaw Citroen & Peugeot Location: Seven Stiles Avenue,Newport Retail Park, Newport, Gwent, NP19 4QS Classification: Car Dealers **Status: Inactive** Positional Accuracy: Manually positioned within the geographical locality	A9NW (W)	1000	-	334825 186832
388	**Contemporary Trade Directory Entries** Name: Robins & Day Newport Location: Seven Stiles Avenue,Newport Retail Park, Newport, Gwent, NP19 4QS Classification: Car Dealers **Status: Inactive** Positional Accuracy: Manually positioned within the geographical locality	A9NW (W)	1000	-	334825 186835
389	**Points of Interest - Commercial Services** Name: Stiller Group Location: Llanwern Works, Newport, NP19 4QZ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A9NE (W)	722	9	335106 186809
389	**Points of Interest - Commercial Services** Name: Stiller Group Location: Llanwern Works, Newport, NP19 4QZ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A9NE (W)	722	9	335106 186809
390	**Points of Interest - Commercial Services** Name: Nationwide Crash Repair Centres Ltd Location: Curlew Close, Queensway Meadows Industrial Estate, Newport, NP19 4SY Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A9SE (W)	760	9	335069 186333

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
391	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (SE)	47	9	336165 186536
391	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (SE)	71	9	336226 186484
392	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (SE)	74	9	336197 186487
392	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (SE)	82	9	336174 186489
392	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (SE)	84	9	336210 186473
392	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (S)	85	9	336142 186505
392	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (SE)	93	9	336225 186462
392	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (S)	116	9	336166 186454
392	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (SE)	119	9	336207 186438
392	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (S)	121	9	336152 186457
392	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (S)	150	9	336151 186424
392	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (S)	156	9	336114 186438

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
392	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (S)	157	9	336176 186406
392	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (S)	172	9	336112 186420
392	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SW (S)	193	9	336111 186397
393	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NW (N)	94	9	336136 186851
394	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A10NE (W)	135	9	335749 186753
395	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NW (NE)	161	9	336275 186927
395	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NW (NE)	187	9	336285 186955
395	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NW (NE)	215	9	336305 186985
395	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NW (NE)	227	9	336257 186991
395	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	235	9	336274 187002
395	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	256	9	336204 187008
395	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	256	9	336284 187024

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
395	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	257	9	336245 187020
395	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	270	9	336294 187039
395	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	278	9	336255 187043
395	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	282	9	336186 187032
395	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	284	9	336261 187049
395	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	292	9	336199 187044
396	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NW (NE)	204	9	336347 186973
396	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	248	9	336359 187016
397	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A11SW (SE)	237	9	336405 186381
398	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	310	9	336274 187078
398	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	319	9	336227 187079
398	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	336	9	336252 187101

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
398	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	355	9	336276 187123
398	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (NE)	359	9	336295 187129
398	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	371	9	336266 187138
398	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	391	9	336213 187150
398	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	422	9	336247 187187
399	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	315	9	336195 187067
399	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	361	9	336149 187120
400	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7NW (SE)	350	9	336370 186237
400	**Points of Interest - Manufacturing and Production** Name: Tarmac (Western) Ltd Location: Llanwern Works, Newport, NP19 4QX Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to address or location	A7NE (SE)	364	9	336430 186251
400	**Points of Interest - Manufacturing and Production** Name: Tarmac Westen Ltd Location: Llanwern Works, Newport, NP19 4QX Category: Extractive Industries Class Code: Stone Quarrying and Preparation Positional Accuracy: Positioned to address or location	A7NE (SE)	364	9	336430 186251
401	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SE (SE)	360	9	336614 186392
402	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7NW (SE)	372	9	336342 186202

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
403	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SE (NE)	384	9	336541 187097
404	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SW (N)	416	9	336083 187180
405	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7NW (SE)	423	9	336350 186151
405	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7NW (S)	455	9	336290 186105
406	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A9SE (W)	435	9	335362 186583
406	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A9SE (W)	450	9	335346 186563
407	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	511	9	336872 186654
407	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	511	9	336873 186668
407	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	587	9	336949 186689
408	**Points of Interest - Manufacturing and Production** Name: Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A8NW (SE)	543	9	336759 186280
409	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	548	9	336886 186887
409	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	561	9	336889 186925

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
410	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7NW (S)	555	9	336322 186009
410	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A7NW (S)	561	9	336321 186003
410	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A7NW (S)	565	9	336330 186000
411	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	555	9	336914 186757
412	**Points of Interest - Manufacturing and Production** Name: Celtic Business Park Location: NP19 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	560	9	336850 186389
412	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	576	9	336893 186448
412	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	585	9	336907 186461
412	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	594	9	336918 186464
412	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	603	9	336928 186466
413	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	560	9	336911 186569
413	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	577	9	336921 186534
414	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A9SE (W)	567	9	335232 186496

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
415	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7NE (SE)	568	9	336523 186069
416	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A15SE (NE)	594	9	336682 187257
416	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A15SE (NE)	596	9	336695 187250
416	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A15SE (NE)	599	9	336683 187262
416	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A15SE (NE)	601	9	336691 187259
417	**Points of Interest - Manufacturing and Production** Name: Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	613	9	336776 187205
417	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	616	9	336775 187210
418	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	648	9	336988 186888
418	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	649	9	336987 186897
419	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	650	9	337011 186658
419	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	726	9	337088 186674
420	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A7SE (SE)	667	9	336508 185951

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
420	**Points of Interest - Manufacturing and Production** Name: Tarmac Location: Tarmac Ltd Lanwern Works, Queensway, Llanwern, Newport, NP19 4QX Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to address or location	A7SE (SE)	677	9	336460 185920
421	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	691	9	336961 187087
422	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	762	9	337089 186954
422	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A16SW (E)	778	9	337091 187004
422	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A16SE (E)	805	9	337095 187071
423	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13SE (NW)	776	9	335171 187061
424	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A16SE (NE)	827	9	337096 187123
425	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A9SW (W)	828	9	334972 186478
426	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A6SE (S)	835	9	335973 185728
426	**Points of Interest - Manufacturing and Production** Name: Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A6SE (S)	841	9	335973 185722
427	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A13SE (NW)	840	9	335196 187203
428	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A9NW (W)	852	9	334964 186777

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
429	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NE (E)	866	9	337226 186748
430	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12SE (E)	920	9	337247 186425
430	**Points of Interest - Manufacturing and Production** Name: Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12SE (E)	920	9	337247 186424
431	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A8NE (SE)	933	9	337106 186093
432	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A13NE (NW)	934	9	335216 187372
432	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A13NE (NW)	935	9	335215 187372
432	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A13NE (NW)	938	9	335211 187372
433	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (E)	939	9	337277 186928
434	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: NP19 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A16SE (E)	946	9	337239 187090
434	**Points of Interest - Manufacturing and Production** Name: Spencer Steelworks Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A16SE (E)	977	9	337271 187092
435	**Points of Interest - Manufacturing and Production** Name: F T P Waters Location: Tatton Farm, Broad Street Common, Nash, Newport, NP18 2BE Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	A5SE (SW)	956	9	335214 185796
436	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (E)	961	9	337323 186718

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
436	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (E)	986	9	337348 186720
437	**Points of Interest - Manufacturing and Production** Name: Tanks Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SE (E)	980	9	337329 186522
437	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A12SE (E)	989	9	337338 186523
437	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A12SE (E)	989	9	337335 186503
437	**Points of Interest - Manufacturing and Production** Name: Tank Location: NP19 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A12SE (E)	996	9	337342 186506
438	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A10SE (SW)	222	9	335812 186332
438	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A10SE (SW)	222	9	335817 186333
438	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A10SE (SW)	227	9	335826 186328
439	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NE (S)	246	9	335955 186319
439	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NE (S)	337	9	335990 186226
439	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NE (S)	338	9	335985 186225
440	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NE (SW)	334	9	335844 186222

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
441	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NE (S)	435	9	336034 186129
442	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NE (S)	458	9	335892 186104
442	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A6NE (S)	458	9	335896 186105
443	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	471	9	336816 186842
443	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	484	9	336819 186889
444	**Points of Interest - Public Infrastructure** Name: Slag Heap Location: NP19 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7NE (SE)	538	9	336526 186105
444	**Points of Interest - Public Infrastructure** Name: Slag Heap Location: NP19 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A7NE (SE)	550	9	336469 186062
445	**Points of Interest - Public Infrastructure** Name: Sluice Location: NP19 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A15NE (NE)	580	9	336431 187341
446	**Points of Interest - Public Infrastructure** Name: Slag Heap Location: NP19 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A8NW (SE)	622	9	336797 186203
447	**Points of Interest - Public Infrastructure** Name: Slag Heap Location: NP19 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A7SE (SE)	704	9	336618 185965
448	**Points of Interest - Public Infrastructure** Name: Slag Heap Location: NP19 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A8NW (SE)	889	9	337055 186096
449	**Points of Interest - Public Infrastructure** Name: Slag Heap Location: NP19 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A8NW (SE)	961	9	337065 185994

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
450	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A10NW (NW)	344	9	335583 186891
451	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A10NW (W)	381	9	335446 186749
452	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9SE (W)	402	9	335396 186598
453	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9NE (W)	468	9	335346 186723
453	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9NE (W)	501	9	335339 186804
454	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9SE (W)	523	9	335274 186593
455	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9NE (W)	564	9	335251 186740
456	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9NE (W)	802	9	335083 186966
456	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A9NW (W)	818	9	335035 186899
457	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP18 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A15NE (NE)	879	9	336635 187597
458	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A13SE (NW)	904	9	335080 187152
459	**Points of Interest - Recreational and Environmental** Name: Play Area Location: NP19 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A13SW (W)	944	9	334977 187069

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
460	**Underground Electrical Cables** Unique Feature Identifier: 10005592 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 27th October 2017	A12SE (E)	965	10	337283 186389
461	**Underground Electrical Cables** Unique Feature Identifier: 10005510 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 27th October 2017	A12SE (E)	966	10	337283 186384
462	**Underground Electrical Cables** Unique Feature Identifier: 10007516 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 27th October 2017	A12SE (E)	973	10	337288 186374
463	**Underground Electrical Cables** Unique Feature Identifier: 10005509 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 27th October 2017	A12SE (E)	975	10	337289 186374

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
464	**Ancient Woodland** Name: Not Supplied Reference: 8382 Area(m²): 94558.08 Type: Ancient and Semi-Natural Woodland	A18SE (N)	937	2	336041 187700
465	**Ancient Woodland** Name: Not Supplied Reference: 15604 Area(m²): 8307.38 Type: Ancient and Semi-Natural Woodland	A14NW (NW)	956	2	335542 187608
466	**Sites of Special Scientific Interest** Name: Gwent Levels - Nash And Goldcliff Multiple Areas: Y Total Area (m2): 7606485.93 Source: Natural Resources Wales Reference: 64933wdb Designation Details: Biological Designation Date: 20th August 1987 Date Type: Notified	A6NE (S)	220	2	336058 186311

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Newport City Council - Public Protection and Environmental Services	January 2015	Annual Rolling Update
Natural Resources Wales	June 2020	Annually
Monmouthshire Council - Environment Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Welsh Region	August 2014	Quarterly
Natural Resources Wales	October 2022	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Welsh Region	March 2013	
Integrated Pollution Controls		
Environment Agency - Welsh Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - Welsh Region	January 2021	Quarterly
Natural Resources Wales	October 2022	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Monmouthshire Council - Environmental Health Department	June 2014	Variable
Newport City Council - Public Protection and Environmental Services	June 2014	Variable
Local Authority Pollution Prevention and Controls		
Monmouthshire Council - Environmental Health Department	June 2014	Annual Rolling Update
Newport City Council - Public Protection and Environmental Services	June 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Monmouthshire Council - Environmental Health Department	June 2014	Variable
Newport City Council - Public Protection and Environmental Services	June 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	September 2022	
Pollution Incidents to Controlled Waters		
Environment Agency - Welsh Region	December 1998	
Prosecutions Relating to Authorised Processes		
Environment Agency - Welsh Region	July 2015	
Natural Resources Wales	July 2015	
Prosecutions Relating to Controlled Waters		
Environment Agency - Welsh Region	March 2013	
Natural Resources Wales	March 2013	
Registered Radioactive Substances		
Natural Resources Wales	January 2015	
Environment Agency - Welsh Region	June 2016	As notified
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		
Environment Agency - Head Office	April 2012	
River Quality Chemistry Sampling Points		
Environment Agency - Head Office	April 2012	
Substantiated Pollution Incident Register		
Environment Agency Wales - South East Area	January 2021	Quarterly
Natural Resources Wales	October 2022	Quarterly
Water Abstractions		
Environment Agency - Welsh Region	October 2022	Quarterly
Natural Resources Wales	October 2022	Quarterly
Water Industry Act Referrals		
Environment Agency - Welsh Region	October 2017	
Natural Resources Wales	October 2022	Quarterly

Data Currency

Agency & Hydrological	Version	Update Cycle
Groundwater Vulnerability Map Natural Resources Wales	June 2018	As notified
Bedrock Aquifer Designations Natural Resources Wales	January 2018	Annually
Superficial Aquifer Designations Natural Resources Wales	January 2018	Annually
Source Protection Zones Natural Resources Wales	July 2022	Annual Rolling Update
Extreme Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Flooding from Rivers or Sea without Defences Natural Resources Wales	September 2020	
Areas Benefiting from Flood Defences Natural Resources Wales	November 2019	Quarterly
Flood Water Storage Areas Natural Resources Wales	August 2019	Quarterly
Flood Defences Natural Resources Wales	November 2019	Quarterly
OS Water Network Lines Ordnance Survey	October 2022	Quarterly
Surface Water 1 in 30 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Natural Resources Wales	May 2018	Annually
Surface Water Suitability Natural Resources Wales	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Natural Resources Wales	July 2019	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Welsh Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Natural Resources Wales	October 2021	Quarterly
Environment Agency Wales - South East Area	October 2022	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency Wales - South East Area	July 2021	Quarterly
Natural Resources Wales	July 2022	Quarterly
Local Authority Landfill Coverage		
Monmouthshire Council - Environment	February 2003	Not Applicable
Newport City Council	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Monmouthshire Council - Environment	October 2018	
Newport City Council	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency Wales - South East Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency Wales - South East Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency Wales - South East Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	January 2022	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Monmouthshire Council - Environment	February 2016	Variable
Newport City Council - Planning Department	October 2015	Variable
Planning Hazardous Substance Consents		
Monmouthshire Council - Environment	February 2016	Variable
Newport City Council - Planning Department	October 2015	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	November 2022	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	September 2022	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	September 2022	Annually

Data Currency

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2022	Quarterly
Fuel Station Entries Catalist Ltd - Experian	August 2022	Quarterly
Gas Pipelines National Grid	October 2021	Bi-Annually
Points of Interest - Commercial Services PointX	December 2022	Quarterly
Points of Interest - Education and Health PointX	December 2022	Quarterly
Points of Interest - Manufacturing and Production PointX	December 2022	Quarterly
Points of Interest - Public Infrastructure PointX	December 2022	Quarterly
Points of Interest - Recreational and Environmental PointX	December 2022	Quarterly
Underground Electrical Cables National Grid	May 2021	Bi-Annually

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural Resources Wales	September 2018	Bi-Annually
Areas of Adopted Green Belt		
Monmouthshire Council	July 2022	Quarterly
Newport City Council	July 2022	Quarterly
Areas of Unadopted Green Belt		
Monmouthshire Council	July 2022	Quarterly
Newport City Council	July 2022	Quarterly
Areas of Outstanding Natural Beauty		
Natural Resources Wales	August 2022	Bi-Annually
Environmentally Sensitive Areas		
The National Assembly for Wales - GI Services (Department of Planning & Countryside)	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Monmouthshire Council	August 2018	Bi-Annually
Newport City Council	August 2018	Bi-Annually
Marine Nature Reserves		
Natural Resources Wales	August 2018	Bi-Annually
National Nature Reserves		
Natural Resources Wales	February 2022	Bi-Annually
National Parks		
Natural Resources Wales	February 2018	Annually
Nitrate Vulnerable Zones		
The National Assembly for Wales - GI Services (Department of Planning & Countryside)	April 2016	
Natural Resources Wales	July 2019	Bi-Annually
Ramsar Sites		
Natural Resources Wales	July 2019	Bi-Annually
Sites of Special Scientific Interest		
Natural Resources Wales	March 2020	Bi-Annually
Special Areas of Conservation		
Natural Resources Wales	August 2020	Bi-Annually
Special Protection Areas		
Natural Resources Wales	August 2018	Bi-Annually

Data Suppliers


A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Natural Resources Wales** Ty Cambria, 29 Newport Road, Cardiff, CF24 0TP	Telephone: 0300 065 3000 Email: enquiries@naturalresourceswales.gov.uk
3	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
4	**Newport City Council - Public Protection and Environmental Services** Civic Centre, Newport, Gwent, NP20 4UR	Telephone: 01633 656656 Fax: 01633 232429 Website: www.newport.gov.uk
5	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	**Newport City Council** Civic Centre, Newport, South Wales, NP9 4UR	Telephone: 01633 656656 Fax: 01633 244721 Website: www.newport.gov.uk
7	**Health and Safety Executive** 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
8	**Newport City Council - Planning Department** Civic Centre, Newport, South Wales, NP9 4UR	Telephone: 01633 656656 Fax: 01633 244721 Website: www.newport.gov.uk
9	**PointX** 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
10	**Landmark Information Group Limited** Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9966 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location
- Pylon
- Overhead Transmission Line

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Plot Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location
- Pylon
- Overhead Transmission Line

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Segment A11




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Plot Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice A



Order Details


Order Details:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice A



Order Details


Order Details:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice A



Order Details


Order Details:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice A



Order Details


Order Details:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice A



Order Details


Order Details:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice
Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment
A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant
A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:

Map data

British Geological Survey
NATURAL ENVIRONMENT RESEARCH COUNCIL

Cyfoeth Naturiol Cymru
Natural Resources Wales

Envirocheck reports are compiled from 136 different sources of data.

Client Details

Mr R Taylor, Rodgers Leask Ltd, Rodgers Leask Ltd,
Seven House, 18 High Street, Longbridge, Birmingham,
B31 2UQ

Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336100, 186660
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Full Terms and Conditions can be found on the following link:
http://www.landmarkinfo.co.uk/Terms/Show/515

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Land Use Information (1:10,000)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Map ID

Several of Type at Location

Potentially Contaminative Industrial Uses (Past Land Uses - Mining)

	Point	Line	Polygon
Air Shafts	◆		
Disturbed Ground	◆		
General Quarrying	◆		
Heap, unknown constituents	◆		
Mineral Railway	◆		
Mining and Quarrying General	◆		
Mining of Coal & Lignite	◆		
Quarrying of Sand and Clay, Operation of Sand and Gravel Pits	◆		

Historical Land Use


	Point	Line	Polygon
Potentially Infilled Land (Non-Water)	●		
Potentially Infilled Land (Water)	●		
Former Marsh	✠		

Mining Data

Potential Mining Area

BGS Recorded Mineral Site

Mining and Ground Stability - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Ground Stability Data (1:50,000)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Potential for Compressible Ground Stability Hazards

High | Low
Moderate | Very Low


Potential for Collapsible Ground Stability Hazards

High | Low
Moderate | Very Low

Brine Pumping and Salt Mining

	Point	Polygon
Brine Pumping Related Feature	▲	▨
Salt Mining Related Feature	▲	▨

Mining and Ground Stability - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Ground Stability Data (1:50,000)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Potential for Landslide Ground Stability Hazards

High | Low | Moderate | Very Low

Potential for Ground Dissolution Stability Hazards

High | Low | Moderate | Very Low

Mining and Ground Stability - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Ground Stability Data (1:50,000)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Potential for Running Sand Ground Stability Hazards

High | Low | Moderate | Very Low

Potential for Shrinking or Swelling Clay Ground Stability Hazards

High | Low | Moderate | Very Low

Mining and Ground Stability - Slice A



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Mining and Ground Stability Datasheet

Order Details:

Order Number:
304885831_1_1

Customer Reference:
Llanwern 4c 4g 4e

National Grid Reference:
336080, 186650

Slice:
A

Site Area (Ha):
8.34

Search Buffer (m):
1000

Site Details:

Site at 336079,186662

Client Details:

Mr R Taylor
Rodgers Leask Ltd
Rodgers Leask Ltd
Seven House
18 High Street
Longbridge
Birmingham
B31 2UQ

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section and Details	Page Number
Summary	-
The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer selected. For ease of reference, the report is broken down into 4 sections of data; Mining and Natural Cavities Data, Historical Land Use Information (1:2,500), Historical Land Use Information (1:10,000) and Ground Stability Data (1:50,000).	
Mining and Natural Cavities Data	1
The Mining and Natural Cavities Data section features data sets related to the existence of mining areas and their potential hazards; and details of naturally formed cavities. Data sets within this section are not plotted, with the exception of BGS Recorded Mineral Sites and Potential Mining Areas which feature on the Historical Land Use Information (1:10,000) map.	
Historical Land Use Information (1:2,500)	2
The Historical Land Use Information (1:2,500) section contains data captured from analysis carried out by Landmark of 1:1,250 and 1:2,500 scale historical Ordnance Survey mapping, identifying areas where, historically, the land uses were potentially contaminative. For the purpose of this Envirocheck module, only historical data relating to mining and ground stability has been included and plotted on the corresponding Historical Land Use Information (1:2,500) map. This section also includes the Subterranean Features data set, which details various man-made and man-used underground spaces obtained from the Subterranea Britannica society.	
Historical Land Use Information (1:10,000)	3
The Historical Land Use (1:10,000) section covers data captured from the systematic analysis carried out by Landmark of 1:10, 560 and 1:10,000 scale historical Ordnance Survey mapping dating back to the mid-19th century, identifying potentially contaminative past industrial land uses. For the purpose of this Envirocheck module, only data relating to mining and ground stability has been included and plotted on the accompanying Historical Land Use Information (1:10,000) map.	
Ground Stability Data (1:50,000)	5
The Ground Stability (1:50,000) section includes the BGS Geosure data suite, reporting features to 250m and plotted onto 3 separate maps. Also reported is brine subsidence, brine mining and salt mining data sets, of which Brine Pumping and Salt Mining Related Features are plotted, and subsidence insurance claims and insurance investigations data, which is not plotted.	
Historical Map List	6
The Historical Map List section details the historical mapping that has been analysed for your site, in relation to the Historical Land Use Information sections.	
Data Currency	7
Data Suppliers	8
Useful Contacts	9

Copyright Notice

© Landmark Information Group Limited 2022. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, and the Environment Agency/Natural Resources Wales, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Copyright Stantec UK Limited. All rights reserved.

The brine subsidence data relating to the Driotwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
Mining and Natural Cavities Data					
BGS Recorded Mineral Sites	pg 1				2
Coal Mining Affected Areas			n/a	n/a	n/a
Man Made Mining Cavities					
Mining Instability			n/a	n/a	n/a
Natural Cavities					
Non Coal Mining Areas of Great Britain				n/a	n/a
Potential Mining Areas					
Historical Land Use Information (1:2,500)					
Extractive Industries or Potential Excavations from 1855-1909 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1893-1915 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1906-1937 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1924-1949 (100m)				n/a	n/a
Extractive Industries or Potential Excavations from 1950-1980 (100m)	pg 2	2	4	n/a	n/a
Subterranean Features (100m)				n/a	n/a
Historical Land Use Information (1:10,000)					
Air Shafts					
Disturbed Ground					
General Quarrying	pg 3				1
Heap, unknown constituents					
Mineral Railway	pg 3				2
Mining & quarrying general					
Mining of coal & lignite					
Quarrying of sand & clay, operation of sand & gravel pits					
Former Marshes					
Potentially Infilled Land (Non-Water)	pg 3				1
Potentially Infilled Land (Water)	pg 3		2	6	23
Ground Stability Data (1:50,000)					
CBSCB Compensation District			n/a	n/a	n/a
Brine Pumping Related Features					
Brine Subsidence Solution Area					
Potential for Collapsible Ground Stability Hazards	pg 5	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 5	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards	pg 5	Yes		n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 5	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 5	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 5	Yes		n/a	n/a
Salt Mining Related Features					

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Report Version v53.0

Mining and Natural Cavities Data

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**BGS Recorded Mineral Sites** Site Name: Llanwern Steelworks Slag Location: Llanwern, Newport, Gwent Source: British Geological Survey, National Geoscience Information Service Reference: 13203 Type: Tip **Status: Ceased** Operator: Tarmac (A Crh Company) Operator Location: Not Supplied Periodic Type: Not Available Geology: Blast Furnace Slag Commodity: Blast Furnace Slag Positional Accuracy: Located by supplier to within 100m	A7NE (SE)	529	1	336500 186100
2	**BGS Recorded Mineral Sites** Site Name: Llanwern Works Location: Llanwern, Newport, Gwent Source: British Geological Survey, National Geoscience Information Service Reference: 13204 Type: Tip **Status: Ceased** Operator: Hanson Cement Operator Location: Not Supplied Periodic Type: Not Available Geology: Ground Granulated Blast Furnace Slag - Addition, Cementitious Commodity: Blast Furnace Slag Positional Accuracy: Located by supplier to within 100m	A8NW (SE)	843	1	337000 186100
	Coal Mining Affected Areas In an area which may not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				

Historical Land Use Information (1:2,500)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	**Extractive Industries or Potential Excavations from 1950-1980** Use: Pond First Map Published Date: 1967 Last Map Published Date: N/A	A11NW (E)	0	-	336229 186708
4	**Extractive Industries or Potential Excavations from 1950-1980** Use: Pond First Map Published Date: 1967 Last Map Published Date: N/A	A10NE (NW)	0	-	336047 186704
5	**Extractive Industries or Potential Excavations from 1950-1980** Use: Pipe Line First Map Published Date: 1967 Last Map Published Date: 1967	A11NW (NE)	6	-	336148 186791
6	**Extractive Industries or Potential Excavations from 1950-1980** Use: Pond First Map Published Date: 1967 Last Map Published Date: N/A	A11SW (SE)	32	-	336183 186528
7	**Extractive Industries or Potential Excavations from 1950-1980** Use: Pipe Line First Map Published Date: 1967 Last Map Published Date: 1969	A11NW (NE)	42	-	336165 186790
8	**Extractive Industries or Potential Excavations from 1950-1980** Use: Gas Holder First Map Published Date: 1967 Last Map Published Date: N/A	A11NW (NE)	56	-	336246 186822

Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	**General Quarrying** Use: Not Supplied Date of Mapping: 1887 - 1922	A15NW (N)	797	-	336326 187580
10	**Mineral Railway** Use: Not Supplied Date of Mapping: 1922	A15NW (NE)	656	-	336410 187421
11	**Mineral Railway** Use: Not Supplied Date of Mapping: 1922	A15NW (N)	668	-	336213 187430
12	**Potentially Infilled Land (Non-Water)** Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1989	A15NW (N)	800	-	336349 187576
13	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1989	A10NE (N)	211	-	336078 186975
14	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1989	A11NW (N)	211	-	336081 186975
15	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A11NE (E)	311	-	336668 186769
16	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A10SW (W)	344	-	335453 186569
17	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A10SW (W)	374	-	335422 186638
18	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	406	-	335390 186570
19	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A10NW (W)	418	-	335419 186779
20	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	467	-	335330 186615
21	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	525	-	335272 186603
22	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5NE (SW)	534	-	335324 186306
23	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	578	-	335220 186613
24	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	588	-	335211 186489
25	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A12SW (E)	590	-	336945 186592
26	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9NE (W)	669	-	335169 186830
27	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	717	-	335081 186624
28	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	718	-	335079 186611
29	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	745	-	335052 186607

Historical Land Use Information (1:10,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SE (W)	758	-	335069 186339
31	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	760	-	335067 186340
32	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9NW (W)	763	-	335045 186730
33	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	776	-	335030 186431
34	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	870	-	334929 186488
35	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	874	-	334926 186476
36	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5NW (SW)	876	-	335031 186127
37	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5NW (SW)	880	-	335025 186129
38	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	891	-	334906 186593
39	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5NW (W)	943	-	334892 186286
40	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9NW (W)	968	-	334838 186726
41	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	983	-	334814 186580
42	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A5SW (SW)	983	-	335004 185973
43	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1965	A9SW (W)	987	-	334810 186550

Ground Stability Data (1:50,000)

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	CBSCB Compensation District The site does not fall within the brine compensation area.				
	Brine Subsidence Solution Area The site does not fall within the brine subsidence solution area.				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
44	**Potential for Compressible Ground Stability Hazards** Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
45	**Potential for Landslide Ground Stability Hazards** Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
46	**Potential for Running Sand Ground Stability Hazards** Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652
47	**Potential for Shrinking or Swelling Clay Ground Stability Hazards** Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11SW (S)	0	1	336084 186652

Historical Map List

The following mapping has been analysed for Historical Land Use Information (1:2,500):

1:2,500	Mapsheet	Published Date
Ordnance Survey Plan	ST3586	1967

The following mapping has been analysed for Historical Land Use Information (1:10,000):

1:10,560	Mapsheet	Published Date
Monmouthshire	029_00	1886
Monmouthshire	034_00	1887
Monmouthshire	029_SE	1902
Monmouthshire	029_SW	1902
Monmouthshire	034_NE	1902
Monmouthshire	034_NW	1902
Monmouthshire	029_SE	1922
Monmouthshire	029_SW	1922
Monmouthshire	034_NE	1922
Monmouthshire	034_NW	1922
Monmouthshire	034_NW	1938
Monmouthshire	029_SE	1954
Monmouthshire	029_SW	1954
Monmouthshire	034_NE	1954
Ordnance Survey Plan	ST38NE	1965
Ordnance Survey Plan	ST38NW	1965
1:10,000	**Mapsheet**	**Published Date**
Ordnance Survey Plan	ST38NE	1989
Ordnance Survey Plan	ST38NW	1994

Data Currency

Mining and Cavities Data	Version	Update Cycle
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	November 2022	Bi-Annually
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Man Made Mining Cavities Stantec UK Ltd	December 2021	Bi-Annually
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Natural Cavities Stantec UK Ltd	December 2021	Bi-Annually
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Historical Land Use Information (1:2,500)	**Version**	**Update Cycle**
Subterranean Features Landmark Information Group Limited	June 2022	Bi-Annually
Ground Stability Data (1:50,000)	**Version**	**Update Cycle**
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	 As notified
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Brine Subsidence Solution Area Johnson Poole & Bloomer	December 2020	Annual Rolling Update


Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
British Geological Survey	British Geological Survey, Natural Environment Research Council
The Coal Authority	The Coal Authority
Ove Arup	ARUP
Stantec UK Ltd	Stantec
Wardell Armstrong	wardell armstrong, your earth our world
Johnson Poole & Bloomer	JPB

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
-	**Landmark Information Group Limited** Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Land Use Information (1:2,500)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Map ID

Several of Type at Location


Potentially Contaminative Industrial Uses (Extractive Industries Activity)

	Point	Line	Polygon
Extractive Industries Activity from 1855 - 1909	▲	—	▭
Extractive Industries Activity from 1893 - 1915	▲	—	▨
Extractive Industries Activity from 1906 - 1937	▲	—	▦
Extractive Industries Activity from 1924 - 1949	▲	—	▨
Extractive Industries Activity from 1950 - 1980	▲	—	▥

Subterranean Features

	Point	Line	Polygon
Subterranean Features	▼	- - -	▭

Mining and Ground Stability - Segment A10




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Plot Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Land Use Information (1:2,500)

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Map ID

Several of Type at Location


Potentially Contaminative Industrial Uses (Extractive Industries Activity)

	Point	Line	Polygon
Extractive Industries Activity from 1855 - 1909	▲	—	▭
Extractive Industries Activity from 1893 - 1915	▲	—	▨
Extractive Industries Activity from 1906 - 1937	▲	—	▭
Extractive Industries Activity from 1924 - 1949	▲	—	▨
Extractive Industries Activity from 1950 - 1980	▲	—	▭

Subterranean Features

	Point	Line	Polygon
Subterranean Features	▼	- - -	▭

Mining and Ground Stability - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Plot Buffer (m):	100

Site Details


Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends


Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Co. Burgh Bdy.

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	St.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well


Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
L B Bdy
London Borough Boundary
Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)


Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Monmouthshire	1:2,500	1883	2
Monmouthshire	1:2,500	1901	3
Monmouthshire	1:2,500	1921	4
Ordnance Survey Plan	1:1,250	1967	5
Ordnance Survey Plan	1:2,500	1967 - 1968	6
Supply of Unpublished Survey Information	1:1,250	1974	7
Additional SIMs	1:1,250	1986	8
Additional SIMs	1:1,250	1991	9
Large-Scale National Grid Data	1:1,250	1992	10
Large-Scale National Grid Data	1:1,250	1995	11
Historical Aerial Photography	1:2,500	2001	12

Historical Map - Segment A10




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1883


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1901


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1921


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

ST3586NW 1967 1:1,250	ST3586NE 1967 1:1,250	ST3686NW 1967 1:1,250
ST3586SW 1967 1:1,250	ST3586SE 1967 1:1,250	ST3686SW 1967 1:1,250

Historical Map - Segment A10



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

335600 335800 336000

186800 186600 186400

Spencer Steelworks
Ore Stocks
Travelling Boom Conveyor
Lighting Tower
Drain
Pond
QUEEN'S WAY
4772 139·66
0004 12·46
0004 148·75
0250 1·05
0004 1·07
4335 7·30

© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.


0 100 m

Envirocheck®
LANDMARK INFORMATION GROUP®


Ordnance Survey Plan
Published 1967 - 1968
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A10




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Supply of Unpublished Survey Information

Published 1974


Source map scale - 1:1,250

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a `work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Additional SIMs

Published 1986


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3586NW 1986 1:1,250	ST3586NE 1986 1:1,250	ST3686NW 1986 1:1,250
ST3586SW 1986 1:1,250	ST3586SE 1986 1:1,250	ST3686SW 1986 1:1,250

Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Additional SIMs

Published 1991


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A10



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Large-Scale National Grid Data

Published 1992


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3586NW 1992 1:1,250	ST3586NE 1992 1:1,250	ST3686NW 1992 1:1,250
ST3586SW 1992 1:1,250	ST3586SE 1992 1:1,250	ST3686SW 1992 1:1,250

Historical Map - Segment A10



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

335600 335800 336000

186800 186600 186400

Ore Stocks
Travelling Hopper
Conveyor
Lighting Tower
Hopper
Spencer Steelworks
QUEENS WAY
Tank
Slurry
RM 6.85m

© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®

Large-Scale National Grid Data

Published 1995


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3586NW 1995 1:1,250		ST3686NW 1995 1:1,250
ST3586SW 1995 1:1,250	ST3586SE 1995 1:1,250	ST3686SW 1995 1:1,250

Historical Map - Segment A10




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®


LANDMARK INFORMATION GROUP®

Historical Aerial Photography

Published 2001

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A10



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details


Site at 336079,186662

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Boundary (Geographical)

County & Civil Parish Boundary


Administrative County & Civil Parish Boundary

Co. Boro. Bdy. County Borough Boundary (England)

Co. Burgh Bdy. County Burgh Boundary (Scotland)

B P B S	Boundary Post or Stone	P.C.B	Police Call Box
B.R.	Bridle Road	P	Pump
E.P	Electricity Pylon	S.P	Signal Post
F.B.	Foot Bridge	Sl.	Sluice
F.P.	Foot Path	Sp.	Spring
G.P	Guide Post or Board	T.C.B	Telephone Call Box
M.S	Mile Stone	Tr.	Trough
M.P M.R	Mooring Post or Ring	W	Well

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250



County Boundary (Geographical)

County & Civil Parish Boundary

Civil Parish Boundary


Admin. County or County Bor. Boundary

L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
El P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

Large-Scale National Grid Data 1:2,500 and 1:1,250



Civil parish/community boundary

District boundary

County boundary

Boundary post/stone

Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)

Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governer	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Monmouthshire	1:2,500	1883	2
Monmouthshire	1:2,500	1901	3
Monmouthshire	1:2,500	1921	4
Ordnance Survey Plan	1:1,250	1967	5
Ordnance Survey Plan	1:2,500	1968	6
Supply of Unpublished Survey Information	1:1,250	1974	7
Additional SIMs	1:1,250	1986	8
Additional SIMs	1:1,250	1991	9
Large-Scale National Grid Data	1:1,250	1992	10
Large-Scale National Grid Data	1:1,250	1995	11
Historical Aerial Photography	1:2,500	2001	12

Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1883


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1901


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1921


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

ST3686NW 1967 1:1,250	ST3686NE 1967 1:1,250
ST3686SW 1967 1:1,250	ST3686SE 1967 1:1,250

Historical Map - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1968


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Supply of Unpublished Survey Information

Published 1974


Source map scale - 1:1,250

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a `work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Additional SIMs

Published 1986


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3686NW 1986 1:1,250	ST3686NE 1986 1:1,250
ST3686SW 1986 1:1,250	ST3686SE 1986 1:1,250

Historical Map - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

0 100 m

Envirocheck®

LANDMARK INFORMATION GROUP®


Additional SIMs

Published 1991


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's `Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Large-Scale National Grid Data

Published 1992


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3686NW 1992 1:1,250	ST3686NE 1992 1:1,250
ST3686SW 1992 1:1,250	ST3686SE 1992 1:1,250

Historical Map - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Large-Scale National Grid Data

Published 1995


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

ST3686NW 1995 1:1,250	ST3686NE 1995 1:1,250
ST3686SW 1995 1:1,250	ST3686SE 1995 1:1,250

Historical Map - Segment A11



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®


LANDMARK INFORMATION GROUP®

Historical Aerial Photography

Published 2001

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A11



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	100

Site Details

Site at 336079,186662

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
·285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Electricity Transmission Line
Pole
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Monmouthshire	1:10,560	1886 - 1887	3
Monmouthshire	1:10,560	1902	4
Monmouthshire	1:10,560	1922	5
Monmouthshire	1:10,560	1938 - 1954	6
Historical Aerial Photography	1:10,560	1947	7
Historical Aerial Photography	1:10,560	1947	8
Monmouthshire	1:10,560	1954	9
Ordnance Survey Plan	1:10,000	1965	10
Ordnance Survey Plan	1:10,000	1973	11
Ordnance Survey Plan	1:10,000	1981 - 1989	12
Newport	1:10,000	1983	13
Ordnance Survey Plan	1:10,000	1987	14
10K Raster Mapping	1:10,000	1999	15
10K Raster Mapping	1:10,000	2006	16
VectorMap Local	1:10,000	2022	17

Historical Map - Slice A



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Direction and velocity of current
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub

Key to Numbers on Mapping

ST38NE_Newport

No.	Description
29	Mill (Steel)
71	Railway Station


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Monmouthshire	1:10,560	1886 - 1887	3
Monmouthshire	1:10,560	1902	4
Monmouthshire	1:10,560	1922	5
Monmouthshire	1:10,560	1938 - 1954	6
Historical Aerial Photography	1:10,560	1947	7
Historical Aerial Photography	1:10,560	1947	8
Monmouthshire	1:10,560	1954	9
Ordnance Survey Plan	1:10,000	1965	10
Ordnance Survey Plan	1:10,000	1973	11
Ordnance Survey Plan	1:10,000	1981 - 1989	12
Newport	1:10,000	1983	13
Ordnance Survey Plan	1:10,000	1987	14
10K Raster Mapping	1:10,000	1999	15
10K Raster Mapping	1:10,000	2006	16
VectorMap Local	1:10,000	2022	17

Russian Map - Slice A



Order Details


Order Number: 304885831_1_1
Customer Ref: Llanwern 4c 4g 4e
National Grid Reference: 336080, 186650
Slice: A
Site Area (Ha): 8.34
Search Buffer (m): 1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Monmouthshire

Published 1886 - 1887

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

02900
1886
1:10,560

03400
1887
1:10,560

Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1902


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Monmouthshire

Published 1922


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Monmouthshire

Published 1938 - 1954


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

029SW 1938 1:10,560	029SE 1954 1:10,560
034NW 1938 1:10,560	034NE 1954 1:10,560

Historical Map - Slice A



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Landmark Information Group and/or Data Suppliers 2022.

Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Aerial Photography


Published 1947

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



BRITISH LIBRARY

Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Landmark Information Group and/or Data Suppliers 2022.

Envirocheck®

LANDMARK INFORMATION GROUP

Historical Aerial Photography


Published 1947

Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



BRITISH LIBRARY

Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Monmouthshire

Published 1954

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

029SW
1954
1:10,560

034NW
1954
1:10,560

Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1965


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1973


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1981 - 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Newport

Published 1983


Source map scale - 1:10,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2022. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1987


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2022


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number:	304885831_1_1
Customer Ref:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Geology 1:50,000 Maps Legends

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TFD	Tidal Flat Deposits	Clay and Silt	Not Supplied - Holocene
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LVN	Lavernock Shales Member	Mudstone	Not Supplied - Hettangian
	PNG	Penarth Group	Mudstone	Not Supplied - Rhaetian
	STM	St Mary's Well Bay Member	Limestone and Mudstone, Interbedded	Not Supplied - Rhaetian
	BAN	Blue Anchor Formation	Mudstone and Siltstone	Not Supplied - Norian
	BAN	Blue Anchor Formation	Mudstone	Not Supplied - Norian
	MMG	Mercia Mudstone Group	Mudstone	Not Supplied - Early Triassic
	SMG	St Maughans Formation	Argillaceous Rocks and [Subequal/Subordinate] Sandstone, Interbedded	Not Supplied - Early Devonian
		Faults		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**2**	**Map ID:**	**1**
Map Sheet No:	**250**	**Map Sheet No:**	**249**
Map Name:	**Chepstow**	**Map Name:**	**Newport**
Map Date:	**1981**	**Map Date:**	**1969**
Bedrock Geology:	**Available**	**Bedrock Geology:**	**Available**
Superficial Geology:	**Available**	**Superficial Geology:**	**Available**
Artificial Geology:	**Not Available**	**Artificial Geology:**	**Available**
Faults:	**Not Supplied**	**Faults:**	**Not Supplied**
Landslip:	**Available**	**Landslip:**	**Available**
Rock Segments:	**Not Supplied**	**Rock Segments:**	**Not Supplied**

Geology 1:50,000 Maps - Slice A



Order Details:


Order Number:	304885831_1_1
Customer Reference:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details:

Site at 336079,186662

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A



Order Details:


Order Number:	304885831_1_1
Customer Reference:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details:

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A



Order Details:


Order Number:	304885831_1_1
Customer Reference:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details:

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A



Order Details:


Order Number:	304885831_1_1
Customer Reference:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details:

Site at 336079,186662

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice A




Order Details:

Order Number:	304885831_1_1
Customer Reference:	Llanwern 4c 4g 4e
National Grid Reference:	336080, 186650
Slice:	A
Site Area (Ha):	8.34
Search Buffer (m):	1000

Site Details:

Site at 336079,186662

Appendix E
Flood Risk Map



Cyfoeth Naturiol Cymru
Natural Resources Wales

Flood Risk Maps

Phase 4E

Legend

Flood Risk from Rivers
- High
- Medium
- Low

Flood Risk from the Sea
- High
- Medium
- Low

Flood Risk from Surface Water & Small Watercourses
- High
- Medium
- Low

Risk Level Under Review

Scale at A3: 1:5,000

Date: 26/02/2026

0.2 0.1 0 0.2
km

British National Grid

Disclaimer

https://naturalresources.wales/flooding/disclaimer-for-our-flood-and-coastal-erosion-risk-maps/?lang=en

© NRW/CNC. Some information derived from © UK Centre for Ecology & Hydrology © UKCEH, the Environment Agency © EA and Getmapping Plc and Bluesky International Limited, Defra, © Met Office and DARD Rivers Agency, © Cranfield University, © James Hutton Institute, © Ordnance Survey, © Land & Property Services. All rights reserved.

Appendix F
UXO Report

UNEXPLODED BOMB RISK MAP

zeticaUXO

SITE LOCATION

Map Centre: 336343,186690



LEGEND

- **High:** Areas indicated as having a bombing density of 50 bombs per 1000acre or higher.
- **Moderate:** Areas indicated as having a bombing density of 15 to 49 bombs per 1000acre.
- **Low:** Areas indicated as having 15 bombs per 1000acre or less.

miltary | **industry** | **UXO find**
transport | **dock** | **Luftwaffe targets**
utilities | **Bombing decoy** | **other**

How to use your Unexploded Bomb (UXB) risk map?

The map indicates the potential for Unexploded Bombs (UXB) to be present as a result of World War Two (WWII) bombing.

You can incorporate the map into your preliminary risk assessment* for potential Unexploded Ordnance (UXO) for a site. Using this map, you can make an informed decision as to whether more in-depth detailed risk assessment* is necessary.

What do I do if my site is in a moderate or high risk area?

Generally, we recommend that a detailed UXO desk study and risk assessment is undertaken for sites in a moderate or high UXB risk area.

Similarly, if your site is near to a designated Luftwaffe target or bombing decoy then additional detailed research is recommended.

More often than not, this further detailed research will conclude that the potential for a significant UXO hazard to be present on your site is actually low.

Never plan site work or undertake a risk assessment using these maps alone. More detail is required, particularly where there may be a source of UXO from other military operations which are not reflected on these maps.

If my site is in a low risk area, do I need to do anything?

If both the map and other research confirms that there is a low potential for UXO to be present on your site then, subject to your own comfort and risk tolerance, works can proceed with no special precautions.

A low risk really means that there is no greater probability of encountering UXO than anywhere else in the UK.

If you are unsure whether other sources of UXO may be present, you can ask for one of our **pre-desk study assessments (PDSA)**

If I have any questions, who do I contact?

tel: **+44 (0) 1993 886682**

email: **uxo@zetica.com**

web: **www.zeticauxo.com**

The information in this UXB risk map is derived from a number of sources and should be used in conjunction with the accompanying notes on our website: **(https://zeticauxo.com/downloads-and-resources/risk-maps/)**

Zetica cannot guarantee the accuracy or completeness of the information or data used and cannot accept any liability for any use of the maps. These maps can be used as part of a technical report or similar publication, subject to acknowledgment. The copyright remains with Zetica Ltd.

It is important to note that this map is not a UXO risk assessment and should not be reported as such when reproduced.

*Preliminary and detailed UXO risk assessments are advocated as good practice by industry guidance such as CIRIA C681 'Unexploded Ordnance (UXO), a guide for the construction industry'.

Appendix G
Exploratory Hole Logs

IAN FARMER ASSOCIATES
Geotechnical & Environmental Specialists

Contract Name:		Client:			Borehole ID:
Llanwern Site Wide CWRA & Phase 2D		St Modwen Developments Limited			CWCP31
Contract Number:	Date Started:	Logged By:	Checked By:	Status:	Sheet 1 of 2
21561	07/04/2016	HP		DRAFT	
Cable Percussion Borehole Log	Easting:	Northing:	Ground Level: 10.95mOD	Plant Used:	Print Date: 02/06/2016 — Scale: 1:50

Weather: | Termination: | SPT Hammer: N/R, Energy Ratio: N/R

Samples & In Situ Testing			Strata Details				Groundwater	
Depth	Sample ID	Test Result	Level (mAOD)	Depth (m) (Thickness)	Legend	Strata Description	Water Strike	Backfill/ Installation
0.00 - 1.00	B1					MADE GROUND: Dark brown, sandy gravel. gravel is medium to coarse, angular to subangular slag and brick with occasional concrete		
1.00 - 1.45	B2	SPT(C) 1.00m, N=28 (5,7/7,6,8,7)		(2.50)				
2.00 - 2.45	B3	SPT(C) 2.00m, N=26 (4,6/6,8,7,5)						
2.50	B4			2.50		Soft, brownish grey, silty CLAY (Tidal Flat Deposits)		
3.00 - 3.45	TW1	12 blows 60% recovery		(1.00)				
3.50	B5			3.50		Very soft, dark brown to dark grey, fibrous PEAT (Tidal Flat Deposits)		
3.50	D1							
4.00 - 4.45	D2	SPT(S) 4.00m, N=0 (1,0/0,0,0,0)		(2.00)				
5.00 - 5.45	D3	SPT(S) 5.00m, N=2 (1,0/0,1,1,0)						
5.50	B6			5.50		Very soft, grey SILT (Tidal Flat Deposits)		
6.00 - 6.45	TW2	6 blows 100% recovery						
6.50	D4							
7.50 - 7.95	D5	SPT(S) 7.50m, N=1 (1,0/0,1,0,0)		(4.00)				
9.00 - 9.45	D6	SPT(S) 9.00m, N=2 (1,0/1,0,1,0)						
9.50	B7			9.50		Loose, grey, slightly gravelly, fine to medium SAND. Gravel is fine to medium, angular to subangular sandstone and quartzite (Tidal Flat Deposits)		
10.00	B8			10.00				

Continued next sheet

Start & End of Shift Observations					Borehole Diameter		Casing Diameter	
Date	Time	Depth (m)	Casing (m)	Water (m)	Depth (m)	Dia (mm)	Depth (m)	Dia (mm)
					10.95	150	10.50	150

Remarks:

Chiselling				Installation			
From (m)	To (m)	Duration	Remarks	Top (m)	Base (m)	Type	Dia (mm)
10.50	10.50	00:30		0.00	9.50	PLAIN	50
				9.50	10.50	SLOTTED	50

Water Strikes

Strike (m)	Casing (m)	Sealed (m)	Time (mins)	Rose to (m)	Remarks
9.50	9.50		0		

IAN FARMER ASSOCIATES
Geotechnical & Environmental Specialists

Contract Name:			Client:		Borehole ID:
Llanwern Site Wide CWRA & Phase 2D			St Modwen Developments Limited		CWCP31
Contract Number:	Date Started:	Logged By:	Checked By:	Status:	Sheet 2 of 2
21561	07/04/2016	HP		DRAFT	
Cable Percussion Borehole Log	Easting:	Northing:	Ground Level: 10.95mOD	Plant Used:	Print Date: 02/06/2016 — Scale: 1:50

Weather: | Termination: | SPT Hammer: N/R, Energy Ratio: N/R

Samples & In Situ Testing			Strata Details				Groundwater	
Depth	Sample ID	Test Result	Level (mAOD)	Depth (m) (Thickness)	Legend	Strata Description	Water Strike	Backfill/ Installation
10.50 - 10.95	D7	SPT(S) 10.50m, 50 (100 for 92mm/50 for 234mm)		(0.50) 10.50		Very stiff, reddish brown mottled grey, silty CLAY (Mercia Mudstone Group Grade IVa)		
						End of Borehole at 10.95m		

11 12 13 14 15 16 17 18 19 20

Start & End of Shift Observations					Borehole Diameter		Casing Diameter	
Date	Time	Depth (m)	Casing (m)	Water (m)	Depth (m)	Dia (mm)	Depth (m)	Dia (mm)
					10.95	150	10.50	150

Remarks:

Chiselling				Installation			
From (m)	To (m)	Duration	Remarks	Top (m)	Base (m)	Type	Dia (mm)
10.50	10.50	00:30		0.00	9.50	PLAIN	50
				9.50	10.50	SLOTTED	50

Water Strikes

Strike (m)	Casing (m)	Sealed (m)	Time (mins)	Rose to (m)	Remarks
9.50	9.50		0		

IAN FARMER ASSOCIATES
Geotechnical & Environmental Specialists

Contract Name:		Client:			Borehole ID:
Llanwern Site Wide CWRA & Phase 2D		St Modwen Developments Limited			CWWS31
Contract Number:	Date Started:	Logged By:	Checked By:	Status:	Sheet 1 of 1
21561	05/04/2016	HB			
Dynamic Sample Borehole Log	Easting:	Northing:	Ground Level:	Plant Used:	Print Date: / Scale:
			3.00mOD		02/06/2016 / 1:40
Weather:		Termination:			

Samples & In Situ Testing			Strata Details				Groundwater	
Depth	Sample ID	Test Result	Level (mAOD)	Depth (m) (Thickness)	Legend	Strata Description	Water Strike	Backfill/ Installation
				(2.20)		MADE GROUND: Soft to firm, dark brown, gravelly clay. Gravel is medium to coarse, angular to subangular brick, concrete, limestone, mudstone, clinker, slag with fragments of metal and glass		
				2.20 (0.50) 2.70		Firm to stiff, greenish grey mottled brown, silty CLAY with occasional rootlets and rare roots (Tidal Flat Deposits)		
				(0.30) 3.00		Soft to firm, bluish grey mottled brown, clayey SILT with occasional rootlets (Tidal Flat Deposits)		
						End of Borehole at 3.00m		

1 2 3 4 5 6 7 8

Borehole Diameter		Installation			
Depth (m)	Dia (m)	Depth Top	Base (m)	Diameter	Pipe Type
		0.00	0.50		PLAIN
		0.50	2.00		SLOTTED

Water Strikes					
Depth Strike	Depth Casing	Depth Sealed	Time (mins)	Rose to (m)	Remarks

Remarks:

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GC1
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336261.25 - 186756.09 Level: 6.07	Date 02/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.30	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
							MADE GROUND. Brown gravelly sand. Gravels are fine to coarse, angular to subangular of concrete, mudstone and occasional slag.
	0.40	ES					
				0.50	5.57		MADE GROUND. Dark brown/blackish gravelly sand. Gravels are fine to coarse, angular to sub-rounded of slag, concrete, mudstone/siltstone and brick.
							Presence of steel cables
▼	1.00 1.00	B ES					
				1.50	4.57		MADE GROUND. Light brown gravelly clay. Gravels are fine to coarse, angular to sub-rounded of slag, concrete, mudstone/siltstone and brick.
	2.20	ES		2.20	3.87		Firm blue silty CLAY.
				2.30	3.77		End of Pit at 2.30m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GC2
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336261.34 - 186729.92 Level: 6.01	Date 02/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.35	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
							MADE GROUND. Brown gravelly sand with cobbles. Gravels and cobbles are fine to coarse, angular to sub-angular of concrete, mudstone and occasional slag.
	0.50	ES					
				0.75	5.26		MADE GROUND. Hard dark brown/black gravelly ashy sand with cobbles. Gravels and cobbles are fine to coarse, angular to sub-angular of slag and brick.
	1.00	ES					
	1.20	B					
				1.30	4.71		MADE GROUND. Brown clayey sandy gravel with cobbles. Gravel and cobbles are fine to coarse, angular to subangular of slag, brick, coke and mudstone.
▼							
	2.30	ES		2.25	3.76		Firm blue silty CLAY.
				2.35	3.66		End of Pit at 2.35m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GC3
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336261.57 - 186705.78 Level: 6.11	Date 05/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 1.50	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
							MADE GROUND. Brown slightly clayey gravelly sand with cobbles. Gravel and cobbles are fine to coarse, angular to sub-rounded of concrete, slag, brick and mudstone.
	0.50	ES					
	0.70	B					
	1.00	ES					
▼				1.30	4.81		MADE GROUND. Brown clayey sandy gravel. Gravels are fine to coarse, angular to sub-angular of concrete, slag, brick and mudstone.
				1.50	4.61		*Refusal. Probably for concrete slab. Pit full of water, difficult to say* End of Pit at 1.50m

1
2
3
4

Remarks: Refusal in hard ground.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GC4
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336263.43 - 186681.94 Level: 6.01	Date 05/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.20	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.30	ES					MADE GROUND. Dark brown/black gravelly sand with cobbles and boulders. Gravel, cobbles and boulders are fine to very coarse, angular to sub-angular of concrete, slag, brick, mudstone and coke.
	0.50	B					
	0.80	ES					
▼							*Oil sheen coming from N seepages. No HC odour*
	2.10	ES		2.10	3.91		Firm blue silty CLAY.
				2.20	3.81		End of Pit at 2.20m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GC5
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336263.46 - 186657.06 Level: 6.17	Date 05/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.00	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
	0.70	ES					MADE GROUND. Black gravelly ashy sand with cobbles. Gravels and cobbles are fine to coarse, angular to subangular of coke, concrete and slag.
	1.00	B					
				1.10	5.07		
	1.20	ES					MADE GROUND. Light grey slightly clayey silty sand.
▼				1.40	4.77		MADE GROUND. Dark brown clayey sandy gravel with cobbles. Gravels and cobbles are fine to coarse, angular to sub-rounded of mudstone, brick and concrete.
	1.90	ES		1.90	4.27		Firm blue silty CLAY.
				2.00	4.17		End of Pit at 2.00m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GC6
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336267.24 - 186631.72 Level: 5.98	Date 06/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.60	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
				0.15	5.82		MADE GROUND. Tarmac
	0.40	B					MADE GROUND. Brown gravelly sand. Gravels are medium to coarse, sub-angular to subrounded of slag, concrete, mudstone and tarmac.
	0.50	ES					
				0.60	5.38		MADE GROUND. Dark brown sandy gravel. Gravels are coarse, subangular to subrounded of mudstone, brick and slag.
	0.80	ES					
▼							*Oil sheen in the ground water.*
				1.40	4.58		MADE GROUND. Light brown clayey sandy gravel. Gravels are fine to medium, subangular to subrounded of mudstone, brick and occasional slag.
	2.50	ES		2.50	3.48		Soft to firm blue to brown peaty CLAY.
				2.60	3.38		End of Pit at 2.60m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GD1
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336294.57 - 186762.27 Level: 6.23	Date 06/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.15	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
	0.50 0.50	B ES					MADE GROUND. Brown/red sandy gravel with cobbles. Gravels and cobbles are fine to coarse, angular to subrounded of slag, concrete, mudstone, iron ore aggregate.
				0.75	5.48		MADE GROUND. Light brown gravelly sand. Gravels are fine to coarse, angular to sub-rounded of mudstone, slag, brick, limestone, siltstone and occasional concrete.
	1.00	ES					
▼				1.25	4.98		MADE GROUND. Brown coarse, sub-angular to sub-rounded gravel of silstone, sandstone, concrete, slag and mudstone.
	2.10	ES		2.05	4.18		Firm to soft peaty silty CLAY.
				2.15	4.08		End of Pit at 2.15m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GD2
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336291.91 - 186729.75 Level: 5.86	Date 07/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.00	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.40 0.40	B ES		0.50	5.36		MADE GROUND. Dark brown/black gravelly sand. Gravels are fine to coarse, angular to sub-rounded of coke, slag and brick. *Cables at 0.5m bgl.*
▼	0.80	ES		1.30	4.56		MADE GROUND. Light brown/orange gravelly clayey sand. Gravels are fine to coarse of angular to sub-rounded of mudstone, brick, concrete and occasional slag.
	1.80	ES		1.80	4.06		MADE GROUND. Brown clayey coarse, sub-angular to sub-rounded gravel of mudstone, sandstone, siltstone, brick, concrete and occasional slag.
				2.00	3.86		Firm blue silty CLAY. End of Pit at 2.00m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GD3
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336291.74 - 186706.63 Level: 5.81	Date 13/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 1.85	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.20	ES					MADE GROUND. Dark brown clayey gravelly sand. Gravels are fine to coarse, sub-angular to sub-rounded of coke, slag and brick. *Presence of electric cable and brick wall.*
				0.35	5.46		MADE GROUND. Light brown gravelly sand. Gravels are fine to medium, angular of mudstone.
▼	0.50 0.50	B ES					
				1.10	4.71		MADE GROUND. Brown clayey sandy gravel with cobbles and boulders. Gravels, cobbles and boulders are fine to very coarse, angular to sub-rounded of concrete, slag, coke, brick and mudstone.
	1.80	ES		1.75	4.06		Firm blue silty CLAY.
				1.85	3.96		End of Pit at 1.85m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GD4
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336290.13 - 186681.54 Level: 5.68	Date 13/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 1.75	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.20	ES		0.30	5.38		MADE GROUND. Dark brown clayey gravelly sand. Gravels are fine to medium, sub-angular to sub-rounded coke, slag and brick. *Presence of electric cable and brick wall.*
	0.50 0.50	B ES		0.65	5.03		MADE GROUND. Light brown/orange gravelly sand. Gravels are fine to coarse, angular to sub-rounded of mudstone.
▼							MADE GROUND. Brown clayey sandy gravel with cobbles and boulders. Gravels, cobbles and boulders are fine to coarse, sub-angular of concrete, slag, coke, brick and mudstone.
	1.70	ES		1.65 1.75	4.03 3.93		Firm blue silty CLAY. End of Pit at 1.75m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GD5
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336288.86 - 186654.31 Level: 5.79	Date 13/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 1.80	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
	0.50 0.50	B ES					MADE GROUND. Dark brown gravelly sand. Gravels are fine to coarse, sub-angular to sub-rounded of concrete, slag, coke, brick and mudstone. *Presence of electric cable and brick wall.*
▼	1.70	ES		1.70 1.80	4.09 3.99		Firm blue silty CLAY. End of Pit at 1.80m

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GD6
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336288.44 - 186631.31 Level: 5.85	Date 13/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 1.80	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.20	ES					MADE GROUND. Brown coarse sandy gravel. Gravels are fine to coarse, angular to sub-rounded of concrete, brick and slag.
	0.50	B		0.50	5.34		MADE GROUND. Dark brown/black gravelly sand. Gravels are fine to coarse, angular to sub-rounded of coke, concrete and slag.
▼	0.60	ES					*Oil sheen in the ground water. Light HC odour.*
				1.00	4.84		MADE GROUND. Dark brown clayey gravel with cobbles. Gravels and cobbles are fine to coarse, angular to rounded of iron ore pellets, concrete, slag and coke.
	1.70	ES		1.70	4.14		Firm blue silty CLAY.
				1.80	4.04		End of Pit at 1.80m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No 4GD7
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336286.68 - 186607.15 Level: 6.13	Date 20/11/2018
Location: Llanwern, Newport		Dimensions (m): Depth 1.80	Scale 1:20
Client: St Modwen Developments			Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.30 0.30	B ES					MADE GROUND. Light/dark brown gravelly sand. Gravels are fine to coarse, sub-angular to sub-rounded of slag, iron ore, concrete and occasional brick.
				0.45	5.68		
	0.60	ES					MADE GROUND. Black gravelly sand. Gravels are fine to coarse, sub-rounded of coke.
				0.80	5.33		
▼							MADE GROUND. Dark grey/brown sandy gravelly clay. Gravels are fine to coarse, angular to sub-rounded of slag, concrete and mudstone.
	1.70	ES		1.70	4.43		Firm blue silty CLAY.
				1.80	4.33		End of Pit at 1.80m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GE1
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336319.40 - 186755.05 Level: 5.76	Date 06/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 3.70	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
	0.50	ES		0.60	5.16		MADE GROUND. Red/black gravelly sand. Gravels are fine to coarse, angular to sub-rounded of iron ore aggregate, brick, mudstone, concrete and coke.
▼	1.00 1.00	B ES		1.40	4.36		MADE GROUND. Light brown/yellow gravelly sand. Gravels are fine to coarse, angular to sub-rounded of slag, brick and concrete.
	3.60	ES		3.60 3.70	2.16 2.06		MADE GROUND. Brown/red gravelly clay. Gravels are medium to coarse, sub-angular ofof iron ore aggregate, slag, brick and concrete. Soft brown PEAT. End of Pit at 3.70m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GE2
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336310.96 - 186731.28 Level: 5.64	Date 07/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.00	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
							MADE GROUND. Brown clayey gravelly sand. Gravels are fine to coarse, angular to sub-rounded of mudstone , concrete, sandstone and brick. *MG too wet from the surface to be sampled.*
				0.65	4.99		
▼	0.80 0.80	B ES					MADE GROUND. Red to black/dark brown gravelly sand. Gravels are fine to coarse, sub-angular of mudstone, siltstone, brick, coke, slag and concrete.
				1.30	4.34		
							MADE GROUND. Light brown clayey gravel with cobbles. Gravels and cobbles are fine to coarse, sub-angular to sub-rounded of mudstone, brick and concrete.
				1.90	3.74		
	1.95	ES					Firm blue silty CLAY.
				2.00	3.64		End of Pit at 2.00m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GE3
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336314.22 - 186699.69 Level: 5.56	Date 07/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.30	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.50	B					MADE GROUND. Brown clayey coarse, sub-angular to sub-rounded gravel of mudstone, sandstone, siltstone, brick, concrete and occasional slag. *MG too wet from the surface to be sampled. Oil sheen in the ground water.*
				0.65	4.90		
▼	0.80	ES					MADE GROUND. Dark brown/black gravelly sand. Gravels are fine to coarse, angular to sub-rounded of mudstone, coke, concrete, brick and occasional slag.
				1.60	3.96		MADE GROUND. Brown clayey coarse, sub-angular to sub-rounded gravel of mudstone, sandstone, siltstone, brick, concrete and occasional slag.
	2.20	ES		2.20	3.36		Firm blue silty CLAY.
				2.30	3.26		End of Pit at 2.30m

1 2 3 4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GE4
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336311.83 - 186683.76 Level: 5.42	Date 19/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.30	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
				0.10	5.32		MADE GROUND. Light brown sandy clay.
							MADE GROUND. Reddish/brown gravelly sand with cobbles. Gravels and cobbles are fine to coarse, angular to sub-rounded of slag, iron ore aggregate/pellets and coke.
	0.40	ES					
▼				0.50	4.92		MADE GROUND. Dark brown/black clayey sandy gravel with cobbles and boulders. Gravels, cobbles and boulders are fine to coarse, angular to sub-rounded of slag, concrete, mudstone, sandstone and brick.
							Light HC odour.
	1.00	B					
				2.10	3.32		MADE GROUND. Light brown clay.
	2.20	ES		2.20	3.22		Firm blue silty CLAY.
				2.30	3.12		End of Pit at 2.30m

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GE5
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336314.76 - 186654.57 Level: 5.66	Date 13/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 3.10	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.20	ES					MADE GROUND. Light/dark brown sandy gravelly clay. Gravels are fine to coarse, angular to sub-rounded of mudstone, brick, concrete, slag and iron ore.
	0.40	B		0.40	5.26		MADE GROUND. Black sandy fine to medium, sub-angular to rounded gravel of coke, concrete, slag and iron ore pellets.
▼	0.60	ES					*Oil sheen in the ground water. Light HC odour.*
				0.80	4.86		MADE GROUND. Brown sandy clayey gravel. Gravels are fine to coarse, sub-angular to sub-rounded mudstone, siltstone and sandstone.
				1.20	4.46		MADE GROUND. Light brown/orange clayey sandy gravel. Gravels are fine, sub-angular of brick and mudstone.
				1.60	4.06		MADE GROUND. Brown sandy gravelly clay with cobbles and boulders. Gravels, cobbles and boulders are fine to very coarse, sub-angular to sub-rounded of mudstone, siltstone, sandstone, brick and concrete.
	3.00	ES		3.00	2.66		Firm blue silty CLAY.
				3.10	2.56		End of Pit at 3.10m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GE6
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336313.35 - 186631.38 Level: 5.77	Date 13/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.25	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
	0.30 0.30	B ES		0.40	5.37		MADE GROUND. Brown clayey gravelly sand. Gravels are fine to coarse, sub-angular to sub-rounded of concrete, brick, slag and siltstone.
	0.50	ES					MADE GROUND. Black gravelly sand. Gravels are fine to medium, sub-angular of coke.
▼				0.85	4.92		MADE GROUND. Light brown/orange clayey gravelly sand. Gravels are fine to coarse, sub-angular to sub-rounded of mudstone, sandstone and siltstone.
				1.05	4.72		MADE GROUND. Clayey sandy fine to coarse, angular to sub-rounded gravel of mudstone, concrete and slag.
	2.20	ES		2.15 2.25	3.62 3.52		Firm to soft blue silty CLAY. End of Pit at 2.25m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GF1
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336336.62 - 186755.43 Level: 6.03	Date 07/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.50	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
	0.50 0.50	B ES					MADE GROUND. Brown/red gravelly sand. Gravels are fine to coarse, angular to sub-rounded of iron ore, slag, concrete, brick and occasional coke.
				0.75	5.28		MADE GROUND. Dark brown/black gravelly sand. Gravels are fine to coarse, angular to sub-rounded of coke, slag, mudstone, brick, concrete and iron ore aggregate.
	1.00	ES					
▼							*Light HC odour.*
				1.70	4.33		MADE GROUND. Light brown clayey silty gravel. Gravels are fine to coarse, subangular to sub-rounded of siltstone/sandstone, mudstone, concrete and occasional slag.
	2.40	ES		2.40	3.63		Firm to soft peaty silty CLAY.
				2.50	3.53		End of Pit at 2.50m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GF2
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336336.17 - 186730.40 Level: 5.70	Date 07/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.10	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
	0.50 0.50	B ES		0.60	5.10		MADE GROUND. Light brown/greyish gravelly sand. Gravels are fine to coarse, angular to sub-rounded of slag, concrete and mudstone.
▼							MADE GROUND. Light brown clayey sandy gravel. Gravels are fine to coarse, sub-angular to sub-rounded of mudstone, concrete, bricks, occasional slag and sandstone. *Oil sheen in the ground water. HC odour.*
	2.00	ES		1.95	3.75		Firm blue silty CLAY.
				2.10	3.60		End of Pit at 2.10m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GF3
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336334.47 - 186705.94 Level: 5.55	Date 07/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.60	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.20	ES					MADE GROUND. Black gravelly sand. Gravels are fine to medium, sub-angular of coke.
				0.40	5.15		
	0.50	B					MADE GROUND. Hard grey gravelly sand. Gravels are fine to coarse, angular to sub-rounded of slag, concrete, brick and iron ore aggregate.
▼	0.60	ES					
				1.50	4.05		MADE GROUND. Brown sandy fine to coarse, sub-angular to sub-rounded gravel of sandstone, siltstone and mudstone.
	2.50	ES		2.50	3.05		Firm blue silty CLAY.
				2.60	2.95		End of Pit at 2.60m

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GF4
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336331.95 - 186681.39 Level: 5.64	Date 19/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.50	Logged GR

Water Strike	Samples & In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description
	Depth	Type	Results				
	0.20	ES					MADE GROUND. Brown gravelly sand. Gravels are fine to coarse, sub-angular of slag, coke, iron ore pellets and iron ore aggregate with occasional concrete.
	0.40	ES		0.35	5.29		MADE GROUND. Black gravelly sand. Gravels are fine, aub-angular of coke.
▼				0.55	5.09		MADE GROUND. Brown, fine to coarse, angular gravel of slag, sandstone and concrete. *Light HC odour.*
	1.00	B		0.85	4.79		MADE GROUND. Dark brown/orangy sandy clayey gravel with cobbles. Gravels and cobbles are fine to coarse, angular to sub-rounded of mudstone, sandstone, slag, brick and occasional concrete.
	2.40	ES		2.40	3.24		Firm blue silty CLAY.
				2.50	3.14		End of Pit at 2.50m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No
4GF5
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336326.47 - 186657.38 Level: 5.79	Date 19/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.65	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
							MADE GROUND. Black gravelly sand. Gravels are fine to coarse, angular to sub-rounded of coke, slag and concrete.
	0.50	ES					
▼				0.70	5.09		MADE GROUND. Brown fine to coarse, angular gravel of slag, sandstone and concrete.
				0.85	4.94		*Oil sheen in the ground water. Light HC odour.*
	1.00	B					MADE GROUND. Brown/light brown clayey sandy gravel with cobbles and boulders. Gravels, cobbles and boulders are coarse to very coarse, angular to sub-rounded of mudstone, slag, concrete and brick.
	2.60	ES		2.55	3.24		Firm blue silty CLAY.
				2.65	3.14		End of Pit at 2.65m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GF6
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336338.13 - 186632.30 Level: 6.35	Date 13/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.70	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
							MADE GROUND. Brown gravelly sand. Gravels are fine to coarse, angular to sub-rounded of concrete, brick, limestone and occasional slag.
	0.40	ES					
				0.50	5.85		MADE GROUND. Hard grey/dark brown/black sandy gravel. Gravels and cobbles are fine to coarse, angular to sub-rounded of slag, coke, mudstone and brick.
	0.70	B					
	0.70	ES					
				0.90	5.45		MADE GROUND. Hard brown gravelly sand with cobbles. Gravels and cobbles are fine to coarse, angular to sub-rounded of mudstone, concrete and slag.
▼	1.20	ES					
	2.70	ES		2.70	3.65		Firm blue silty CLAY.
				2.80	3.55		End of Pit at 2.70m

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GF7
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336339.19 - 186607.04 Level: 6.23	Date 19/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 2.70	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
				0.10	6.13		MADE GROUND. Tarmac.
	0.40 0.40	B ES					MADE GROUND. Black gravelly sand. Gravels are fine, angular to sub-rounded of coke, concrete, slag and limestone.
				0.55	5.68		MADE GROUND. Brown/reddish sandy gravel. Gravels are fine to coarse, angular to sub-rounded of mudstone, slag, brick and concrete.
▼	0.80	ES					
				1.60	4.63		MADE GROUND. Light brown/grey clayey sandy gravel. Gravels are fine to coarse, angular to sub-angular of sandstone, siltstone, mudstone with occasional brick and concrete.
	2.60	ES		2.60	3.63		Firm blue silty CLAY.
				2.70	3.53		End of Pit at 2.70m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GG5
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336351.73 - 186657.69 Level: 6.34	Date 19/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 3.30	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
				0.10	6.24		MADE GROUND. Tarmac
				0.20	6.14		MADE GROUND. Light brown gravelly sand. Gravels are fine to coarse, sub-angular to sub-rounded of slag, concrete and mudstone.
				0.30	6.04		MADE GROUND. Hard blue/purple sandy gravel. Gravels are fine to coarse, angular of slag.
	0.40 0.40	B ES					MADE GROUND. Light brown gravelly sand. Gravels are fine to coarse, angular to sub-rounded of slag, concrete and mudstone.
				0.55	5.79		MADE GROUND. Black gravelly sand. Gravels are fine to coarse of coke, slag and concrete.
	0.70	ES					
				0.80	5.54		MADE GROUND. Grey/red/brown slightly clayey gravel with cobbles and boulders. Gravels, cobbles and boulders are fine to very coarse, angular to sub-rounded of slag, concrete, mudstone, bricks and metals fragments.
▼							
	3.20	ES		3.20	3.14		Firm blue silty CLAY.
				3.30	3.04		End of Pit at 3.30m

1
2
3
4

Remarks: Pit terminated in the Tidal Flat Deposits.

Stability:

AGS

ATKINS
Member of the SNC-Lavalin Group

Trial Pit Log

TrialPit No: 4GG6
Sheet 1 of 1

Project Name: Llanwern	Project No. 5111373_LLA	Co-ords: 336362.06 - 186629.02 Level: 6.53	Date 13/11/2018
Location: Llanwern, Newport		Dimensions (m):	Scale 1:20
Client: St Modwen Developments		Depth 0.60	Logged GR

Water Strike	Samples & In Situ Testing: Depth	Type	Results	Depth (m)	Level (m)	Legend	Stratum Description
	0.30 0.30 0.50	B ES ES		0.25 0.40 0.60	6.28 6.13 5.93		MADE GROUND. Dark brown gravelly sand. Gravels are fine to coarse, angular to sub-rounded of brick, concrete and slag. MADE GROUND. Hard light grey gravelly sand. Gravels are fine to coarse, sub-angular of slag and concrete. MADE GROUND. Hard dark brown/purple/red gravel. Gravels are fine to coarse, angular of slag and iron ore aggregate. *Refusal. Hard layer of slag/iron ore aggregate.* End of Pit at 0.60m

Remarks: Refusal in hard ground.

Stability:

AGS

Appendix H
Chemical Screening

18-669 Llanwern Phase 4E Soil Chemical Screening

Project: P18-669																														
Client: Rodgers Leask Environmental				**Job No.:**		181103-16	181103-16	181103-16	181103-16	181103-16	181103-16	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
Quotation No.: Q21-24056				**Sample ID.:**		4G-C1	4G-C1	4G-C1-V	4G-C2	4G-C2	4G-C2-V	4G-C3	4G-C3	4G-C4	4G-C4	4G-C4-V	4G-C5	4G-C5	4G-C5-V	4G-D2	4G-D2	4G-D2-V	4G-E2	4G-E2-V	4G-E3	4G-E3-V	4G-F1	4G-F1	4G-F1-V	4G-F2	4G-F2-V	4G-F3
Order No.: .				Client Sample Ref.:		18660995	18661004	18661009	18661027	18660971	18660978	18673492	18673554	18673566	18673570	18673574	18673578	18673584	18673593	18689483	18689487	18689421	18689474	18689478	18689430	18689437	18689416	18689455	18689459	18689464	18689468	18689441
				Sample Type:		SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID
				Top Depth (m):	**S4UL Generic Assessment Criteria Residential with Homegrown Produce (SOM 1%)**	0.40-0.40	1.00-1.00	2.20-2.20	0.50-0.50	1.00-1.00	2.30-2.30	0.50-0.50	1.00-1.00	0.30-0.30	0.80-0.80	2.10-2.10	0.70-0.70	1.20-1.20	1.90-1.90	0.40-0.40	0.80-0.80	1.80-1.80	0.80-0.80	1.95-1.95	0.80-0.80	2.20-2.20	0.50-0.50	1.00-1.00	2.40-2.40	0.50-0.50	2.00-2.00	0.20-0.20
				Bottom Depth (m):																												
				Date Sampled:		02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
				Asbestos Lab:																												
Determinand	**Accred.**	**SOP**	**Units**	**LOD**																												
ACM Type	U	2192		N/A			Amosite (Brown) Asbestos											Amosite (Brown) Asbestos													
Asbestos Identification	U	2192		N/A			Detected			Not Detected		Not Detected			Not Detected			Detected		Not Detected			Not Detected		Not Detected		Not Detected			Not Detected		
Asbestos by Gravimetry	U	2192	%	0.001			0.0074											<0.001													
Total Asbestos	U	2192	%	0.001			0.0077											<0.001													
Moisture	N	2030	%	0.020		7.3	10	24	11	8.1	24	7.7	9.5	16	11	24	13	11	23	12	15	22	11	33	12	23	6.1	12	23	6.9	32	11
Soil Colour	N	2040		N/A		Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Grey	Dark Brown	Dark Brown	Black	Dark Brown	Black	Black	Dark Brown	Dark Brown	Black	Dark Brown	Grey	Dark Brown	Dark Brown	Black	Grey	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown
Other Material	N	2040		N/A		Glass & Stones	Stones	None	Stones	Stones	None	Stones	Stones	Stones	Stones	Stones	Stones	Stones	Vegetation	Stones	Stones	None	Vegetation	Vegetation	Stones	None	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Stones
Soil Texture	N	2040		N/A		Sandy Loam	Sandy Loam	Clay	Sandy Loam	Sandy Loam	Clay	Loamy Sand	Loamy Sand	Loamy Sand	Sandy Loam	Sandy Clay	Sand	Loamy Sand	Sandy Loam	Sand	Sandy Loam	Clay	Sand	Sandy Loam	Sand	Clay	Sandy Loam	Sandy Loam	Loamy Sand	Sandy Loam	Sandy Loam	Sand
pH	M	2010		4.0		11.6	10.7	7.87	11.3	11.4	7.84	10.9	11.3	11.3	11.2	7	11.4	12	8.12	8.85	8.93	8.08	8.34	6.94	8.63	7.32	9.95	8.57	8.52	10	7.39	9.39
Cyanide (Total)	M	2300	mg/kg	0.5		<1	<2	<1	<1	<1	<1	<1	<1	1.27	1.02	<1	1.64	<1	<1	1.96	<1	<1	<1	<1	1.56	<1	1.5	<1	5.64	<1	<1	<1
Ammoniacal Nitrogen	M	2425	mg/kg	0.5		<12	<12	274	<12	<12	136	<12	<12	<12	20.3	134	<12	<12	79.3	<12	<12	76	<12	702	<12	133	<12	<12	573	<12	661	<12
Iron (Total)	N	2430	mg/kg	100		101000	88200	40000	90200	260000	38700	91600	49500	49100	48100	29900	35600	17200	34400	190000	36800	37800	32900	29700	32300	35700	30300	54100	41100	49400	34200	107000
Arsenic	M	2450	mg/kg	1	37	9.5	<6	11.3	11.7	7.34	14.5	11.6	9.95	9.69	9.25	10.8	10.9	6.62	13.4	14.5	8.79	12.8	16.5	13.1	13.6	13.7	11.6	11.3	9.4	6.18	13.7	10.2
Cadmium	M	2450	mg/kg	0.1	26	1.11	<0.2	0.362	<0.02	<0.2	0.377	<0.2	0.775	0.702	<0.02	0.409	<0.02	0.0249	0.363	2.07	<0.02	<0.02	<0.02	<0.02	0.553	16.9	<0.2	0.821	<0.02	<0.2	<0.02	<0.02
Chromium	M	2450	mg/kg	1	910	139	30.3	34.4	116	114	31.7	256	99.4	104	12.6	40.1	14.4	25.6	33.2	81.7	56.7	29.5	11.2	36	18.7	56.7	<9	1.56	28.9	36.2	34.8	<0.9
Manganese	M	2450	mg/kg	5		12100	3850	1310	10700	13700	1380	1230	9570	10300	2020	535	2070	2930	1270	7160	2960	1530	661	228	1520	342	4750	1400	1820	2990	590	3260
Copper	M	2450	mg/kg	0.5	2400	17.7	16.4	10.8	15.6	<14	11.7	21.6	22	32.8	14.1	24.8	20	8.24	11.4	34.4	23.6	9.12	42.6	14.9	40.8	356	31.6	50.8	9.07	16.9	15.5	<14
Mercury	M	2450	mg/kg	0.1	40	<0.14	<1.4	<0.14	<0.14	<1.4	<0.14	<1.4	<0.14	0.268	<0.14	<0.14	<0.14	<0.14	<1.4	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<1.4	<0.14	<0.14	<1.4	<0.14	<0.14
Nickel	M	2450	mg/kg	0.5	130	30.1	39.5	41.1	14.6	27.6	36.9	12.2	11.5	24.7	17.6	37.8	13.4	7.55	35.8	40.4	20.6	33.4	38.8	28.5	42.5	41.2	60.2	26.3	31.6	14.6	32.2	15
Lead	M	2450	mg/kg	0.5	200	44.7	49.8	27.7	42.5	<7	23.9	40.1	41.4	54.6	27.4	27	38.1	21.6	23.8	103	31.2	21	27.9	31.5	33.1	276	167	36.7	21.2	35.3	24.8	20
Selenium	M	2450	mg/kg	0.2	250	3.67	<10	<1	4.15	<10	<1	<10	3.69	3.92	<1	<1	1.5	2.04	<1	<10	1.7	<1	<1	<1	1.11	<1	<10	1.26	<1	<10	<1	<1
Vanadium	U	2450	mg/kg	5	410	142	41.3	59.2	163	591	56	226	124	170	33.5	63.4	38.7	52.4	58.7	86.4	78.9	53.7	33.3	57	38.2	60.9	179	41.1	51.8	116	59.4	38.1
Zinc	M	2450	mg/kg	0.5	3700	202	92.5	108	471	28.1	101	202	338	165	145	119	173	46.7	103	254	70.3	100	78.5	115	137	1680	250	203	122	106	116	93.6
Organic Matter	M	2625	%	0.4		8.29	28.1	1.2	4.48	<0.35	0.957	1.81	3.83	10.1	1.31	4.5	34.1	12.6	1.3	38.1	6.6	0.741	17.6	5.65	9.28	1.62	11.7	25	1.13	2.95	4.02	40.2
Aliphatic TPH >C5-C6	N	2680	mg/kg	1	42	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.0357	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.033	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C6-C8	N	2680	mg/kg	1	100	0.0755	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.194	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.122	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C8-C10	M	2680	mg/kg	1	27	0.054	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.115	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.137	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C10-C12	M	2680	mg/kg	1	130	0.0583	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.0656	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.057	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C12-C16	M	2680	mg/kg	1	1100	2.61	8.85	0.243	4.2	<0.1	<0.1	2.58	1.93	0.267	0.918	0.443	5.99	1.21	<0.1	<0.1	<0.1	<0.1	0.793	0.216	<0.1	<0.1	<0.1	<0.1	<0.1	0.182	<0.1	<0.1
Aliphatic TPH >C16-C21	M	2680	mg/kg	1	65000	29.4	33.2	0.376	42.4	5.33	<0.1	18.4	17.6	3.07	8.81	<0.1	27.1	7.45	<0.1	10.1	2.95	<0.1	0.835	<0.1	0.195	<0.1	7.64	1.21	<0.1	1.14	<0.1	8.35
Aliphatic TPH >C21-C35	M	2680	mg/kg	1	65000	145	131	2.8	167	43.1	<0.1	198	399	18.7	14.9	1.22	151	21.3	<0.1	86.2	23.3	<0.1	4.1	1.66	4.38	<0.1	26.2	6.45	3.44	16	0.782	34.9
Aliphatic TPH >C35-C44	N	2680	mg/kg	1	65000	29.4	42.5	10.4	48.7	9.87	0.462	37.4	46.3	3.25	3.77	<0.1	43.5	2.38	<0.1	15.9	8.15	<0.1	<0.1	0.537	<0.1	<0.1	7.35	0.948	1.53	5.11	<0.1	13.5
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5		207	215	13.8	262	58.3	0.462	256	465	25.2	28.4	1.67	227	32.3	<0.1	112	34.4	<0.1	5.73	2.42	4.57	<0.1	41.2	8.6	4.98	22.4	0.782	56.8
Aromatic TPH >C5-C7	N	2680	mg/kg	1	70	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C7-C8	N	2680	mg/kg	1	130	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.0449	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C8-C10	M	2680	mg/kg	1	34	0.0356	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.0759	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.09	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C10-C12	M	2680	mg/kg	1	74	0.0388	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.0437	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.0375	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C12-C16	M	2680	mg/kg	1	140	7.37	21.4	<0.1	7.44	2.01	0.363	4.04	1.7	1.11	0.302	<0.1	8.94	2.07	<0.1	3.46	1.45	0.608	0.782	<0.1	1.15	<0.1	2.51	1.23	<0.1	0.711	<0.1	1.79
Aromatic TPH >C16-C21	U	2680	mg/kg	1	260	28.9	103	<0.1	54.1	8.83	0.866	21.4	10.9	6.46	2.02	0.212	35.4	10.2	<0.1	19	4.41	1.39	1.36	<0.1	6.67	<0.1	15.3	4.5	<0.1	5.21	0.219	13.9
Aromatic TPH >C21-C35	M	2680	mg/kg	1	1100	107	431	4.53	168	52.6	10.8	133	152	41.3	19.5	7.47	135	32.8	3.2	113	32.7	2.42	4.57	22.7	14.8	3.14	93.7	12.5	5.22	40.9	10.1	64.1
Aromatic TPH >C35-C44	N	2680	mg/kg	1	1100	48.8	128	0.892	70.3	26.9	7.35	63	40.7	14.2	14.3	1.11	40.7	9.99	<0.1	51.2	22	0.267	0.657	6.1	4.75	0.463	40.7	5.9	4.45	16.5	1.09	36.7
Total Aromatic Hydrocarbons	N	2680	mg/kg	5		192	683	5.43	300	90.3	19.4	222	205	63.1	36.1	8.8	220	55.1	3.2	187	60.5	4.69	7.37	28.8	27.4	3.6	152	24.1	9.66	63.3	11.5	117
Total Petroleum Hydrocarbons	N	2680	mg/kg	10		399	899	19.2	562	149	19.8	478	670	88.4	64.5	10.5	448	87.4	3.2	299	94.9	4.69	13.1	31.7	32	3.6	193	32.7	14.6	85.7	12.2	173
Benzene	M	2760	µg/kg	1	87	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<180	<90	<90	<90	<90	<1800	<90	<90	<90	<90	<90	<90	<180
Toluene	M	2760	µg/kg	1	130000	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	108	<70	<70	140	<70	<70	<70	<70	1400	<70	<70	<70	<70	<70	<70	140
Ethylbenzene	M	2760	µg/kg	1	47000	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	80	<40	<40	<40	<40	800	<40	<40	<40	<40	<40	<40	80
m & p-Xylene	M	2760	µg/kg	1	56000.00	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	200	<100	<100	<100	<100	2000	<100	<100	<100	<100	<100	<100	200
o-Xylene	M	2760	µg/kg	1	60000.00	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	200	<100	<100	<100	<100	2000	<100	<100	<100	<100	<100	<100	200
Methyl Tert-Butyl Ether	M	2760	µg/kg	1		<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	200	<100	<100	<100	<100	2000	<100	<100	<100	<100	<100	<100	200
Naphthalene	M	2800	mg/kg	0.1	15.00	0.469	0.855	<0.009	0.523	0.0501	0.0167	0.303	<0.09	0.131	0.0492	<0.009	0.909	0.224	<0.009	0.22	0.266	<0.009	0.051	<0.009	0.118	<0.009	0.24	0.106	0.0948	0.0304	<0.009	0.103
Acenaphthylene	N	2800	mg/kg	0.1	170.00	0.195	0.488	<0.012	0.297	0.0155	<0.012	0.212	<0.12	0.0289	0.0145	<0.012	0.218	0.0659	<0.012	0.234	0.0679	<0.012	0.0146	<0.012	0.0864	<0.012	0.913	<0.012	<0.012	0.013	<0.012	0.108
Acenaphthene	M	2800	mg/kg	0.1	210.00	0.0557	0.148	<0.008	<0.04	0.0202	<0.008	0.0515	<0.08	0.0221	<0.008	<0.008	0.0441	0.00959	<0.008	0.0527	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	0.0168	<0.008	0.0134
Fluorene	M	2800	mg/kg	0.1	170.00	0.153	0.363	<0.01	0.15	0.0161	<0.01	0.16	<0.1	0.0358	<0.01	<0.01	0.157	0.0343	<0.01	0.0843	0.0188	<0.01	<0.01	<0.01	0.013	<0.01	0.0434	<0.01	<0.01	0.0108	<0.01	0.0369
Phenanthrene	M	2800	mg/kg	0.1	95.00	1.34	4.99	<0.015	1.23	0.244	<0.015	1.41	0.276	0.388	0.13	<0.015	1.92	0.517	<0.015	1.78	0.167	<0.015	0.121	<0.015	0.287	<0.015	0.359	0.179	0.0341	0.229	<0.015	0.675
Anthracene	M	2800	mg/kg	0.1	2400.00	0.437	1.32	<0.016	0.345	0.064	<0.016	0.4	<0.16	0.104	0.0347	<0.016	0.472	0.215	<0.016	0.438	0.0409	<0.016	0.0187	<0.016	0.0473	<0.016	0.227	<0.016	<0.016	0.0453	<0.016	0.161
Fluoranthene	M	2800	mg/kg	0.1	280.00	2.5	9.72	<0.017	2.55	0.55	<0.017	3.04	0.391	0.785	0.288	<0.017	3.24	1.07	<0.017	3.14	0.31	<0.017	0.0971	<0.017	0.317	<0.017	2.01	0.101	0.0598	0.508	<0.017	1.47
Pyrene	M	2800	mg/kg	0.1	620.00	2.02	7.88	<0.015	2.33	0.599	<0.015	2.61	0.449	0.707	0.271	<0.015	2.67	0.882	<0.015	2.28	0.266	<0.015	0.0774	<0.015	0.261	<0.015	1.95	0.0877	0.0443	0.443	<0.015	1.1
Benzo[a]anthracene	M	2800	mg/kg	0.1	7.20	1.3	5.81	<0.014	1.47	0.408	<0.014	1.71	0.218	0.646	0.245	<0.014	1.92	0.646	<0.014	1.53	0.214	<0.014	0.0609	<0.014	0.202	<0.014	1.78	0.0558	0.0329	0.274	<0.014	0.674
Chrysene	M	2800	mg/kg	0.1	15.00	1.22	4.83	<0.01	1.48	0.481	<0.01	1.54	0.261	0.647	0.261	<0.01	1.72	0.632	<0.01	1.38	0.231	<0.01	0.0818	<0.01	0.17	<0.01	1.23	0.0669	0.0335	0.327	<0.01	0.594
Benzo[b]fluoranthene	M	2800	mg/kg	0.1	2.60	1.11	7.74	<0.015	2.29	0.718	<0.015	2.04	0.378	1.2	0.505	<0.015	2.94	0.762	<0.015	2.44	0.424	0.0244	0.062	<0.015	0.467	<0.015	4.89	0.115	0.058	0.539	<0.015	1.14
Benzo[k]fluoranthene	M	2800	mg/kg	0.1	77.00	0.569	2.75	<0.014	0.644	0.292	<0.014	0.898	<0.14	0.465	0.167	<0.014	0.959	0.292	<0.014	0.885	0.137	<0.014	0.0251	<0.014	0.157	<0.014	1.35	0.0375	<0.014	0.17	<0.014	0.331
Benzo[a]pyrene	M	2800	mg/kg	0.1	2.20	1.1	5.58	<0.015	1.32	0.465	<0.015	1.85	0.261	0.906	0.364	<0.015	1.8	0.656	<0.015	1.52	0.275	<0.015	0.0531	<0.015	0.267	<0.015	3.08	0.053	0.0356	0.309	<0.015	0.61
Indeno(1,2,3-c,d)Pyrene	M	2800	mg/kg	0.1	27.00	0.697	3.73	<0.018	0.817	0.296	<0.018	1.15	<0.18	0.589	0.24	<0.018	1.3	0.447	<0.018	1.12	0.206	<0.018	0.0505	<0.018	0.234	<0.018	3.02	0.0441	0.0284	0.247	<0.018	0.449
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.1	0.24	0.203	1.26	<0.023	0.244	0.077	<0.023	0.349	<0.23	0.164	0.0673	<0.023	0.361	0.126	<0.023	0.339	0.0578	<0.023	<0.023	<0.023	0.0631	<0.023	0.72	<0.023	<0.023	0.0635	<0.023	0.143
Benzo[g,h,i]perylene	M	2800	mg/kg	0.1	320.00	0.812	3.95	<0.024	1.04	0.361	<0.024	1.34	<0.24	0.684	0.278	<0.024	1.37	0.503	<0.024	1.22	0.215	<0.024	0.0512	<0.024	0.241	<0.024	3.46	0.0527	<0.024	0.297	<0.024	0.496
Total Of 16 PAH's	N	2800	mg/kg	2		14.2	61.4	<0.118	16.7	4.66	<0.118	19.1	2.23	7.5	2.92	<0.118	22	7.08	<0.118	18.7	2.89	<0.118	0.765	<0.118	2.93	<0.118	25.3	0.899	0.421	3.52	<0.118	8.1
Resorcinol	M	2920	mg/kg	0.02																												
Phenol	M	2920	mg/kg	0.02	280.00	0.0108	<0.01	<0.01	<0.01	<0.01	<0.01	0.0108	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cresols	M	2920	mg/kg	0.02		<0.01	0.0111	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Xylenols	M	2920	mg/kg	0.02		<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	0.0217	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
1-Naphthol	N	2920	mg/kg	0.02																												
Trimethylphenols	M	2920	mg/kg	0.02																												
Total Phenols	M	2920	mg/kg	0.1		<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035

18-669 Llanwern Phase 4E Soil Chemical Screening

Project: P18-669																												
Client: Rodgers Leask Environmental				**Job No.:**		181108-13	181108-13	181107-11	181107-11	181107-11	181107-11	181107-11	181107-11	181107-11	181107-11	181107-11	181107-11	181107-11	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
Quotation No.: Q21-24056				**Sample ID.:**		4G-F3	4G-F3-V	4G-C6	4G-C6	4G-C7	4G-C6-V	4G-C7-V	4G-D1	4G-D1	4G-D1-V	4G-E1	4G-E1	4G-E1-V	4G-D3	4G-D3	4G-D4	4G-D4	4G-D5	4G-D6	4G-D6	4G-D3-V	4G-D4-V	4G-D5-V	4G-D6-V	4G-E5
Order No.: .				Client Sample Ref.:	**S4UL Generic Assessment Criteria Residential with Homegrown Produce (SOM 1%)**	18689447	18689451	18681149	18681204	18681222	18681216	18681232	18681178	18681182	18681187	18681194	18681198	18681210	18733119	18733124	18733095	18733099	18733084	18733005	18733106	18733131	18733112	18733089	18733139	18733046
				Sample Type:		SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID
				Top Depth (m):		0.60-0.60	2.50-2.50	0.50-0.50	0.80-0.80	0.50-0.50	2.50-2.50	1.80-1.80	0.50-0.50	1.00-1.00	2.10-2.10	0.50-0.50	1.00-1.00	3.60-3.60	0.20-0.20	0.50-0.50	0.20-0.20	0.50-0.50	0.50-0.50	0.20-0.20	0.60-0.60	1.80-1.80	1.70-1.70	1.70-1.70	1.70-1.70	0.20-0.20
				Bottom Depth (m):																									
				Date Sampled:		07/11/2018	07/11/2018	11/6/2018	11/6/2018	11/6/2018	11/6/2018	11/6/2018	11/6/2018	11/6/2018	11/6/2018	11/6/2018	11/6/2018	11/6/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
				Asbestos Lab:																									
Determinand	**Accred.**	**SOP**	**Units**	**LOD**																									
ACM Type	U	2192		N/A		Amosite (Brown) Asbestos																	Amosite (Brown) Asbestos							Amosite (Brown) Asbestos
Asbestos Identification	U	2192		N/A		Detected		Not Detected		Not Detected			Not Detected				Not Detected			Not Detected		Not Detected	Detected		Not Detected					Detected
Asbestos by Gravimetry	U	2192	%	0.001		<0.001																	0.0034							<0.001
Total Asbestos	U	2192	%	0.001		<0.001																	0.0035							<0.001
Moisture	N	2030	%	0.020		1	26	9.3	8.6	8.7	57	23	6.3	11	31	0	13	73	9	11	8.6	17	11	8.5	21	24	9.4	32	22	14
Soil Colour	N	2040		N/A		Black	Grey	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Light Brown	Light Brown	Dark Brown
Other Material	N	2040		N/A		Stones	None	Stones	Stones	Stones	Vegetation	Vegetation	Stones	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Stones	Stones	Vegetation	None	Stones	Stones	None	Vegetation
Soil Texture	N	2040		N/A		Sand	Clay	Sand	Sand	Sand	Clay	Clay	Loamy Sand	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Peat	Sandy Loam	Loamy Sand	Sandy Loam	Sandy Loam	Loamy Sand	Loamy Sand	Sandy Loam	Sandy Clay Loam	Loamy Sand	Clay	Clay	Sandy Loam
pH	M	2010		4.0		12.2	8.18	8.98	8.81	12.4	7.32	8.1	11.1	10.1	7.61	9.25	11.2	7.4	9.04	9.2	8.8	7.99	9	11.5	10.4	8.38	8.69	6.79	8.5	9.99
Cyanide (Total)	M	2300	mg/kg	0.5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.26	<1	<1	<1	<1	<1	<1	2.8	<1	2.41	<1	<1	<1	<1	<1
Ammoniacal Nitrogen	M	2425	mg/kg	0.5		<12	19.6	<12	<12	<12	155	45.6	<12	<12	427	<12	<12	1590	<12	<12	<12	71.6	<12	141	<12	29	20.9	271	48.5	<12
Iron (Total)	N	2430	mg/kg	100		183000	35400	19300	24600	192000	29200	35500	77000	26400	38300	228000	125000	7810	124000	64700	72200	30400	95800	48600	23800	25900	38500	25400	31100	101000
Arsenic	M	2450	mg/kg	1	37	<6	11.6	5.67	6.37	7.49	16.1	11.4	<6	7.6	16.1	8.99	9.44	3.74	9.39	14.3	8.57	12.3	10.5	8.24	7.93	12.2	10.1	15.9	11.2	10.6
Cadmium	M	2450	mg/kg	0.1	26	1.62	<0.02	<0.02	<0.02	<0.2	0.0926	<0.02	<0.2	<0.02	<0.02	<0.2	<0.2	0.0218	<0.2	<0.2	<0.02	<0.02	<0.2	<0.02	0.15	0.277	0.505	<0.02	<0.02	<0.2
Chromium	M	2450	mg/kg	1	910	547	28.4	14.4	24.2	695	23.5	28.6	12.8	14.2	32.7	<9	267	12.6	21	360	2.8	24.7	18.1	43.3	7.04	23.5	10	35	25.2	58.5
Manganese	M	2450	mg/kg	5		39500	723	4470	2650	4710	352	1070	3710	2730	441	4770	207	226	5490	19100	7400	778	3770	4370	574	917	1850	268	1190	4010
Copper	M	2450	mg/kg	0.5	2400	18	11.3	11.1	18	35.8	23	9.1	<14	17.4	16.7	22.9	27.9	16.8	17.2	69.7	17.2	8.2	28	9.53	28.6	10.1	33.2	16.4	8.94	19.6
Mercury	M	2450	mg/kg	0.1	40	<1.4	<0.14	<0.14	<0.14	<1.4	<0.14	<0.14	<1.4	<0.14	<0.14	<1.4	<1.4	<0.14	<1.4	<1.4	<0.14	<0.14	<1.4	<0.14	0.575	<0.14	<0.14	<0.14	<0.14	<1.4
Nickel	M	2450	mg/kg	0.5	130	8.22	31.8	10.2	15	27.2	27.8	32.3	14.2	16.4	27.5	37.4	18	13.7	23.1	32.3	13.1	29.3	27.3	9.47	11.8	29.3	21.9	29.7	31.9	24
Lead	M	2450	mg/kg	0.5	200	47.2	23.5	25.7	18.9	15.9	35	22.2	43.8	44.8	33.5	150	43.7	4.85	39.7	89	47.8	21.5	82.9	32.6	45.2	20.6	31.6	40.2	22.2	84.1
Selenium	M	2450	mg/kg	0.2	250	18.4	<1	3.7	2.13	23	<1	<1	<10	1.83	<1	<10	10.3	2.25	<10	11.6	2.69	<1	<10	1.7	<1	<1	2.57	<1	<1	<10
Vanadium	U	2450	mg/kg	5	410	1270	51.1	35.4	33.7	2400	43.2	51.9	37.4	31.7	57.2	120	271	20.4	50.8	515	27.5	46.1	54.2	73.5	17.5	41.7	34.8	53.1	43.7	85.4
Zinc	M	2450	mg/kg	0.5	3700	91	141	218	63	120	129	96.2	135	86.1	119	228	125	25.5	149	289	156	102	320	398	225	94.3	78.1	139	90.7	353
Organic Matter	M	2625	%	0.4		2.74	1.01	2.02	5.12	0.521	21.4	0.841	17.1	4.41	5.6	23.1	0.521	47.9	20.9	0.459	10.7	3.02	18.8	7.88	>100	0.56	9.1	4.93	0.765	13.7
Aliphatic TPH >C5-C6	N	2680	mg/kg	1	42	<0.02	<0.02	<0.02	<0.02	<0.02	0.0782	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C6-C8	N	2680	mg/kg	1	100	<0.02	<0.02	<0.02	<0.02	<0.02	0.177	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.0244
Aliphatic TPH >C8-C10	M	2680	mg/kg	1	27	<0.02	<0.02	<0.02	<0.02	<0.02	0.244	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.0267
Aliphatic TPH >C10-C12	M	2680	mg/kg	1	130	<0.02	<0.02	<0.02	<0.02	<0.02	1.73	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C12-C16	M	2680	mg/kg	1	1100	<0.1	<0.1	0.809	<0.1	2.27	5.06	<0.1	0.765	<0.1	0.419	1.66	<0.1	<0.1	2.03	<0.1	2.21	<0.1	2.3	2.24	4.56	<0.1	0.525	<0.1	<0.1	2.48
Aliphatic TPH >C16-C21	M	2680	mg/kg	1	65000	1.03	<0.1	4.67	1.7	7.03	2.5	<0.1	5.69	4.2	<0.1	7.21	2.14	<0.1	7.91	2.72	7.77	<0.1	9.98	12.4	103	<0.1	2.48	<0.1	<0.1	15.7
Aliphatic TPH >C21-C35	M	2680	mg/kg	1	65000	17.2	<0.1	33.6	17.4	51.5	23.3	<0.1	45.2	18.6	4.58	25	28	22.9	49	12.1	64.4	<0.1	93.6	67.6	63.3	<0.1	14.2	3.17	<0.1	105
Aliphatic TPH >C35-C44	N	2680	mg/kg	1	65000	2.79	<0.1	17	9.3	17.2	<0.1	<0.1	18.2	6.57	<0.1	5.55	8.66	0.655	12.4	4.06	15.5	<0.1	34.8	31.5	8.84	<0.1	3.23	0.875	<0.1	38.3
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5		21	<0.1	56.1	28.4	78	30.9	<0.1	69.8	29.4	5	39.5	38.8	23.6	71.4	18.9	89.9	<0.1	141	114	179	<0.1	20.4	4.04	<0.1	161
Aromatic TPH >C5-C7	N	2680	mg/kg	1	70	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C7-C8	N	2680	mg/kg	1	130	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C8-C10	M	2680	mg/kg	1	34	<0.02	<0.02	<0.02	<0.02	<0.02	0.161	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C10-C12	M	2680	mg/kg	1	74	<0.02	<0.02	<0.02	<0.02	<0.02	1.16	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C12-C16	M	2680	mg/kg	1	140	1.29	0.814	1.98	<0.1	1.27	16.6	<0.1	1.08	0.945	0.418	3.2	1.11	3	2.23	0.447	3.42	<0.1	2.55	1.04	16.6	<0.1	1.37	0.858	<0.1	5.86
Aromatic TPH >C16-C21	U	2680	mg/kg	1	260	18.9	1.47	12.9	1.7	11.7	23.8	<0.1	4.97	4.11	1.22	29.5	7.16	9.36	13.2	6.68	15.4	<0.1	12.5	8.13	134	<0.1	2.86	<0.1	<0.1	35.6
Aromatic TPH >C21-C35	M	2680	mg/kg	1	1100	147	3.65	84.9	20.6	68.7	230	<0.1	34	28.5	44.8	155	57.3	217	66.1	24.4	76.4	2.21	84.6	41.9	482	<0.1	9.26	31.8	1.49	114
Aromatic TPH >C35-C44	N	2680	mg/kg	1	1100	43.6	0.537	49.9	17.2	29.5	23.3	<0.1	24.1	21.8	3.13	60.7	26.6	29.3	29.1	9.37	36.7	0.566	56.4	38.2	104	<0.1	3.42	4.3	<0.1	54.6
Total Aromatic Hydrocarbons	N	2680	mg/kg	5		211	6.47	150	39.6	111	294	<0.1	64.2	55.4	49.6	249	92.1	258	111	40.9	132	2.78	156	89.3	736	<0.1	16.9	37	1.49	210
Total Petroleum Hydrocarbons	N	2680	mg/kg	10		232	6.47	206	68	189	328	<0.1	134	84.8	54.6	288	131	282	182	59.8	222	2.78	297	203	915	<0.1	37.3	41	1.49	372
Benzene	M	2760	µg/kg	1	87	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90
Toluene	M	2760	µg/kg	1	130000	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70
Ethylbenzene	M	2760	µg/kg	1	47000	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40
m & p-Xylene	M	2760	µg/kg	1	56000.00	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
o-Xylene	M	2760	µg/kg	1	60000.00	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
Methyl Tert-Butyl Ether	M	2760	µg/kg	1		<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
Naphthalene	M	2800	mg/kg	0.1	15.00	<0.045	<0.009	0.402	0.0605	0.105	0.3	<0.009	0.36	0.0918	0.0226	<0.09	0.0678	<0.009	0.0873	0.0356	0.245	<0.009	0.131	0.116	1.11	<0.009	0.0433	<0.009	<0.009	0.373
Acenaphthylene	N	2800	mg/kg	0.1	170.00	<0.06	<0.012	0.113	<0.012	0.0405	0.0337	<0.012	0.216	0.0369	<0.012	<0.12	0.11	<0.012	0.194	0.049	0.259	<0.012	0.13	0.0642	0.277	<0.012	0.0423	<0.012	<0.012	0.201
Acenaphthene	M	2800	mg/kg	0.1	210.00	<0.04	<0.008	0.018	<0.008	0.0947	1.14	<0.008	0.0315	0.0126	<0.008	<0.08	0.0396	<0.008	0.0102	0.0144	0.0192	<0.008	0.0219	0.0144	0.0665	<0.008	<0.008	<0.008	<0.008	0.0433
Fluorene	M	2800	mg/kg	0.1	170.00	<0.05	<0.01	0.0508	0.0114	0.0742	1.38	<0.01	0.0476	0.0133	<0.01	<0.1	0.0188	<0.01	0.0293	0.0162	0.0823	<0.01	0.0463	0.0319	0.141	<0.01	<0.01	<0.01	<0.01	0.162
Phenanthrene	M	2800	mg/kg	0.1	95.00	<0.075	<0.015	0.611	0.198	0.966	3.61	<0.015	0.776	0.182	0.0327	<0.15	0.256	<0.015	0.343	0.189	0.709	<0.015	0.457	0.322	1.08	<0.015	0.167	<0.015	<0.015	1.75
Anthracene	M	2800	mg/kg	0.1	2400.00	<0.08	<0.016	0.179	0.0364	0.322	0.619	<0.016	0.191	0.0436	<0.016	<0.16	0.0813	<0.016	0.12	0.0883	0.178	<0.016	0.147	0.0973	0.366	<0.016	0.0263	<0.016	<0.016	0.506
Fluoranthene	M	2800	mg/kg	0.1	280.00	<0.085	<0.017	1.25	0.3	2.3	1.45	<0.017	1.63	0.311	0.053	0.359	0.893	<0.017	0.973	1.15	1.6	<0.017	0.895	0.861	2.02	<0.017	0.145	<0.017	<0.017	3.28
Pyrene	M	2800	mg/kg	0.1	620.00	<0.075	<0.015	0.995	0.239	2.1	0.942	<0.015	1.21	0.251	0.0435	0.32	1.04	<0.015	0.78	0.826	1.18	<0.015	0.659	0.83	1.69	<0.015	0.105	<0.015	<0.015	2.47
Benzo[a]anthracene	M	2800	mg/kg	0.1	7.20	<0.07	<0.014	0.75	0.184	1.32	0.222	<0.014	0.849	0.197	<0.014	0.259	0.796	<0.014	0.668	1.38	1.1	<0.014	0.578	0.601	1.74	<0.014	0.0703	<0.014	<0.014	1.63
Chrysene	M	2800	mg/kg	0.1	15.00	<0.05	<0.01	0.636	0.198	1.26	0.278	<0.01	0.737	0.207	0.0243	0.213	0.685	<0.01	0.863	1.45	1.14	<0.01	0.618	0.546	2.08	<0.01	0.084	<0.01	<0.01	1.45
Benzo[b]fluoranthene	M	2800	mg/kg	0.1	2.60	<0.075	<0.015	1.33	0.182	2.31	0.282	<0.015	1.55	0.356	0.0274	0.505	1.65	<0.015	1.45	2.31	1.98	<0.015	0.895	1.17	3.23	<0.015	0.132	<0.015	<0.015	2.44
Benzo[k]fluoranthene	M	2800	mg/kg	0.1	77.00	<0.07	<0.014	0.343	0.0897	0.701	0.0869	<0.014	0.526	0.117	<0.014	0.201	0.554	<0.014	0.472	0.773	0.564	<0.014	0.307	0.284	0.981	<0.014	0.0445	<0.014	<0.014	0.772
Benzo[a]pyrene	M	2800	mg/kg	0.1	2.20	<0.075	<0.015	0.802	0.181	1.51	0.13	<0.015	0.906	0.213	<0.015	0.47	1.14	<0.015	0.836	0.987	1.03	<0.015	0.458	0.955	1.91	<0.015	0.0721	<0.015	<0.015	1.41
Indeno(1,2,3-c,d)Pyrene	M	2800	mg/kg	0.1	27.00	<0.09	<0.018	0.618	0.116	1.04	0.106	<0.018	0.758	0.168	<0.018	0.391	0.834	<0.018	0.726	0.395	1.05	<0.018	0.504	0.908	1.63	<0.018	0.109	<0.018	<0.018	0.847
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.1	0.24	<0.115	<0.023	0.161	0.0359	0.246	<0.023	<0.023	0.195	0.0473	<0.023	<0.23	0.196	<0.023	0.158	0.102	0.23	<0.023	0.0823	0.204	0.368	<0.023	<0.023	<0.023	<0.023	0.242
Benzo[g,h,i]perylene	M	2800	mg/kg	0.1	320.00	<0.12	<0.024	0.69	0.149	1.19	0.118	<0.024	0.801	0.194	<0.024	0.467	0.903	<0.024	0.685	0.318	0.982	<0.024	0.369	0.882	1.58	<0.024	0.086	<0.024	<0.024	0.971
Total Of 16 PAH's	N	2800	mg/kg	2		<0.59	<0.118	8.94	1.98	15.6	10.7	<0.118	10.8	2.44	0.203	3.19	9.27	<0.118	8.4	10.1	12.4	<0.118	6.3	7.89	20.3	<0.118	1.13	<0.118	<0.118	18.5
Resorcinol	M	2920	mg/kg	0.02																										
Phenol	M	2920	mg/kg	0.02	280.00	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cresols	M	2920	mg/kg	0.02		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Xylenols	M	2920	mg/kg	0.02		<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
1-Naphthol	N	2920	mg/kg	0.02																										
Trimethylphenols	M	2920	mg/kg	0.02																										
Total Phenols	M	2920	mg/kg	0.1		<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035

18-669 Llanwern Phase 4E Soil Chemical Screening

Project: P18-669																															
Client: Rodgers Leask Environmental				**Job No.:**		181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23	181121-47	181121-47	181121-47
Quotation No.: Q21-24056				**Sample ID.:**		4G-E5	4G-E6	4G-E6	4G-E5-V	4G-E6-V	4G-F6	4G-F6	4G-F6	4G-F6-V	4G-G6	4G-G6	4G-E4	4G-E4-V	4G-F4	4G-F4	4G-F5	4G-F7	4G-F7	4G-F4-V	4G-F5-V	4G-F7-V	4G-G5	4G-G5	4G-G5-V	4G-D7	4G-D7	4G-D7-V
Order No.: .				Client Sample Ref.:		18733057	18733146	18733151	18733071	18733158	18733163	18733168	18733173	18733019	18733028	18733037	18775424	18775457	18775464	18775470	18775478	18775444	18775448	18775474	18775482	18775453	18775486	18775490	18775431	18786553	18786557	18786495
				Sample Type:		SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID	SOLID
				Top Depth (m):	**S4UL Generic Assessment Criteria Residential with Homegrown Produce (SOM 1%)**	0.60-0.60	0.30-0.30	0.50-0.50	3.00-3.00	2.20-2.20	0.40-0.40	0.60-0.60	1.20-1.20	2.70-2.70	0.30-0.30	0.50-0.50	0.40-0.40	2.20-2.20	0.20-0.20	0.40-0.40	0.50-0.50	0.40-0.40	0.80-0.80	2.40-2.40	2.60-2.60	2.60-2.60	0.40-0.40	0.70-0.70	3.20-3.20	0.30-0.30	0.60-0.60	1.70-1.70
				Bottom Depth (m):																												
				Date Sampled:		13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	20/11/2018	20/11/2018	20/11/2018
				Asbestos Lab:																												
Determinand	**Accred.**	**SOP**	**Units**	**LOD**																												
ACM Type	U	2192		N/A																												
Asbestos Identification	U	2192		N/A			Not Detected				Not Detected		Not Detected		Not Detected		Not Detected			Not Detected	Not Detected	Not Detected					Not Detected			Not Detected		
Asbestos by Gravimetry	U	2192	%	0.001																												
Total Asbestos	U	2192	%	0.001																												
Moisture	N	2030	%	0.020		24	14	25	25	26	6.7	6.7	7.6	25	7.3	6.5	11	29	14	6.7	5.8	3.8	7.8	24	36	23	7.4	8.4	25	5.8	21	18
Soil Colour	N	2040		N/A		Dark Brown	Dark Brown	Dark Brown	Grey	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Light Brown	Dark Brown	Light Brown	Light Brown	Dark Brown	Dark Brown	Dark Brown	Grey	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown	Dark Brown
Other Material	N	2040		N/A		Vegetation	Vegetation	Vegetation	None	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Vegetation	Stones	Vegetation	Stones	Stones	Stones	Stones	Vegetation	None	None	Vegetation	Vegetation	Vegetation	Vegetation	Stones	Stones	Vegetation
Soil Texture	N	2040		N/A		Sandy Loam	Sandy Loam	Sandy Loam	Clay	Loamy Sand	Loamy Sand	Sandy Loam	Sandy Loam	Loamy Sand	Sandy Loam	Sandy Loam	Loamy Sand	Clay	Loamy Sand	Loamy Sand	Sand	Sand	Sandy Loam	Clay	Clay	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sand	Silty Clay
pH	M	2010		4.0		9.21	11.1	8.61	8.2	7.14	11	12.2	10.7	7.88	10.4	9.82	11.7	7.35	10.7	10.4	9.44	9.55	10.6	8.01	7.14	7.76	9.82	9.91	8.59	11.4	8.55	7.99
Cyanide (Total)	M	2300	mg/kg	0.5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.38	7.38	<1
Ammoniacal Nitrogen	M	2425	mg/kg	0.5		<12	<12	<12	105	331	<12	<12	<12	115	<12	<12	38.4	281	20.8	19	<12	30.5	<12	317	412	123	<12	<12	89	<12	<12	47.1
Iron (Total)	N	2430	mg/kg	100		59400	113000	8800	31300	36700	173000	264000	155000	32900	13200	231000	232000	32700	74500	204000	179000	452000	134000	34200	19800	32500	164000	51600	28800	161000	18100	32600
Arsenic	M	2450	mg/kg	1	37	6.73	7.12	5.96	12.8	15.4	8.24	10.1	11.6	12.9	2.38	14.2	<6	14.1	21.9	11.8	11.5	12.8	7.91	13.2	13.4	11.4	11.4	5.48	11.6	6.99	8.13	15.1
Cadmium	M	2450	mg/kg	0.1	26	<0.2	<0.2	<0.02	<0.02	<0.02	<0.2	<0.2	<0.2	<0.02	<0.02	<0.2	<0.2	<0.02	<0.2	<0.2	0.634	<0.2	<0.2	<0.02	<0.02	<0.02	1.6	0.524	0.326	1.39	0.678	<0.02
Chromium	M	2450	mg/kg	1	910	<9	446	3.08	24.9	30.6	<9	<9	19.1	31.9	17.8	<9	137	31.7	47.2	<9	<9	<9	<9	28.8	31.2	29.1	<9	5.37	27.1	210	10.3	27.7
Manganese	M	2450	mg/kg	5		1060	16700	164	1170	472	3380	3880	3530	626	4010	7140	8590	361	4760	2840	7110	4220	3550	1150	282	960	3660	2780	985	17900	1610	954
Copper	M	2450	mg/kg	0.5	2400	<14	18.6	23.2	7.9	11.2	15.8	15.2	17.6	10.8	<1.4	<14	<14	11.4	36.9	<14	<14	22.1	15.9	9.01	20	9.57	<14	6.68	11	52.3	22.6	9.05
Mercury	M	2450	mg/kg	0.1	40	<1.4	<1.4	0.81	<0.14	<0.14	<1.4	<1.4	<1.4	<0.14	<0.14	<1.4	<1.4	<0.14	<1.4	<1.4	<1.4	<1.4	<1.4	<0.14	<0.14	<0.14	<1.4	<0.14	<0.14	<1.4	0.59	<0.14
Nickel	M	2450	mg/kg	0.5	130	11.7	18.1	8.3	30.3	34.7	31	32.8	24.2	37.3	1.36	23.7	44.1	34.3	36.6	12	52.3	37.1	17.9	34.1	24.2	34.3	15.8	6.93	35.2	36.5	10.9	32.6
Lead	M	2450	mg/kg	0.5	200	8.2	58.6	12.2	23	29.3	29.3	32.1	40.9	26.7	3.57	25.1	9.62	30	76.9	24	37.4	21.4	48.9	24.7	45.8	22.4	27.6	17.7	25.5	151	63	22.4
Selenium	M	2450	mg/kg	0.2	250	<10	10.4	<1	<1	<1	<10	<10	<10	<1	3.57	<10	<10	<1	<10	<10	<10	<10	<10	<1	<1	<1	<10	<1	<1	<10	2.02	<1
Vanadium	U	2450	mg/kg	5	410	18	327	8.23	44.3	55	87.7	112	96.1	54.6	40	76.2	106	54.2	70.2	29.4	28.2	93.6	46.1	51	46.7	49.7	38.3	36.7	49.4	1080	31.2	46.8
Zinc	M	2450	mg/kg	0.5	3700	25.1	206	23.7	95.1	107	160	195	167	103	11.8	134	133	107	270	125	95.8	149	89.7	104	146	102	72.8	57.3	105	440	285	95.2
Organic Matter	M	2625	%	0.4		>100	24.8	-	0.94	1.9	18.6	4.93	12.5	1.3	0.712	1.72	5.81	3.88	4.17	8	13.7	4.88	15.3	0.909	8.41	0.962	7.1	7.03	0.91	7.57	>100	0.8
Aliphatic TPH >C5-C6	N	2680	mg/kg	1	42	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C6-C8	N	2680	mg/kg	1	100	0.0694	0.0725	<0.02	<0.02	0.05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	0.0239	0.0412	<0.02	0.022	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C8-C10	M	2680	mg/kg	1	27	0.0524	0.069	<0.02	<0.02	0.0459	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	0.0229	0.039	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C10-C12	M	2680	mg/kg	1	130	0.0301	0.0761	<0.02	<0.02	0.023	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	0.0466	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatic TPH >C12-C16	M	2680	mg/kg	1	1100	4.02	4.32	4.96	<0.1	<0.1	2.6	2.28	2.54	<0.1	<0.1	6.29	1.13	<0.1	1.26	<0.1	<0.1	0.888	4.51	<0.1	0.878	<0.1	<0.1	3.09	<0.1	3.42	10.8	<0.1
Aliphatic TPH >C16-C21	M	2680	mg/kg	1	65000	94.9	29.3	140	<0.1	<0.1	13.7	16.4	10.9	<0.1	3.03	23.4	8.1	<0.1	11.3	<0.1	4.37	5.14	16.3	<0.1	1.97	<0.1	3.35	7.46	<0.1	26.3	373	<0.1
Aliphatic TPH >C21-C35	M	2680	mg/kg	1	65000	46.2	110	44.3	<0.1	1.65	70.7	118	71	<0.1	15.8	125	70.6	4.06	60.9	<0.1	20.7	27.7	36.6	2.16	4.16	3.39	34.2	53.2	2.25	99.7	127	<0.1
Aliphatic TPH >C35-C44	N	2680	mg/kg	1	65000	5.19	46.7	3.7	<0.1	<0.1	30.8	23.7	21.4	<0.1	12.1	77.8	15.4	<0.1	19.7	<0.1	5.23	4.18	11.5	<0.1	<0.1	<0.1	6.07	41	<0.1	26.6	19.3	<0.1
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5		150	191	193	<0.1	1.65	118	160	106	<0.1	30.9	233	95.2	4.06	93.1	<0.1	30.3	37.9	69	2.16	7.01	3.39	43.6	105	2.25	156	531	<0.1
Aromatic TPH >C5-C7	N	2680	mg/kg	1	70	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C7-C8	N	2680	mg/kg	1	130	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C8-C10	M	2680	mg/kg	1	34	0.0341	0.0456	<0.02	<0.02	0.0297	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	0.026	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C10-C12	M	2680	mg/kg	1	74	<0.02	0.0503	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	0.0314	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatic TPH >C12-C16	M	2680	mg/kg	1	140	4.19	10.9	12.4	<0.1	<0.1	1.94	0.966	0.973	<0.1	1.13	2.66	0.556	<0.1	1.58	<0.1	1.31	0.216	0.644	<0.1	<0.1	<0.1	0.719	1.23	<0.1	3.13	5.52	<0.1
Aromatic TPH >C16-C21	U	2680	mg/kg	1	260	19.4	74.6	108	<0.1	<0.1	8.2	5.67	4.94	<0.1	1.41	11	8.71	<0.1	8.71	2.14	6.31	1.55	3.9	<0.1	2.07	<0.1	3.83	5.31	<0.1	24.3	72.5	<0.1
Aromatic TPH >C21-C35	M	2680	mg/kg	1	1100	55	206	256	<0.1	5.68	45.7	37.3	33.1	<0.1	10.4	133	37.9	13	48.3	5.55	29	10.8	18.4	1.75	29.2	2.03	23.6	49.2	<0.1	86.5	190	2.55
Aromatic TPH >C35-C44	N	2680	mg/kg	1	1100	9.53	97.6	37.7	<0.1	<0.1	30.9	14.5	18.4	<0.1	19.5	156	11.3	1.26	24.1	0.824	11.7	1.21	7.79	<0.1	2.02	0.615	13.3	73.4	<0.1	30.5	48.3	<0.1
Total Aromatic Hydrocarbons	N	2680	mg/kg	5		88.1	389	414	<0.1	5.68	86.7	58.4	57.4	<0.1	32.4	303	58.5	14.3	82.7	8.51	48.3	13.7	30.7	1.75	33.3	2.65	41.4	129	<0.1	144	317	2.55
Total Petroleum Hydrocarbons	N	2680	mg/kg	10		239	580	607	<0.1	7.48	205	219	163	<0.1	63.3	536	154	18.3	176	8.51	78.6	51.7	99.9	3.91	40.3	6.04	85.1	234	2.25	300	848	2.55
Benzene	M	2760	µg/kg	1	87	<90	<90	314	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	<90	296	<90
Toluene	M	2760	µg/kg	1	130000	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70	<70
Ethylbenzene	M	2760	µg/kg	1	47000	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40
m & p-Xylene	M	2760	µg/kg	1	56000.00	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
o-Xylene	M	2760	µg/kg	1	60000.00	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
Methyl Tert-Butyl Ether	M	2760	µg/kg	1		<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
Naphthalene	M	2800	mg/kg	0.1	15.00	0.407	4.73	5.1	0.0205	<0.009	0.143	0.0479	0.123	<0.009	0.0164	0.0633	0.0963	<0.009	0.167	0.015	0.0778	0.0161	0.0307	<0.009	<0.009	<0.009	0.0265	0.0403	<0.009	0.341	1.08	<0.009
Acenaphthylene	N	2800	mg/kg	0.1	170.00	0.051	1.2	0.252	<0.012	<0.012	0.0919	<0.012	0.0483	<0.012	<0.012	<0.06	0.0284	<0.012	0.0987	<0.012	0.0571	<0.012	0.0133	<0.012	<0.012	<0.012	<0.012	<0.012	<0.012	0.219	0.186	<0.012
Acenaphthene	M	2800	mg/kg	0.1	210.00	0.0207	0.448	0.0245	<0.008	<0.008	0.0182	0.0138	0.0138	<0.008	<0.008	0.0474	0.0146	<0.008	0.0191	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	<0.008	0.0126	0.0643	<0.008	0.0306	0.0102	<0.008
Fluorene	M	2800	mg/kg	0.1	170.00	0.0385	1.84	0.103	<0.01	<0.01	0.0737	0.0204	0.0271	<0.01	<0.01	<0.05	0.0236	<0.01	0.039	<0.01	0.0231	<0.01	<0.01	<0.01	<0.01	<0.01	0.0109	0.0348	<0.01	0.131	0.0175	<0.01
Phenanthrene	M	2800	mg/kg	0.1	95.00	0.281	9.17	1.03	<0.015	<0.015	0.612	0.168	0.319	<0.015	0.0416	0.207	0.481	<0.015	0.488	0.0726	0.195	0.0454	0.0863	<0.015	0.0414	<0.015	0.118	0.209	<0.015	1.5	0.215	<0.015
Anthracene	M	2800	mg/kg	0.1	2400.00	0.0402	3.03	0.247	<0.016	<0.016	0.137	0.0385	0.113	<0.016	<0.016	<0.08	0.132	<0.016	0.15	<0.016	0.0683	<0.016	0.0231	<0.016	<0.016	<0.016	0.0195	<0.016	<0.016	0.409	0.108	<0.016
Fluoranthene	M	2800	mg/kg	0.1	280.00	0.211	12.8	0.379	<0.017	0.0232	0.778	0.219	0.622	<0.017	0.0501	0.24	1.02	<0.017	1	0.0906	0.402	0.0394	0.167	<0.017	0.0776	<0.017	0.0942	0.269	<0.017	2.68	0.315	<0.017
Pyrene	M	2800	mg/kg	0.1	620.00	0.187	9.83	0.368	<0.015	<0.015	0.607	0.175	0.487	<0.015	0.0374	0.22	0.843	<0.015	0.943	0.0789	0.322	0.0319	0.148	<0.015	0.0633	<0.015	0.0905	0.228	<0.015	2.35	0.249	<0.015
Benzo[a]anthracene	M	2800	mg/kg	0.1	7.20	0.173	5.33	0.192	<0.014	<0.014	0.391	0.0959	0.349	<0.014	0.0282	0.0954	0.513	<0.014	0.602	0.0628	0.277	0.0271	0.098	<0.014	0.0387	<0.014	0.0493	0.13	<0.014	1.41	0.238	<0.014
Chrysene	M	2800	mg/kg	0.1	15.00	0.27	5.37	0.29	<0.01	0.0197	0.433	0.134	0.391	<0.01	0.0293	0.139	0.546	<0.01	0.614	0.0715	0.303	0.0322	0.131	<0.01	0.0428	<0.01	0.0697	0.158	<0.01	1.51	0.313	<0.01
Benzo[b]fluoranthene	M	2800	mg/kg	0.1	2.60	0.379	6.47	0.402	<0.015	0.0235	0.583	0.16	0.511	<0.015	0.039	0.141	0.777	<0.015	1.05	0.1	0.474	0.0505	0.163	<0.015	0.067	<0.015	0.0798	0.175	<0.015	2.33	0.614	<0.015
Benzo[k]fluoranthene	M	2800	mg/kg	0.1	77.00	0.105	2.31	0.122	<0.014	<0.014	0.233	0.0435	0.197	<0.014	<0.014	<0.07	0.191	<0.014	0.343	0.0367	0.163	<0.014	0.0814	<0.014	0.0222	<0.014	0.0255	0.064	<0.014	0.833	0.189	<0.014
Benzo[a]pyrene	M	2800	mg/kg	0.1	2.20	0.179	4.2	0.185	<0.015	<0.015	0.321	0.0759	0.286	<0.015	0.0232	0.0819	0.506	<0.015	0.637	0.0718	0.284	0.0243	0.0802	<0.015	0.0355	<0.015	0.0407	0.121	<0.015	1.36	0.337	<0.015
Indeno(1,2,3-c,d)Pyrene	M	2800	mg/kg	0.1	27.00	0.161	3.15	0.234	<0.018	<0.018	0.292	0.0738	0.257	<0.018	0.0195	<0.09	0.397	<0.018	0.589	0.0534	0.253	0.0297	0.0769	<0.018	0.0347	<0.018	0.0348	0.0994	<0.018	0.735	0.309	<0.018
Dibenz(a,h)Anthracene	N	2800	mg/kg	0.1	0.24	0.0399	0.706	0.0716	<0.023	<0.023	0.0563	<0.023	0.0467	<0.023	<0.023	<0.115	0.0824	<0.023	0.129	<0.023	0.0593	<0.023	<0.023	<0.023	<0.023	<0.023	<0.023	<0.023	<0.023	0.213	0.0852	<0.023
Benzo[g,h,i]perylene	M	2800	mg/kg	0.1	320.00	0.167	2.55	0.202	<0.024	<0.024	0.243	0.0756	0.206	<0.024	<0.024	<0.12	0.372	<0.024	0.486	0.0495	0.238	0.026	0.075	<0.024	<0.024	<0.024	0.0406	0.108	<0.024	0.94	0.413	<0.024
Total Of 16 PAH's	N	2800	mg/kg	2		2.71	73.1	9.21	<0.118	<0.118	5.01	1.34	4	<0.118	0.285	1.23	6.03	<0.118	7.35	0.703	3.2	0.322	1.17	<0.118	0.423	<0.118	0.713	1.7	<0.118	17	4.68	<0.118
Resorcinol	M	2920	mg/kg	0.02																												
Phenol	M	2920	mg/kg	0.02	280.00	<0.01	0.0117	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cresols	M	2920	mg/kg	0.02		<0.01	0.0117	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.0141	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Xylenols	M	2920	mg/kg	0.02		<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015
1-Naphthol	N	2920	mg/kg	0.02																												
Trimethylphenols	M	2920	mg/kg	0.02																												
Total Phenols	M	2920	mg/kg	0.1		<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035	<0.035

Appendix I

Chemical Test Certificates

Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US
Tel: (01244) 528700
Fax: (01244) 528701
email: hawardencustomerservices@alsglobal.com
Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: John Fitzgerald

CERTIFICATE OF ANALYSIS

Date:	19 November 2018
Customer:	H_ATKINS_LDC
Sample Delivery Group (SDG):	181103-16
Your Reference:	
Location:	Llanwern
Report No:	481753

This report has been revised and directly supersedes 481519 in its entirety.

We received 11 samples on Saturday November 03, 2018 and 11 of these samples were scheduled for analysis which was completed on Monday November 19, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:



Sonia McWhan

Operations Manager

ALS Life Sciences Limited. Registered Office: Units 7 & 8 Hawarden Business Park, Manor Road, Hawarden, Deeside, CH5 3US. Registered in England and Wales No. 4057291.

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18660967	4G-B1		0.20 - 0.20	02/11/2018
18660982	4G-B1		0.70 - 0.70	02/11/2018
18661014	4G-B2		0.70 - 0.70	02/11/2018
18661019	4G-B2		1.30 - 1.30	02/11/2018
18660990	4G-B1-V		1.90 - 1.90	02/11/2018
18660995	4G-C1		0.40 - 0.40	02/11/2018
18661004	4G-C1		1.00 - 1.00	02/11/2018
18661027	4G-C2		0.50 - 0.50	02/11/2018
18660971	4G-C2		1.00 - 1.00	02/11/2018
18661009	4G-C1-V		2.20 - 2.20	02/11/2018
18660978	4G-C2-V		2.30 - 2.30	02/11/2018

Maximum Sample/Coolbox Temperature (°C) : **9.0**

ISO5667-3 Water quality - Sampling - Part3 -
During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Results Legend

X Test

N No Determination Possible

Sample Types -
S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

			Lab Sample No(s)	18660967			18660982			18661014			18661019			18660990		18660995			18661004	
			Customer Sample Reference	4G-B1			4G-B1			4G-B2			4G-B2			4G-B1-V		4G-C1			4G-C1	
			AGS Reference																			
			Depth (m)	0.20 - 0.20			0.70 - 0.70			0.70 - 0.70			1.30 - 1.30			1.90 - 1.90		0.40 - 0.40			1.00 - 1.00	
			Container	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)
			Sample Type	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Alkali Metals by iCap-OES (Soil)	All	NDPs: 0 Tests: 4			X									X								X
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 8		X			X			X			X					X			X	
Ammonium Soil by Titration	All	NDPs: 0 Tests: 11			X			X			X			X		X			X			X
Anions by Kone (soil)	All	NDPs: 0 Tests: 4			X									X								X
Asbestos ID in Solid Samples	All	NDPs: 0 Tests: 4		X									X								X	
Asbestos Quantification - Full	All	NDPs: 0 Tests: 1																			X	
CEN Readings	All	NDPs: 0 Tests: 8		X			X			X			X					X			X	
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 19		X	X		X	X		X	X		X	X		X		X	X		X	X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 8		X			X			X			X					X			X	
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 8		X			X			X			X					X			X	
EPH CWG (Aliphatic) GC (S)	All	NDPs: 0 Tests: 11			X			X			X			X		X			X			X
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 8		X			X			X			X					X			X	
EPH CWG (Aromatic) GC (S)	All	NDPs: 0 Tests: 11			X			X			X			X		X			X			X
GRO by GC-FID (S)	All	NDPs: 0 Tests: 11				X			X			X			X		X			X			
GRO by GC-FID (W)	All	NDPs: 0 Tests: 8		X			X			X			X					X			X	

18660978	4G-C2-V		2.30 - 2.30	60g VOC (ALE215)	S																	X	
				250g Amber Jar (ALE210)	S				X						X				X			X		
18661009	4G-C1-V		2.20 - 2.20	60g VOC (ALE215)	S																	X	
				250g Amber Jar (ALE210)	S				X						X				X			X		
18660971	4G-C2		1.00 - 1.00	60g VOC (ALE215)	S																	X	
				250g Amber Jar (ALE210)	S	X			X	X					X				X			X		
				1kg TUB	S		X				X		X		X	X	X			X				X
18661027	4G-C2		0.50 - 0.50	60g VOC (ALE215)	S																	X	
				250g Amber Jar (ALE210)	S				X						X				X			X		
				1kg TUB	S		X						X		X	X	X			X				X
18661004	4G-C1		1.00 - 1.00	60g VOC (ALE215)	S																	X	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Results Legend

X Test

N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18660967			18660982			18661014			18661019			18660990			18660995			18661004	
Customer Sample Reference			4G-B1			4G-B1			4G-B2			4G-B2			4G-B1-V			4G-C1			4G-C1	
AGS Reference																						
Depth (m)			0.20 - 0.20			0.70 - 0.70			0.70 - 0.70			1.30 - 1.30			1.90 - 1.90			0.40 - 0.40			1.00 - 1.00	
Container			1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Mercury Dissolved	All	NDPs: 0 Tests: 8	X			X			X			X					X			X		
Metals in solid samples by OES	All	NDPs: 0 Tests: 11		X			X			X			X		X			X			X	
PAH by GCMS	All	NDPs: 0 Tests: 11		X			X			X			X		X			X			X	
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 8	X			X			X			X					X			X		
pH	All	NDPs: 0 Tests: 11		X			X			X			X		X			X			X	
pH Value	All	NDPs: 0 Tests: 8	X			X			X			X					X			X		
Phenols by HPLC (S)	All	NDPs: 0 Tests: 11		X			X			X			X		X			X			X	
Sample description	All	NDPs: 0 Tests: 11		X			X			X			X		X			X			X	
Total Organic Carbon	All	NDPs: 0 Tests: 11		X			X			X			X		X			X			X	
Total Sulphate	All	NDPs: 0 Tests: 4		X									X									X
Total Sulphur	All	NDPs: 0 Tests: 4		X									X									X
TPH CWG (W)	All	NDPs: 0 Tests: 8	X			X			X			X					X			X		
TPH CWG GC (S)	All	NDPs: 0 Tests: 11		X			X			X			X		X			X			X	
VOC MS (S)	All	NDPs: 0 Tests: 11			X			X			X			X		X			X			

18660978	4G-C2-V		2.30 - 2.30	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X				X	
18661009	4G-C1-V		2.20 - 2.20	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X				X	
18660971	4G-C2		1.00 - 1.00	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X	X	X		X	
				1kg TUB	S	X			X		X						X		
18661027	4G-C2		0.50 - 0.50	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X				X	
				1kg TUB	S	X			X		X						X		
18661004	4G-C1		1.00 - 1.00	60g VOC (ALE215)	S														X

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Sample Descriptions

Grain Sizes

very fine	<0.063mm	fine	0.063mm - 0.1mm	medium	0.1mm - 2mm	coarse	2mm - 10mm	very coarse	>10mm

Lab Sample No(s)	Customer Sample Ref.	Depth (m)	Colour	Description	Inclusions	Inclusions 2
18660967	4G-B1	0.20 - 0.20	Dark Brown	Sandy Loam	Stones	Crushed Brick
18660982	4G-B1	0.70 - 0.70	Dark Brown	Sandy Loam	Stones	N/A
18661014	4G-B2	0.70 - 0.70	Black	Sand	Stones	None
18661019	4G-B2	1.30 - 1.30	Light Brown	Loamy Sand	Stones	None
18660990	4G-B1-V	1.90 - 1.90	Dark Brown	Clay	None	None
18660995	4G-C1	0.40 - 0.40	Dark Brown	Sandy Loam	Glass & Stones	Crushed Brick
18661004	4G-C1	1.00 - 1.00	Dark Brown	Sandy Loam	Stones	N/A
18660971	4G-C2	1.00 - 1.00	Dark Brown	Sandy Loam	Stones	N/A
18661027	4G-C2	0.50 - 0.50	Dark Brown	Sandy Loam	Stones	Concrete/Aggregate
18661009	4G-C1-V	2.20 - 2.20	Dark Brown	Clay	None	None
18660978	4G-C2-V	2.30 - 2.30	Grey	Clay	None	None

These descriptions are only intended to act as a cross check if sample identities are questioned, and to provide a log of sample matrices with respect to MCERTS validation. They are not intended as full geological descriptions.

We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally ocurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample.

Other coarse granular materials such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B1	4G-B1	4G-B2	4G-B2	4G-B1-V	4G-C1
			Depth (m)	0.20 - 0.20	0.70 - 0.70	0.70 - 0.70	1.30 - 1.30	1.90 - 1.90	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018
			SDG Ref	181103-16	181103-16	181103-16	181103-16	181103-16	181103-16
			Lab Sample No.(s)	18660967	18660982	18661014	18661019	18660990	18660995
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		10	8	7.4	9	33	7.3
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	19.9 M	<12 M	<12 M	720 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	0.0108 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132		0.2			0.0558		
Sulphate, Total potential	<0.06 %	TM132		0.6			0.167		
Soil Organic Matter (SOM)	<0.35 %	TM132		4.43 #	19.8 #	14.3 #	<0.35 #	4.24 #	8.29 #
pH	1 pH Units	TM133		9.52 M	10.6 M	9.72 M	11.4 M	7.56 M	11.6 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	1.95 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		8.77 M	8.72 M	21.6 M	7.76 M	16.3 M	9.5 M
Cadmium	<0.02 mg/kg	TM181		0.372 M	<0.2 M	<0.2 M	<0.02 M	0.462 M	1.11 M
Chromium	<0.9 mg/kg	TM181		81.3 M	112 M	<9 M	<0.9 M	38.3 M	139 M
Copper	<1.4 mg/kg	TM181		25.9 M	18.9 M	15.7 M	3.21 M	18.9 M	17.7 M
Iron	<1000 mg/kg	TM181		59600 #	221000 #	339000 #	49700 #	38500 #	101000 #
Lead	<0.7 mg/kg	TM181		106 M	134 M	9.11 M	9.73 M	33.2 M	44.7 M
Manganese	<0.13 mg/kg	TM181		4370 M	9310 M	10200 M	467 M	428 M	12100 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<1.4 M	<1.4 M	<0.14 M	<0.14 M	<0.14 M
Nickel	<0.2 mg/kg	TM181		24.4 M	44.9 M	31.1 M	6.59 M	31.2 M	30.1 M
Selenium	<1 mg/kg	TM181		<10 #	<10 #	<10 #	<1 #	<1 #	3.67 #
Vanadium	<0.2 mg/kg	TM181		89.2 #	137 #	128 #	17.9 #	62.7 #	142 #
Zinc	<1.9 mg/kg	TM181		435 M	221 M	68.5 M	25.9 M	139 M	202 M
Sulphate, acid soluble (total)	<0.02 %	TM221		0.26			0.0713		
Calcium	<21 mg/kg	TM224		147000			273000		
Magnesium	<8 mg/kg	TM224		27500			4540		
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243		0.112 M			0.12 M		

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C1	4G-C2	4G-C2	4G-C1-V	4G-C2-V
			Depth (m)	1.00 - 1.00	0.50 - 0.50	1.00 - 1.00	2.20 - 2.20	2.30 - 2.30
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00
			Date Received	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018
			SDG Ref	181103-16	181103-16	181103-16	181103-16	181103-16
			Lab Sample No.(s)	18661004	18661027	18660971	18661009	18660978
			AGS Reference					
Moisture Content Ratio (% of as received sample)	%	PM024		10	11	8.1	24	24
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	<12 M	<12 M	274 M	136 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		0.0111 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132		0.208		0.115		
Sulphate, Total potential	<0.06 %	TM132		0.624		0.345		
Soil Organic Matter (SOM)	<0.35 %	TM132		28.1 #	4.48 #	<0.35 #	1.2 #	0.957 #
pH	1 pH Units	TM133		10.7 M	11.3 M	11.4 M	7.87 M	7.84 M
Cyanide, Total	<1 mg/kg	TM153		<2 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		<6 M	11.7 M	7.34 M	11.3 M	14.5 M
Cadmium	<0.02 mg/kg	TM181		<0.2 M	<0.02 M	<0.2 M	0.362 M	0.377 M
Chromium	<0.9 mg/kg	TM181		30.3 M	116 M	114 M	34.4 M	31.7 M
Copper	<1.4 mg/kg	TM181		16.4 M	15.6 M	<14 M	10.8 M	11.7 M
Iron	<1000 mg/kg	TM181		88200 #	90200 #	260000 #	40000 #	38700 #
Lead	<0.7 mg/kg	TM181		49.8 M	42.5 M	<7 M	27.7 M	23.9 M
Manganese	<0.13 mg/kg	TM181		3850 M	10700 M	13700 M	1310 M	1380 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<0.14 M	<1.4 M	<0.14 M	<0.14 M
Nickel	<0.2 mg/kg	TM181		39.5 M	14.6 M	27.6 M	41.1 M	36.9 M
Selenium	<1 mg/kg	TM181		<10 #	4.15 #	<10 #	<1 #	<1 #
Vanadium	<0.2 mg/kg	TM181		41.3 #	163 #	591 #	59.2 #	56 #
Zinc	<1.9 mg/kg	TM181		92.5 M	471 M	28.1 M	108 M	101 M
Sulphate, acid soluble (total)	<0.02 %	TM221		0.166		0.231		
Calcium	<21 mg/kg	TM224		97000		103000		
Magnesium	<8 mg/kg	TM224		18600		3890		
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243		0.0411 M		0.0672 M		
Asbestos Quantification - Gravimetric - %	<0.001 %	TM304		0.0074 #				
Asbestos Quantification - PCOM Evaluation - %	<0.001 %	TM304		<0.001 #				
Additional Asbestos Components (Using TM048)		TM304		Chrysotile #				
Analysts Comments		TM304		Loose fibres in soil				
Asbestos Quantification - Total - %	<0.001 %	TM304		0.0077 #				

Validated

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B1	4G-B1	4G-B2	4G-B2	4G-B1-V	4G-C1
			Depth (m)	0.20 - 0.20	0.70 - 0.70	0.70 - 0.70	1.30 - 1.30	1.90 - 1.90	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018
			SDG Ref	181103-16	181103-16	181103-16	181103-16	181103-16	181103-16
			Lab Sample No.(s)	18660967	18660982	18661014	18661019	18660990	18660995
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		91.2	94.5	94.3	91.1	94.6	88.3
Acenaphthene-d10 % recovery**	%	TM218		92.7	95.6	93.2	91.3	96.3	89.8
Phenanthrene-d10 % recovery**	%	TM218		99.7	100	95.8	92.9	102	99.4
Chrysene-d12 % recovery**	%	TM218		99.1	95.9	86.4	93.2	101	105
Perylene-d12 % recovery**	%	TM218		91.5	82.3	70.1	88.2	93.6	99.9
Naphthalene	<0.009 mg/kg	TM218		0.361 M	1.22 M	0.171 M	0.029 M	<0.009 M	0.469 M
Acenaphthylene	<0.012 mg/kg	TM218		0.816 M	0.589 M	0.0511 M	<0.012 M	<0.012 M	0.195 M
Acenaphthene	<0.008 mg/kg	TM218		0.0707 M	0.105 M	0.0108 M	<0.008 M	<0.008 M	0.0557 M
Fluorene	<0.01 mg/kg	TM218		1.04 M	0.381 M	0.0507 M	0.0128 M	<0.01 M	0.153 M
Phenanthrene	<0.015 mg/kg	TM218		6.03 M	3.91 M	0.557 M	0.0982 M	<0.015 M	1.34 M
Anthracene	<0.016 mg/kg	TM218		1.56 M	1.29 M	0.113 M	0.0259 M	<0.016 M	0.437 M
Fluoranthene	<0.017 mg/kg	TM218		6.24 M	7.21 M	0.668 M	0.133 M	<0.017 M	2.5 M
Pyrene	<0.015 mg/kg	TM218		4.16 M	5.65 M	0.511 M	0.101 M	<0.015 M	2.02 M
Benz(a)anthracene	<0.014 mg/kg	TM218		2.34 M	3.66 M	0.287 M	0.0587 M	<0.014 M	1.3 M
Chrysene	<0.01 mg/kg	TM218		1.81 M	3.45 M	0.278 M	0.0555 M	<0.01 M	1.22 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		2.39 M	5.11 M	0.328 M	0.0591 M	<0.015 M	1.11 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.817 M	2 M	0.104 M	0.0213 M	<0.014 M	0.569 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		1.86 M	3.79 M	0.216 M	0.0476 M	<0.015 M	1.1 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		1.38 M	2.95 M	0.175 M	0.0398 M	<0.018 M	0.697 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.301 M	0.7 M	0.0484 M	<0.023 M	<0.023 M	0.203 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		1.28 M	3.08 M	0.194 M	0.0392 M	<0.024 M	0.812 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		32.4	45.1	3.76	0.72	<0.118	14.2

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C1	4G-C2	4G-C2	4G-C1-V	4G-C2-V	
			Depth (m)	1.00 - 1.00	0.50 - 0.50	1.00 - 1.00	2.20 - 2.20	2.30 - 2.30	
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	
			Date Sampled	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018	
			Sample Time	00:00	00:00	00:00	00:00	00:00	
			Date Received	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018	
			SDG Ref	181103-16	181103-16	181103-16	181103-16	181103-16	
			Lab Sample No.(s)	18661004	18661027	18660971	18661009	18660978	
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		88.8	87.5	87.8	95.1	86.8	
Acenaphthene-d10 % recovery**	%	TM218		90.8	84.4	90.4	94.2	89.9	
Phenanthrene-d10 % recovery**	%	TM218		97.7	95.4	97.6	98.6	95.3	
Chrysene-d12 % recovery**	%	TM218		104	100	102	91.8	98.1	
Perylene-d12 % recovery**	%	TM218		102	94.1	98.2	82.4	88.7	
Naphthalene	<0.009 mg/kg	TM218		0.855 M	0.523 M	0.0501 M	<0.009 M	0.0167 M	
Acenaphthylene	<0.012 mg/kg	TM218		0.488 M	0.297 M	0.0155 M	<0.012 M	<0.012 M	
Acenaphthene	<0.008 mg/kg	TM218		0.148 M	<0.04 M	0.0202 M	<0.008 M	<0.008 M	
Fluorene	<0.01 mg/kg	TM218		0.363 M	0.15 M	0.0161 M	<0.01 M	<0.01 M	
Phenanthrene	<0.015 mg/kg	TM218		4.99 M	1.23 M	0.244 M	<0.015 M	<0.015 M	
Anthracene	<0.016 mg/kg	TM218		1.32 M	0.345 M	0.064 M	<0.016 M	<0.016 M	
Fluoranthene	<0.017 mg/kg	TM218		9.72 M	2.55 M	0.55 M	<0.017 M	<0.017 M	
Pyrene	<0.015 mg/kg	TM218		7.88 M	2.33 M	0.599 M	<0.015 M	<0.015 M	
Benz(a)anthracene	<0.014 mg/kg	TM218		5.81 M	1.47 M	0.408 M	<0.014 M	<0.014 M	
Chrysene	<0.01 mg/kg	TM218		4.83 M	1.48 M	0.481 M	<0.01 M	<0.01 M	
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		7.74 M	2.29 M	0.718 M	<0.015 M	<0.015 M	
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		2.75 M	0.644 M	0.292 M	<0.014 M	<0.014 M	
Benzo(a)pyrene	<0.015 mg/kg	TM218		5.58 M	1.32 M	0.465 M	<0.015 M	<0.015 M	
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		3.73 M	0.817 M	0.296 M	<0.018 M	<0.018 M	
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		1.26 M	0.244 M	0.077 M	<0.023 M	<0.023 M	
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		3.95 M	1.04 M	0.361 M	<0.024 M	<0.024 M	
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		61.4	16.7	4.66	<0.118	<0.118	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B1	4G-B1	4G-B2	4G-B2	4G-B1-V	4G-C1
			Depth (m)	0.20 - 0.20	0.70 - 0.70	0.70 - 0.70	1.30 - 1.30	1.90 - 1.90	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018
			SDG Ref	181103-16	181103-16	181103-16	181103-16	181103-16	181103-16
			Lab Sample No.(s)	18660967	18660982	18661014	18661019	18660990	18660995
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		87	32	86	101	99	57
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	0.267 #	<0.2 M	<0.2 M	<0.2 M	0.283 #
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	0.0652	<0.02	<0.02	0.042	0.0755
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	0.0576	<0.02	<0.02	0.0405	0.054
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	0.0489	<0.02	<0.02	0.0405	0.0583
Aliphatics >C12-C16	<0.1 mg/kg	TM173		1.78	0.281	<0.1	4.97	<0.1	2.61
Aliphatics >C16-C21	<0.1 mg/kg	TM173		9.08	26	4.52	20.6	0.861	29.4
Aliphatics >C21-C35	<0.1 mg/kg	TM173		90.1	46.8	42.6	48.3	10.1	145
Aliphatics >C35-C44	<0.1 mg/kg	TM173		34.4	3.82	3.13	13.1	12.1	29.4
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		135	76.9	50.2	87	23	207
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	0.038	<0.02	<0.02	0.027	0.0356
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	0.0326	<0.02	<0.02	0.027	0.0388
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		3.14	12.1	0.928	0.795	<0.1	7.37
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		11.5	93.2	10.9	4.69	0.543	28.9
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		73.7	245	26.6	9.07	35.7	107
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		45.3	67.6	1.5	1.61	5.18	48.8
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		18.8	22	<0.1	0.533	1.58	19
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		134	418	40	16.2	41.4	192
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		269	495	90.2	103	64.6	399

Validated

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C1	4G-C2	4G-C2	4G-C1-V	4G-C2-V
			Depth (m)	1.00 - 1.00	0.50 - 0.50	1.00 - 1.00	2.20 - 2.20	2.30 - 2.30
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00
			Date Received	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018
			SDG Ref	181103-16	181103-16	181103-16	181103-16	181103-16
			Lab Sample No.(s)	18661004	18661027	18660971	18661009	18660978
			AGS Reference					
GRO Surrogate % recovery**	%	TM089		113	77	87	108	106
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		8.85	4.2	<0.1	0.243	<0.1
Aliphatics >C16-C21	<0.1 mg/kg	TM173		33.2	42.4	5.33	0.376	<0.1
Aliphatics >C21-C35	<0.1 mg/kg	TM173		131	167	43.1	2.8	<0.1
Aliphatics >C35-C44	<0.1 mg/kg	TM173		42.5	48.7	9.87	10.4	0.462
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		215	262	58.3	13.8	0.462
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		21.4	7.44	2.01	<0.1	0.363
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		103	54.1	8.83	<0.1	0.866
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		431	168	52.6	4.53	10.8
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		128	70.3	26.9	0.892	7.35
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		38.9	27.5	9.92	<0.1	3.43
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		683	300	90.3	5.43	19.4
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		899	562	149	19.2	19.8

Validated

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B1	4G-B1	4G-B2	4G-B2	4G-B1-V	4G-C1
			Depth (m)	0.20 - 0.20	0.70 - 0.70	0.70 - 0.70	1.30 - 1.30	1.90 - 1.90	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018
			SDG Ref	181103-16	181103-16	181103-16	181103-16	181103-16	181103-16
			Lab Sample No.(s)	18660967	18660982	18661014	18661019	18660990	18660995
			AGS Reference						
Dibromofluoromethane**	%	TM116		106	90.9	106	108	113	99.1
Toluene-d8**	%	TM116		96.4	89.9	96.2	101	96.6	92.9
4-Bromofluorobenzene**	%	TM116		96.1	70.2	85.1	102	94.6	82.5
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.2 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.18 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.14 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.08 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.2 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.2 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.26 M	<0.13 M	<0.13 M	<0.13 M	0.155 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.8	<0.4	<0.4	<0.4	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C1	4G-C2	4G-C2	4G-C1-V	4G-C2-V	
			Depth (m)	1.00 - 1.00	0.50 - 0.50	1.00 - 1.00	2.20 - 2.20	2.30 - 2.30	
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	
			Date Sampled	02/11/2018	02/11/2018	02/11/2018	02/11/2018	02/11/2018	
			Sample Time	00:00	00:00	00:00	00:00	00:00	
			Date Received	03/11/2018	03/11/2018	03/11/2018	03/11/2018	03/11/2018	
			SDG Ref	181103-16	181103-16	181103-16	181103-16	181103-16	
			Lab Sample No.(s)	18661004	18661027	18660971	18661009	18660978	
			AGS Reference						
Dibromofluoromethane**	%	TM116		101	106	106	108	118	
Toluene-d8**	%	TM116		96.6	101	99	102	95.9	
4-Bromofluorobenzene**	%	TM116		79.9	95	85.9	103	97.1	
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M	
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Asbestos Identification - Solid Samples

		Date of Analysis	Analysed By	Comments	Amosite (Brown) Asbestos	Chrysotile (White) Asbestos	Crocidolite (Blue) Asbestos	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non-Asbestos Fibre
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B1 0.20 - 0.20 SOLID 02/11/2018 00:00:00 03/11/2018 10:11:46 181103-16 18660967 TM048	14/11/2018	Andrzej Ferfecki	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B2 1.30 - 1.30 SOLID 02/11/2018 00:00:00 03/11/2018 09:29:42 181103-16 18661019 TM048	09/11/2018	Renata Bozhkov	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-C1 1.00 - 1.00 SOLID 02/11/2018 00:00:00 03/11/2018 10:48:02 181103-16 18661004 TM048	14/11/2018	Andrzej Ferfecki	loose fibres in soil	Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-C2 1.00 - 1.00 SOLID 02/11/2018 00:00:00 03/11/2018 09:32:27 181103-16 18660971 TM048	09/11/2018	Marcin Magdziarek	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Asbestos Quantification - Full

		Additional Asbestos Components (Using TM048)	Analysts Comments	Asbestos Quantification - Gravimetric - %	Asbestos Quantification - PCOM Evaluation - %	Asbestos Quantification - Total - %
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-C1 1.00 - 1.00 SOLID 02/11/2018 00:00:00 03/11/2018 10:47:41 181103-16 18661004 TM304	Chrysotile (#)	Loose fibres in soil	0.0074 (#)	<0.001 (#)	0.0077 (#)

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.100	**Natural Moisture Content (%)**	11.1
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18660967
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-B1
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00521	<0.0005	0.0521	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00169	<0.0003	0.0169	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00196	<0.001	0.0196	<0.01	-	-	-
Vanadium	0.0739	<0.001	0.739	<0.01	-	-	-
Zinc	0.00167	<0.001	0.0167	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.0001	<0.0001	<0.001	<0.001	-	-	-
Acenaphthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Acenaphthylene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Phenanthrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Fluorene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Chrysene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Pyrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benz(a)anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(a)pyrene by GCMS	<0.00002	<0.00002	<0.0002	<0.0002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(ghi)perylene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
PAH 16 EPA Total by GCMS	<0.00082	<0.00082	<0.0082	<0.0082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	07-Nov-2018
pH (pH Units)	9.57
Conductivity (µS/cm)	128.00
Temperature (°C)	19.00
Volume Leachant (Litres)	0.890

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.100	**Natural Moisture Content (%)**	11.1
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18660967
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-B1
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	07-Nov-2018
pH (pH Units)	9.57
Conductivity (µS/cm)	128.00
Temperature (°C)	19.00
Volume Leachant (Litres)	0.890

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.81
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.9
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18660971
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-C2
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000101	<0.00001	0.000101	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.000598	<0.0005	0.00598	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00238	<0.001	0.0238	<0.01	-	-	-
Copper	0.00228	<0.0003	0.0228	<0.003	-	-	-
Lead	0.000984	<0.0002	0.00984	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00145	<0.001	0.0145	<0.01	-	-	-
Vanadium	0.0758	<0.001	0.758	<0.01	-	-	-
Zinc	0.00373	<0.001	0.0373	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000905	<0.00001	0.000905	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000192	<0.000005	0.000192	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00000713	<0.000005	0.0000713	<0.00005	-	-	-
Fluoranthene by GCMS	0.000146	<0.000005	0.00146	<0.00005	-	-	-
Anthracene by GCMS	0.0000131	<0.000005	0.000131	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000675	<0.000005	0.000675	<0.00005	-	-	-
Fluorene by GCMS	0.00000823	<0.000005	0.0000823	<0.00005	-	-	-
Chrysene by GCMS	0.0000199	<0.000005	0.000199	<0.00005	-	-	-
Pyrene by GCMS	0.000187	<0.000005	0.00187	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000105	<0.000005	0.000105	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000106	<0.000005	0.000106	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000528	<0.000005	0.0000528	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000532	<0.000002	0.0000532	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000591	<0.000082	0.00591	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	11.70
Conductivity (µS/cm)	836.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.81
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.9
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18660971
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-C2
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	0.039	<0.01	0.39	<0.1	-	-	-
Total Aliphatics >C12-C35	0.039	<0.01	0.39	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	0.039	<0.01	0.39	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	0.039	<0.01	0.39	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	11.70
Conductivity (µS/cm)	836.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.7
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18660982
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-B1
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	0.066	<0.05	0.66	<0.5	-	-	-
Arsenic	0.00188	<0.0005	0.0188	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00348	<0.001	0.0348	<0.01	-	-	-
Copper	0.00292	<0.0003	0.0292	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00126	<0.001	0.0126	<0.01	-	-	-
Vanadium	0.0654	<0.001	0.654	<0.01	-	-	-
Zinc	0.0083	<0.001	0.083	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.493	<0.019	4.93	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.0001	<0.0001	<0.001	<0.001	-	-	-
Acenaphthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Acenaphthylene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Phenanthrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Fluorene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Chrysene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Pyrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benz(a)anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(a)pyrene by GCMS	<0.00002	<0.00002	<0.0002	<0.0002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(ghi)perylene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
PAH 16 EPA Total by GCMS	<0.00082	<0.00082	<0.0082	<0.0082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	07-Nov-2018
pH (pH Units)	10.68
Conductivity (µS/cm)	217.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.7
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18660982
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-B1
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	07-Nov-2018
pH (pH Units)	10.68
Conductivity (µS/cm)	217.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.87
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.7
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18660995
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-C1
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000102	<0.00001	0.000102	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.0016	<0.0005	0.016	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00285	<0.0003	0.0285	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.00072	<0.0004	0.0072	<0.004	-	-	-
Selenium	0.00196	<0.001	0.0196	<0.01	-	-	-
Vanadium	0.0991	<0.001	0.991	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.0001	<0.0001	<0.001	<0.001	-	-	-
Acenaphthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Acenaphthylene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Phenanthrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Fluorene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Chrysene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Pyrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benz(a)anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(a)pyrene by GCMS	<0.00002	<0.00002	<0.0002	<0.0002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(ghi)perylene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
PAH 16 EPA Total by GCMS	<0.00082	<0.00082	<0.0082	<0.0082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	07-Nov-2018
pH (pH Units)	10.96
Conductivity (µS/cm)	324.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.87
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.7
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18660995
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-C1
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	07-Nov-2018
pH (pH Units)	10.96
Conductivity (µS/cm)	324.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.100	**Natural Moisture Content (%)**	11.1
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18661004
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-C1
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	0.648	<0.2	6.48	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00206	<0.0005	0.0206	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.000849	<0.0003	0.00849	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00199	<0.001	0.0199	<0.01	-	-	-
Vanadium	0.0689	<0.001	0.689	<0.01	-	-	-
Zinc	0.00339	<0.001	0.0339	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.241	<0.019	2.41	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.0001	<0.0001	<0.001	<0.001	-	-	-
Acenaphthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Acenaphthylene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Phenanthrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Fluorene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Chrysene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Pyrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benz(a)anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(a)pyrene by GCMS	<0.00002	<0.00002	<0.0002	<0.0002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Benzo(ghi)perylene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.00005	<0.00005	<0.0005	<0.0005	-	-	-
PAH 16 EPA Total by GCMS	<0.00082	<0.00082	<0.0082	<0.0082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	07-Nov-2018
pH (pH Units)	10.31
Conductivity (µS/cm)	144.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.890

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.100	**Natural Moisture Content (%)**	11.1
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18661004
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-C1
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	07-Nov-2018
pH (pH Units)	10.31
Conductivity (µS/cm)	144.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.890

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	7.99
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.6
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18661014
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-B2
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	0.449	<0.2	4.49	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00618	<0.0005	0.0618	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00111	<0.0003	0.0111	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00109	<0.001	0.0109	<0.01	-	-	-
Vanadium	0.0235	<0.001	0.235	<0.01	-	-	-
Zinc	0.0025	<0.001	0.025	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000141	<0.00001	0.000141	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000848	<0.000005	0.000848	<0.00005	-	-	-
Anthracene by GCMS	0.00000996	<0.000005	0.0000996	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000487	<0.000005	0.000487	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.0000426	<0.000005	0.000426	<0.00005	-	-	-
Pyrene by GCMS	0.0000733	<0.000005	0.000733	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000259	<0.000005	0.000259	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000688	<0.000005	0.000688	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000311	<0.000005	0.000311	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.000021	<0.000002	0.00021	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000322	<0.000005	0.000322	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.0000298	<0.000005	0.000298	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000482	<0.000082	0.00482	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	10.31
Conductivity (µS/cm)	113.00
Temperature (°C)	18.60
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	7.99
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.6
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18661014
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-B2
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	10.31
Conductivity (µS/cm)	113.00
Temperature (°C)	18.60
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	9.89
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18661019
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-B2
Depth (m)	1.30 - 1.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	0.596	<0.2	5.96	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.000602	<0.0005	0.00602	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00158	<0.0003	0.0158	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000445	<0.0004	0.00445	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.02	<0.001	0.2	<0.01	-	-	-
Zinc	0.0027	<0.001	0.027	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000737	<0.00001	0.000737	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000217	<0.000005	0.000217	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000138	<0.000005	0.000138	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000518	<0.000005	0.000518	<0.00005	-	-	-
Anthracene by GCMS	0.0000146	<0.000005	0.000146	<0.00005	-	-	-
Phenanthrene by GCMS	0.000173	<0.000005	0.00173	<0.00005	-	-	-
Fluorene by GCMS	0.0000435	<0.000005	0.000435	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000331	<0.000005	0.000331	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000425	<0.000082	0.00425	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	11.33
Conductivity (µS/cm)	455.00
Temperature (°C)	18.80
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	9.89
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18661019
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-B2
Depth (m)	1.30 - 1.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	11.33
Conductivity (µS/cm)	455.00
Temperature (°C)	18.80
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18661027
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-C2
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00197	<0.0005	0.0197	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.0021	<0.001	0.021	<0.01	-	-	-
Copper	0.0065	<0.0003	0.065	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000785	<0.0004	0.00785	<0.004	-	-	-
Selenium	0.00239	<0.001	0.0239	<0.01	-	-	-
Vanadium	0.0641	<0.001	0.641	<0.01	-	-	-
Zinc	0.00451	<0.001	0.0451	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000922	<0.00001	0.000922	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000422	<0.000005	0.000422	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000663	<0.000005	0.000663	<0.00005	-	-	-
Fluoranthene by GCMS	0.000217	<0.000005	0.00217	<0.00005	-	-	-
Anthracene by GCMS	0.0000365	<0.000005	0.000365	<0.00005	-	-	-
Phenanthrene by GCMS	0.000168	<0.000005	0.00168	<0.00005	-	-	-
Fluorene by GCMS	0.0000626	<0.000005	0.000626	<0.00005	-	-	-
Chrysene by GCMS	0.0000254	<0.000005	0.000254	<0.00005	-	-	-
Pyrene by GCMS	0.000293	<0.000005	0.00293	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000227	<0.000005	0.000227	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000022	<0.000005	0.00022	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000088	<0.000005	0.000088	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000989	<0.000002	0.0000989	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00107	<0.000082	0.0107	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	11.18
Conductivity (µS/cm)	395.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181103-16
Lab Sample Number(s)	18661027
Sampled Date	02-Nov-2018
Customer Sample Ref.	4G-C2
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	11.18
Conductivity (µS/cm)	395.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

19/11/2018 17:17:50

17:17:34 19/11/2018

Table of Results - Appendix

Method No	Reference	Description
ASB_PREP		
PM001		Preparation of Samples for Metals Analysis
PM024	Modified BS 1377	Soil preparation including homogenisation, moisture screens of soils for Asbestos Containing Material
PM115		Leaching Procedure for CEN One Stage Leach Test 2:1 & 10:1 1 Step
TM024	Method 4500A & B, AWWA/APHA, 20th Ed., 1999	Determination of Exchangeable Ammonium and Ammoniacal Nitrogen as N by titration on solids
TM048	HSG 248, Asbestos: The analysts' guide for sampling, analysis and clearance procedures	Identification of Asbestos in Bulk Material
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM062 (S)	National Grid Property Holdings Methods for the Collection & Analysis of Samples from National Grid Sites version 1 Sec 3.9	Determination of Phenols in Soils by HPLC
TM089	Modified: US EPA Methods 8020 & 602	Determination of Gasoline Range Hydrocarbons (GRO) by Headspace GC-FID (C4-C12)
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM116	Modified: US EPA Method 8260, 8120, 8020, 624, 610 & 602	Determination of Volatile Organic Compounds by Headspace / GC-MS
TM132	In - house Method	ELTRA CS800 Operators Guide
TM133	BS 1377: Part 3 1990;BS 6068-2.5	Determination of pH in Soil and Water using the GLpH pH Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM153	Method 4500A,B,C, I, M AWWA/APHA, 20th Ed., 1999	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate using the Skalar SANS+ System Segmented Flow Analyser
TM173	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Soils by GC-FID
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM181	US EPA Method 6010B	Determination of Routine Metals in Soil by iCap 6500 Duo ICP-OES
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM218	Shaker extraction - EPA method 3546.	The determination of PAH in soil samples by GC-MS
TM221	Inductively Coupled Plasma - Atomic Emission Spectroscopy. An Atlas of Spectral Information: Winge, Fassel, Peterson and Floyd	Determination of Acid extractable Sulphate in Soils by IRIS Emission Spectrometer
TM224	US EPA Method 6010B	Determination of Alkaline Metals by iCap 6500 Duo ICP-OES
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM243		Mixed Anions In Soils By Kone
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM304	HSE Contract research Report no 83/1996	Asbestos Quantification in Soil: Fibres identified by morphology only

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

CERTIFICATE OF ANALYSIS

SDG:	181103-16	**Client Reference:**		**Report Number:**	481753
Location:	Llanwern	**Order Number:**	LLA507	**Superseded Report:**	481519

Test Completion Dates

Lab Sample No(s)	18660967	18660982	18661014	18661019	18660990	18660995	18661004	18660971	18661027	18661009
Customer Sample Ref.	4G-B1	4G-B1	4G-B2	4G-B2	4G-B1-V	4G-C1	4G-C1	4G-C2	4G-C2	4G-C1-V
AGS Ref.										
Depth	0.20 - 0.20	0.70 - 0.70	0.70 - 0.70	1.30 - 1.30	1.90 - 1.90	0.40 - 0.40	1.00 - 1.00	1.00 - 1.00	0.50 - 0.50	2.20 - 2.20
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)	16-Nov-2018			16-Nov-2018			14-Nov-2018	16-Nov-2018		
Ammoniacal Nitrogen	15-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018		15-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	
Ammonium Soil by Titration	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018
Anions by Kone (soil)	09-Nov-2018			09-Nov-2018			15-Nov-2018	09-Nov-2018		
Asbestos ID in Solid Samples	14-Nov-2018			09-Nov-2018			14-Nov-2018	09-Nov-2018		
Asbestos Quantification - Full							16-Nov-2018			
CEN 10:1 Leachate (1 Stage)	07-Nov-2018	07-Nov-2018	08-Nov-2018	08-Nov-2018		07-Nov-2018	07-Nov-2018	08-Nov-2018	08-Nov-2018	
CEN Readings	09-Nov-2018	09-Nov-2018	10-Nov-2018	10-Nov-2018		09-Nov-2018	09-Nov-2018	10-Nov-2018	10-Nov-2018	
Cyanide Comp/Free/Total/Thiocyanate	16-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	16-Nov-2018	15-Nov-2018	19-Nov-2018	16-Nov-2018	16-Nov-2018	15-Nov-2018
Dissolved Metals by ICP-MS	15-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018		15-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	
EPH CWG (Aliphatic) Aqueous GC (W)	12-Nov-2018	12-Nov-2018	14-Nov-2018	14-Nov-2018		12-Nov-2018	12-Nov-2018	14-Nov-2018	14-Nov-2018	
EPH CWG (Aliphatic) GC (S)	09-Nov-2018	08-Nov-2018	08-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	08-Nov-2018	16-Nov-2018	16-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	12-Nov-2018	12-Nov-2018	14-Nov-2018	14-Nov-2018		12-Nov-2018	12-Nov-2018	14-Nov-2018	14-Nov-2018	
EPH CWG (Aromatic) GC (S)	09-Nov-2018	08-Nov-2018	08-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	08-Nov-2018	09-Nov-2018	09-Nov-2018
GRO by GC-FID (S)	10-Nov-2018	13-Nov-2018	10-Nov-2018	09-Nov-2018	10-Nov-2018	13-Nov-2018	12-Nov-2018	12-Nov-2018	09-Nov-2018	12-Nov-2018
GRO by GC-FID (W)	12-Nov-2018	12-Nov-2018	12-Nov-2018	13-Nov-2018		12-Nov-2018	12-Nov-2018	13-Nov-2018	12-Nov-2018	
Mercury Dissolved	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018		16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	
Metals in solid samples by OES	13-Nov-2018	19-Nov-2018	19-Nov-2018	13-Nov-2018	16-Nov-2018	19-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	16-Nov-2018
PAH by GCMS	09-Nov-2018	08-Nov-2018	08-Nov-2018	16-Nov-2018	08-Nov-2018	09-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018
PAH Spec MS - Aqueous (W)	09-Nov-2018	09-Nov-2018	14-Nov-2018	14-Nov-2018		09-Nov-2018	09-Nov-2018	14-Nov-2018	14-Nov-2018	
pH	14-Nov-2018	14-Nov-2018	13-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	15-Nov-2018	14-Nov-2018
pH Value	14-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018		14-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	
Phenols by HPLC (S)	12-Nov-2018	13-Nov-2018	13-Nov-2018	12-Nov-2018	13-Nov-2018	13-Nov-2018	12-Nov-2018	13-Nov-2018	13-Nov-2018	13-Nov-2018
Sample description	03-Nov-2018	03-Nov-2018	03-Nov-2018	03-Nov-2018	03-Nov-2018	03-Nov-2018	03-Nov-2018	03-Nov-2018	03-Nov-2018	03-Nov-2018
Total Organic Carbon	16-Nov-2018	15-Nov-2018	16-Nov-2018	16-Nov-2018	15-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	15-Nov-2018
Total Sulphate	13-Nov-2018			12-Nov-2018			13-Nov-2018	14-Nov-2018		
Total Sulphur	14-Nov-2018			13-Nov-2018			07-Nov-2018	13-Nov-2018		
TPH CWG (W)	12-Nov-2018	12-Nov-2018	14-Nov-2018	14-Nov-2018		12-Nov-2018	12-Nov-2018	14-Nov-2018	14-Nov-2018	
TPH CWG GC (S)	10-Nov-2018	13-Nov-2018	10-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	12-Nov-2018	16-Nov-2018	16-Nov-2018
VOC MS (S)	12-Nov-2018	14-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	14-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018

Lab Sample No(s)	18660978
Customer Sample Ref.	4G-C2-V
AGS Ref.	
Depth	2.30 - 2.30
Type	Soil/Solid (S)
Ammonium Soil by Titration	16-Nov-2018
Cyanide Comp/Free/Total/Thiocyanate	16-Nov-2018
EPH CWG (Aliphatic) GC (S)	16-Nov-2018
EPH CWG (Aromatic) GC (S)	09-Nov-2018
GRO by GC-FID (S)	10-Nov-2018
Metals in solid samples by OES	16-Nov-2018
PAH by GCMS	09-Nov-2018
pH	14-Nov-2018
Phenols by HPLC (S)	12-Nov-2018
Sample description	03-Nov-2018
Total Organic Carbon	16-Nov-2018
TPH CWG GC (S)	16-Nov-2018
VOC MS (S)	12-Nov-2018

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35ºC) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as “Not detected”. If no asbestos fibre types are found all will be reported as “Not detected” and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethyphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as “mixed hydrocarbons”. Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	**Container with Headspace provided for volatiles analysis**
2	**Incorrect container received**
3	**Deviation from method**
4	**Holding time exceeded before sample received**
5	**Samples exceeded holding time before presevation was performed**
§	**Sampled on date not provided**
♦	**Sample holding time exceeded in laboratory**
@	**Sample holding time exceeded due to sampled on date**
&	**Sample Holding Time exceeded - Late arrival of instructions.**

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US
Tel: (01244) 528700
Fax: (01244) 528701
email: hawardencustomerservices@alsglobal.com
Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: John Fitzgerald

CERTIFICATE OF ANALYSIS

Date:	20 November 2018
Customer:	H_ATKINS_LDC
Sample Delivery Group (SDG):	181106-25
Your Reference:	
Location:	Llanwern
Report No:	481875

We received 20 samples on Tuesday November 06, 2018 and 20 of these samples were scheduled for analysis which was completed on Tuesday November 20, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:

Sonia McWhan
Operations Manager

ALS Life Sciences Limited. Registered Office: Units 7 & 8 Hawarden Business Park, Manor Road, Hawarden, Deeside, CH5 3US. Registered in England and Wales No. 4057291.

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18673542	4G-A6		0.50 - 0.50	05/11/2018
18673546	4G-A6		0.70 - 0.70	05/11/2018
18673558	4G-A6-V		2.80 - 2.80	05/11/2018
18673562	4G-B3		0.50 - 0.50	05/11/2018
18673517	4G-B4		0.30 - 0.30	05/11/2018
18673521	4G-B4		0.60 - 0.60	05/11/2018
18673497	4G-B5		0.50 - 0.50	05/11/2018
18673509	4G-B5		1.00 - 1.00	05/11/2018
18673527	4G-B6		0.50 - 0.50	05/11/2018
18673532	4G-B6		0.90 - 0.90	05/11/2018
18673513	4G-B5-V		2.10 - 2.10	05/11/2018
18673538	4G-B6-V		1.80 - 1.80	05/11/2018
18673492	4G-C3		0.50 - 0.50	05/11/2018
18673554	4G-C3		1.00 - 1.00	05/11/2018
18673566	4G-C4		0.30 - 0.30	05/11/2018
18673570	4G-C4		0.80 - 0.80	05/11/2018
18673578	4G-C5		0.70 - 0.70	05/11/2018
18673584	4G-C5		1.20 - 1.20	05/11/2018
18673574	4G-C4-V		2.10 - 2.10	05/11/2018
18673593	4G-C5-V		1.90 - 1.90	05/11/2018

Maximum Sample/Coolbox Temperature (°C) : **10.0**

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -
S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

			Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
			18673542	4G-A6		0.50 - 0.50	1kg TUB	S
							250g Amber Jar (ALE210)	S
							60g VOC (ALE215)	S
			18673546	4G-A6		0.70 - 0.70	1kg TUB	S
							250g Amber Jar (ALE210)	S
							60g VOC (ALE215)	S
			18673558	4G-A6-V		2.80 - 2.80	250g Amber Jar (ALE210)	S
							60g VOC (ALE215)	S
			18673562	4G-B3		0.50 - 0.50	1kg TUB	S
							250g Amber Jar (ALE210)	S
							60g VOC (ALE215)	S
			18673517	4G-B4		0.30 - 0.30	1kg TUB	S
							250g Amber Jar (ALE210)	S
							60g VOC (ALE215)	S
			18673521	4G-B4		0.60 - 0.60	1kg TUB	S
							250g Amber Jar (ALE210)	S
							60g VOC (ALE215)	S
			18673497	4G-B5		0.50 - 0.50	1kg TUB	S
							250g Amber Jar (ALE210)	S
Alkali Metals by iCap-OES (Soil)	All	NDPs: 0 Tests: 8						
							X	
							X	
							X	
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 15						
			X			X		
			X			X		
			X			X		
Ammonium Soil by Titration	All	NDPs: 0 Tests: 20						
				X			X	
				X			X	
				X			X	
Anions by Kone (soil)	All	NDPs: 0 Tests: 8						
							X	
							X	
							X	
Asbestos ID in Solid Samples	All	NDPs: 0 Tests: 8						
							X	
							X	
							X	
Asbestos Quantification - Full	All	NDPs: 0 Tests: 3						
							X	
							X	
CEN Readings	All	NDPs: 0 Tests: 15						
			X			X		
			X			X		
			X			X		
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 35						
			X	X		X	X	
			X	X		X	X	
			X	X		X	X	
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 15						
			X			X		
			X			X		
			X			X		
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 15						
			X			X		
			X			X		
			X			X		
EPH CWG (Aliphatic) GC (S)	All	NDPs: 0 Tests: 20						
				X			X	
				X			X	
				X			X	
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 15						
			X			X		
			X			X		
			X			X		
EPH CWG (Aromatic) GC (S)	All	NDPs: 0 Tests: 20						
				X			X	
				X			X	
				X			X	
GRO by GC-FID (S)	All	NDPs: 0 Tests: 20						
					X			X
					X			X
					X			X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 15						
			X			X		
			X			X		
			X			X		

18673566	4G-C4		0.30 - 0.30	1kg TUB	S			x						x		x		x			x				x
18673554	4G-C3		1.00 - 1.00	60g VOC (ALE215)	S																			x	
				250g Amber Jar (ALE210)	S					x						x					x			x		
				1kg TUB	S			x						x		x		x			x				x
18673492	4G-C3		0.50 - 0.50	60g VOC (ALE215)	S																			x	
				250g Amber Jar (ALE210)	S		x			x		x				x					x			x		
				1kg TUB	S			x						x		x		x			x				x
18673538	4G-B6-V		1.80 - 1.80	60g VOC (ALE215)	S																			x	
				250g Amber Jar (ALE210)	S					x						x					x			x		
18673513	4G-B5-V		2.10 - 2.10	60g VOC (ALE215)	S																			x	
				250g Amber Jar (ALE210)	S					x						x					x			x		
18673532	4G-B6		0.90 - 0.90	60g VOC (ALE215)	S																			x	
				250g Amber Jar (ALE210)	S		x			x		x				x					x			x		
				1kg TUB	S			x				x		x		x		x			x				x
18673527	4G-B6		0.50 - 0.50	60g VOC (ALE215)	S																			x	
				250g Amber Jar (ALE210)	S					x						x					x			x		
				1kg TUB	S			x						x		x		x			x				x
18673509	4G-B5		1.00 - 1.00	60g VOC (ALE215)	S																			x	
				250g Amber Jar (ALE210)	S		x			x		x				x					x			x		
				1kg TUB	S			x				x		x		x		x			x				x
18673497	4G-B5		0.50 - 0.50	60g VOC (ALE215)	S																			x	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18673542			18673546			18673558		18673562			18673517			18673521			18673497
Customer Sample Reference			4G-A6			4G-A6			4G-A6-V		4G-B3			4G-B4			4G-B4			4G-B5
AGS Reference																				
Depth (m)			0.50 - 0.50			0.70 - 0.70			2.80 - 2.80		0.50 - 0.50			0.30 - 0.30			0.60 - 0.60			0.50 - 0.50
Container			1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Mercury Dissolved	All	NDPs: 0 Tests: 15	X			X					X			X			X			X	
Metals in solid samples by OES	All	NDPs: 0 Tests: 20		X			X		X			X			X			X			X
PAH by GCMS	All	NDPs: 0 Tests: 20		X			X		X			X			X			X			X
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 15	X			X					X			X			X			X	
pH	All	NDPs: 0 Tests: 20		X			X		X			X			X			X			X
pH Value	All	NDPs: 0 Tests: 15	X			X					X			X			X			X	
Phenols by HPLC (S)	All	NDPs: 0 Tests: 20		X			X		X			X			X			X			X
Sample description	All	NDPs: 0 Tests: 20		X			X		X			X			X			X			X
Total Organic Carbon	All	NDPs: 0 Tests: 20		X			X		X			X			X			X			X
Total Sulphate	All	NDPs: 0 Tests: 8					X					X			X						
Total Sulphur	All	NDPs: 0 Tests: 8					X					X			X						
TPH CWG (W)	All	NDPs: 0 Tests: 15	X			X					X			X			X			X	
TPH CWG GC (S)	All	NDPs: 0 Tests: 20		X			X		X			X			X			X			X
VOC MS (S)	All	NDPs: 0 Tests: 20			X			X		X			X			X			X		

18673566	4G-C4		0.30 - 0.30	1kg TUB	S	X			X		X						X		
18673554	4G-C3		1.00 - 1.00	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X				X	
				1kg TUB	S	X			X		X						X		
18673492	4G-C3		0.50 - 0.50	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X	X	X		X	
				1kg TUB	S	X			X		X						X		
18673538	4G-B6-V		1.80 - 1.80	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X				X	
18673513	4G-B5-V		2.10 - 2.10	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X				X	
18673532	4G-B6		0.90 - 0.90	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X	X	X		X	
				1kg TUB	S	X			X		X						X		
18673527	4G-B6		0.50 - 0.50	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X				X	
				1kg TUB	S	X			X		X						X		
18673509	4G-B5		1.00 - 1.00	60g VOC (ALE215)	S														X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X	X	X		X	
				1kg TUB	S	X			X		X						X		
18673497	4G-B5		0.50 - 0.50	60g VOC (ALE215)	S														X

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18673566		18673570			18673578			18673584			18673574		18673593	
Customer Sample Reference			4G-C4		4G-C4			4G-C5			4G-C5			4G-C4-V		4G-C5-V	
AGS Reference																	
Depth (m)			0.30 - 0.30		0.80 - 0.80			0.70 - 0.70			1.20 - 1.20			2.10 - 2.10		1.90 - 1.90	
Container			250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Alkali Metals by iCap-OES (Soil)	All	NDPs: 0 Tests: 8				X						X					
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 15			X			X			X						
Ammonium Soil by Titration	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
Anions by Kone (soil)	All	NDPs: 0 Tests: 8				X						X					
Asbestos ID in Solid Samples	All	NDPs: 0 Tests: 8			X						X						
Asbestos Quantification - Full	All	NDPs: 0 Tests: 3									X						
CEN Readings	All	NDPs: 0 Tests: 15			X			X			X						
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 35	X		X	X		X	X		X	X		X		X	
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 15			X			X			X						
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 15			X			X			X						
EPH CWG (Aliphatic) GC (S)	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 15			X			X			X						
EPH CWG (Aromatic) GC (S)	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
GRO by GC-FID (S)	All	NDPs: 0 Tests: 20		X			X			X			X		X		X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 15			X			X			X						

CERTIFICATE OF ANALYSIS

SDG: 181106-25	**Client Reference:**	**Report Number:** 481875	
Location: Llanwern	**Order Number:** LLA508	**Superseded Report:**	

Results Legend

- X — Test
- N — No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18673566		18673570			18673578			18673584			18673574		18673593	
Customer Sample Reference			4G-C4		4G-C4			4G-C5			4G-C5			4G-C4-V		4G-C5-V	
AGS Reference																	
Depth (m)			0.30 - 0.30		0.80 - 0.80			0.70 - 0.70			1.20 - 1.20			2.10 - 2.10		1.90 - 1.90	
Container			250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Mercury Dissolved	All	NDPs: 0 Tests: 15			X			X			X						
Metals in solid samples by OES	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
PAH by GCMS	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 15			X			X			X						
pH	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
pH Value	All	NDPs: 0 Tests: 15			X			X			X						
Phenols by HPLC (S)	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
Sample description	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
Total Organic Carbon	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
Total Sulphate	All	NDPs: 0 Tests: 8				X						X					
Total Sulphur	All	NDPs: 0 Tests: 8				X						X					
TPH CWG (W)	All	NDPs: 0 Tests: 15			X			X			X						
TPH CWG GC (S)	All	NDPs: 0 Tests: 20	X			X			X			X		X		X	
VOC MS (S)	All	NDPs: 0 Tests: 20		X			X			X			X		X		X

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Sample Descriptions

Grain Sizes

very fine	<0.063mm	fine	0.063mm - 0.1mm	medium	0.1mm - 2mm	coarse	2mm - 10mm	very coarse	>10mm

Lab Sample No(s)	Customer Sample Ref.	Depth (m)	Colour	Description	Inclusions	Inclusions 2
18673542	4G-A6	0.50 - 0.50	Dark Brown	Sand	Stones	None
18673546	4G-A6	0.70 - 0.70	Dark Brown	Sandy Clay	Stones	None
18673558	4G-A6-V	2.80 - 2.80	Dark Brown	Loamy Sand	Vegetation	None
18673562	4G-B3	0.50 - 0.50	Dark Brown	Loamy Sand	Stones	Vegetation
18673517	4G-B4	0.30 - 0.30	Dark Brown	Loamy Sand	Stones	Vegetation
18673521	4G-B4	0.60 - 0.60	Dark Brown	Loamy Sand	Stones	Vegetation
18673497	4G-B5	0.50 - 0.50	Dark Brown	Sand	Stones	Vegetation
18673509	4G-B5	1.00 - 1.00	Dark Brown	Loamy Sand	Stones	None
18673527	4G-B6	0.50 - 0.50	Dark Brown	Sandy Loam	Vegetation	Stones
18673532	4G-B6	0.90 - 0.90	Dark Brown	Sandy Loam	Vegetation	Stones
18673513	4G-B5-V	2.10 - 2.10	Dark Brown	Silty Clay	None	None
18673538	4G-B6-V	1.80 - 1.80	Dark Brown	Sandy Loam	Vegetation	Stones
18673492	4G-C3	0.50 - 0.50	Dark Brown	Loamy Sand	Stones	Vegetation
18673554	4G-C3	1.00 - 1.00	Dark Brown	Loamy Sand	Stones	Vegetation
18673566	4G-C4	0.30 - 0.30	Black	Loamy Sand	Stones	Vegetation
18673570	4G-C4	0.80 - 0.80	Dark Brown	Sandy Loam	Stones	Vegetation
18673578	4G-C5	0.70 - 0.70	Black	Sand	Stones	None
18673584	4G-C5	1.20 - 1.20	Dark Brown	Loamy Sand	Stones	Vegetation
18673574	4G-C4-V	2.10 - 2.10	Black	Sandy Clay	Stones	Vegetation
18673593	4G-C5-V	1.90 - 1.90	Dark Brown	Sandy Loam	Vegetation	Stones

These descriptions are only intended to act as a cross check if sample identities are questioned, and to provide a log of sample matrices with respect to MCERTS validation. They are not intended as full geological descriptions.

We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally ocurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample.

Other coarse granular materials such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-A6	4G-A6	4G-A6-V	4G-B3	4G-B4	4G-B4
			Depth (m)	0.50 - 0.50	0.70 - 0.70	2.80 - 2.80	0.50 - 0.50	0.30 - 0.30	0.60 - 0.60
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673542	18673546	18673558	18673562	18673517	18673521
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		14	14	72	7.7	8.6	6.9
Exchangeable Ammonia as N	<12 mg/kg	TM024		22.7 M	<12 M	97.3 M	<12 M	<12 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132			0.208		0.31	0.414	
Sulphate, Total potential	<0.06 %	TM132			0.624		0.93	1.24	
Soil Organic Matter (SOM)	<0.35 %	TM132		5.69 #	3.22 #	59.8 #	<0.35 #	0.378 #	3.65 #
pH	1 pH Units	TM133		11.9 M	11.6 M	6.85 M	11 M	10.9 M	9.26 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		13.8 M	<6 M	10.2 M	8.77 M	8.77 M	27.1 M
Cadmium	<0.02 mg/kg	TM181		1.19 M	<0.2 M	0.222 M	<0.2 M	<0.02 M	1.15 M
Chromium	<0.9 mg/kg	TM181		240 M	533 M	3.2 M	22.5 M	56.3 M	6.54 M
Copper	<1.4 mg/kg	TM181		32.3 M	15.9 M	15.6 M	17.6 M	10.9 M	31.3 M
Iron	<1000 mg/kg	TM181		165000 #	159000 #	13200 #	131000 #	53600 #	105000 #
Lead	<0.7 mg/kg	TM181		30.1 M	14.3 M	4.61 M	46.4 M	59.6 M	39.1 M
Manganese	<0.13 mg/kg	TM181		23700 M	30100 M	292 M	3380 M	67.6 M	3760 M
Mercury	<0.14 mg/kg	TM181		<0.14 M	<1.4 M	<0.14 M	<1.4 M	<0.14 M	<0.14 M
Nickel	<0.2 mg/kg	TM181		22.3 M	12.7 M	9.29 M	26.7 M	10.9 M	26.5 M
Selenium	<1 mg/kg	TM181		6.38 #	15.5 #	1.55 #	<10 #	3.23 #	<1 #
Vanadium	<0.2 mg/kg	TM181		430 #	985 #	10.5 #	64.8 #	90.7 #	43 #
Zinc	<1.9 mg/kg	TM181		99.3 M	50.6 M	47.1 M	200 M	233 M	130 M
Sulphate, acid soluble (total)	<0.02 %	TM221			0.316		0.381	1.59	
Calcium	<21 mg/kg	TM224			157000		131000	83100	
Magnesium	<8 mg/kg	TM224			8180		7540	12700	
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243			0.0858 M		0.169 M	0.172 M	
Asbestos Quantification - Gravimetric - %	<0.001 %	TM304					<0.001 #	0.0047 #	
Asbestos Quantification - PCOM Evaluation - %	<0.001 %	TM304					<0.001 #	<0.001 #	
Additional Asbestos Components (Using TM048)		TM304					None #	None #	
Analysts Comments		TM304					N/A	N/A	
Asbestos Quantification - Total - %	<0.001 %	TM304					<0.001 #	0.0047 #	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B5	4G-B5	4G-B6	4G-B6	4G-B5-V	4G-B6-V
			Depth (m)	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.90 - 0.90	2.10 - 2.10	1.80 - 1.80
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673497	18673509	18673527	18673532	18673513	18673538
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		7.7	7.1	9.7	9.4	21	24
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	<12 M	15.6 M	<12 M	<12 M	200 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	0.0323 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132			0.177		0.667		
Sulphate, Total potential	<0.06 %	TM132			0.531		2		
Soil Organic Matter (SOM)	<0.35 %	TM132		9.03 #	1.08 #	6.47 #	4.26 #	0.926 #	1.86 #
pH	1 pH Units	TM133		8.81 M	12.3 M	10.5 M	11.9 M	8.16 M	7.58 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		8.81 M	<6 M	10.7 M	<6 M	141 M	11.8 M
Cadmium	<0.02 mg/kg	TM181		0.245 M	<0.2 M	0.932 M	<0.2 M	0.408 M	0.317 M
Chromium	<0.9 mg/kg	TM181		21.7 M	763 M	79.1 M	421 M	26.9 M	38.6 M
Copper	<1.4 mg/kg	TM181		26.5 M	28.3 M	23 M	16.1 M	66 M	11.5 M
Iron	<1000 mg/kg	TM181		25000 #	207000 #	58700 #	115000 #	31500 #	33400 #
Lead	<0.7 mg/kg	TM181		25.2 M	19.4 M	54.8 M	18.3 M	29.4 M	28 M
Manganese	<0.13 mg/kg	TM181		1110 M	4310 M	6010 M	2070 M	1050 M	688 M
Mercury	<0.14 mg/kg	TM181		<0.14 M	<1.4 M	<0.14 M	<1.4 M	<0.14 M	<0.14 M
Nickel	<0.2 mg/kg	TM181		24.5 M	12 M	17.5 M	12.2 M	33 M	36.1 M
Selenium	<1 mg/kg	TM181		<1 #	24.3 #	2.33 #	12 #	<1 #	<1 #
Vanadium	<0.2 mg/kg	TM181		40.4 #	702 #	113 #	286 #	48.4 #	62.5 #
Zinc	<1.9 mg/kg	TM181		45.1 M	51.8 M	332 M	75.2 M	130 M	97.7 M
Sulphate, acid soluble (total)	<0.02 %	TM221			0.454		1.2		
Calcium	<21 mg/kg	TM224			168000		190000		
Magnesium	<8 mg/kg	TM224			23000		11600		
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243			0.041 M		0.177 M		

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C3	4G-C3	4G-C4	4G-C4	4G-C5	4G-C5
			Depth (m)	0.50 - 0.50	1.00 - 1.00	0.30 - 0.30	0.80 - 0.80	0.70 - 0.70	1.20 - 1.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673492	18673554	18673566	18673570	18673578	18673584
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		7.7	9.5	16	11	13	11
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	<12 M	<12 M	20.3 M	<12 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		0.0108 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		0.0217 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132		0.233			0.26		0.291
Sulphate, Total potential	<0.06 %	TM132		0.699			0.78		0.873
Soil Organic Matter (SOM)	<0.35 %	TM132		1.81 #	3.83 #	10.1 #	1.31 #	34.1 #	12.6 #
pH	1 pH Units	TM133		10.9 M	11.3 M	11.3 M	11.2 M	11.4 M	12 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	1.27 M	1.02 M	1.64 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		11.6 M	9.95 M	9.69 M	9.25 M	10.9 M	6.62 M
Cadmium	<0.02 mg/kg	TM181		<0.2 M	0.775 M	0.702 M	<0.02 M	<0.02 M	0.0249 M
Chromium	<0.9 mg/kg	TM181		256 M	99.4 M	104 M	12.6 M	14.4 M	25.6 M
Copper	<1.4 mg/kg	TM181		21.6 M	22 M	32.8 M	14.1 M	20 M	8.24 M
Iron	<1000 mg/kg	TM181		91600 #	49500 #	49100 #	48100 #	35600 #	17200 #
Lead	<0.7 mg/kg	TM181		40.1 M	41.4 M	54.6 M	27.4 M	38.1 M	21.6 M
Manganese	<0.13 mg/kg	TM181		1230 M	9570 M	10300 M	2020 M	2070 M	2930 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<0.14 M	0.268 M	<0.14 M	<0.14 M	<0.14 M
Nickel	<0.2 mg/kg	TM181		12.2 M	11.5 M	24.7 M	17.6 M	13.4 M	7.55 M
Selenium	<1 mg/kg	TM181		<10 #	3.69 #	3.92 #	<1 #	1.5 #	2.04 #
Vanadium	<0.2 mg/kg	TM181		226 #	124 #	170 #	33.5 #	38.7 #	52.4 #
Zinc	<1.9 mg/kg	TM181		202 M	338 M	165 M	145 M	173 M	46.7 M
Sulphate, acid soluble (total)	<0.02 %	TM221		0.427			0.812		1.37
Calcium	<21 mg/kg	TM224		187000			121000		212000
Magnesium	<8 mg/kg	TM224		9200			30400		8010
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243		0.204 M			0.261 M		0.215 M
Asbestos Quantification - Gravimetric - %	<0.001 %	TM304							<0.001 #
Asbestos Quantification - PCOM Evaluation - %	<0.001 %	TM304							<0.001 #
Additional Asbestos Components (Using TM048)		TM304							None #
Analysts Comments		TM304							N/C
Asbestos Quantification - Total - %	<0.001 %	TM304							<0.001 #

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C4-V	4G-C5-V				
			Depth (m)	2.10 - 2.10	1.90 - 1.90				
			Sample Type	Soil/Solid (S)	Soil/Solid (S)				
			Date Sampled	05/11/2018	05/11/2018				
			Sample Time	00:00	00:00				
			Date Received	06/11/2018	06/11/2018				
			SDG Ref	181106-25	181106-25				
			Lab Sample No.(s)	18673574	18673593				
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		24	23				
Exchangeable Ammonia as N	<12 mg/kg	TM024		134 M	79.3 M				
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M				
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M				
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M				
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M				
Soil Organic Matter (SOM)	<0.35 %	TM132		4.5 #	1.3 #				
pH	1 pH Units	TM133		7 M	8.12 M				
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M				
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M				
Arsenic	<0.6 mg/kg	TM181		10.8 M	13.4 M				
Cadmium	<0.02 mg/kg	TM181		0.409 M	0.363 M				
Chromium	<0.9 mg/kg	TM181		40.1 M	33.2 M				
Copper	<1.4 mg/kg	TM181		24.8 M	11.4 M				
Iron	<1000 mg/kg	TM181		29900 #	34400 #				
Lead	<0.7 mg/kg	TM181		27 M	23.8 M				
Manganese	<0.13 mg/kg	TM181		535 M	1270 M				
Mercury	<0.14 mg/kg	TM181		<0.14 M	<0.14 M				
Nickel	<0.2 mg/kg	TM181		37.8 M	35.8 M				
Selenium	<1 mg/kg	TM181		<1 #	<1 #				
Vanadium	<0.2 mg/kg	TM181		63.4 #	58.7 #				
Zinc	<1.9 mg/kg	TM181		119 M	103 M				

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-A6	4G-A6	4G-A6-V	4G-B3	4G-B4	4G-B4
			Depth (m)	0.50 - 0.50	0.70 - 0.70	2.80 - 2.80	0.50 - 0.50	0.30 - 0.30	0.60 - 0.60
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673542	18673546	18673558	18673562	18673517	18673521
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		97.9	98.5	90.7	91.3	86.6	95.7
Acenaphthene-d10 % recovery**	%	TM218		98.1	97.5	87.2	85.2	92.5	97.6
Phenanthrene-d10 % recovery**	%	TM218		99.8	100	92.7	91.4	100	96.7
Chrysene-d12 % recovery**	%	TM218		101	102	87	91	101	94.3
Perylene-d12 % recovery**	%	TM218		96.4	95.7	85.2	91.5	94	83.5
Naphthalene	<0.009 mg/kg	TM218		0.0835 M	0.0332 M	<0.09 M	0.115 M	0.22 M	0.0337 M
Acenaphthylene	<0.012 mg/kg	TM218		0.0272 M	<0.012 M	<0.12 M	0.0476 M	0.116 M	<0.012 M
Acenaphthene	<0.008 mg/kg	TM218		0.0511 M	0.0303 M	<0.08 M	0.00961 M	0.0447 M	<0.008 M
Fluorene	<0.01 mg/kg	TM218		0.033 M	0.0139 M	<0.1 M	0.0261 M	0.0936 M	<0.01 M
Phenanthrene	<0.015 mg/kg	TM218		0.464 M	0.276 M	<0.15 M	0.234 M	0.778 M	0.0976 M
Anthracene	<0.016 mg/kg	TM218		0.111 M	0.0463 M	<0.16 M	0.0686 M	0.261 M	<0.016 M
Fluoranthene	<0.017 mg/kg	TM218		1.79 M	1.2 M	<0.17 M	0.431 M	1.67 M	0.145 M
Pyrene	<0.015 mg/kg	TM218		1.84 M	1.26 M	<0.15 M	0.358 M	1.33 M	0.127 M
Benz(a)anthracene	<0.014 mg/kg	TM218		1.46 M	1.04 M	<0.14 M	0.287 M	0.846 M	0.0943 M
Chrysene	<0.01 mg/kg	TM218		1.47 M	1.14 M	<0.1 M	0.296 M	0.779 M	0.107 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		1.62 M	1.07 M	<0.15 M	0.532 M	0.658 M	0.122 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.914 M	0.695 M	<0.14 M	0.197 M	0.398 M	0.0515 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		1.96 M	1.39 M	<0.15 M	0.347 M	0.742 M	0.113 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		1.34 M	0.875 M	<0.18 M	0.254 M	0.474 M	0.0935 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.283 M	0.207 M	<0.23 M	0.0736 M	0.132 M	0.0266 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		1.32 M	0.946 M	<0.24 M	0.279 M	0.556 M	0.101 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		14.8	10.2	<1.18	3.56	9.1	1.11

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B5	4G-B5	4G-B6	4G-B6	4G-B5-V	4G-B6-V
			Depth (m)	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.90 - 0.90	2.10 - 2.10	1.80 - 1.80
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673497	18673509	18673527	18673532	18673513	18673538
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		86.9	86.5	85.7	97	99.3	93.1
Acenaphthene-d10 % recovery**	%	TM218		83.5	91.9	89.9	96.3	97	89.4
Phenanthrene-d10 % recovery**	%	TM218		82	98.6	99.2	95.6	97.8	89.7
Chrysene-d12 % recovery**	%	TM218		79.3	104	101	97.2	99.3	90.5
Perylene-d12 % recovery**	%	TM218		74.2	99.7	94.7	90.9	92.9	92.6
Naphthalene	<0.009 mg/kg	TM218		0.136 M	0.0272 M	0.243 M	0.141 M	<0.009 M	<0.009 M
Acenaphthylene	<0.012 mg/kg	TM218		0.0501 M	<0.012 M	0.21 M	0.0648 M	<0.012 M	<0.012 M
Acenaphthene	<0.008 mg/kg	TM218		0.00892 M	0.0342 M	0.0287 M	0.0184 M	<0.008 M	<0.008 M
Fluorene	<0.01 mg/kg	TM218		0.0357 M	0.0126 M	0.126 M	0.0337 M	<0.01 M	<0.01 M
Phenanthrene	<0.015 mg/kg	TM218		0.306 M	0.616 M	0.999 M	0.393 M	<0.015 M	<0.015 M
Anthracene	<0.016 mg/kg	TM218		0.0824 M	0.0602 M	0.374 M	0.119 M	<0.016 M	<0.016 M
Fluoranthene	<0.017 mg/kg	TM218		0.445 M	1.52 M	2.13 M	0.966 M	<0.017 M	<0.017 M
Pyrene	<0.015 mg/kg	TM218		0.379 M	1.45 M	1.67 M	0.88 M	<0.015 M	<0.015 M
Benz(a)anthracene	<0.014 mg/kg	TM218		0.328 M	1.22 M	1.15 M	0.662 M	<0.014 M	<0.014 M
Chrysene	<0.01 mg/kg	TM218		0.305 M	1.29 M	1.05 M	0.714 M	<0.01 M	<0.01 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		0.519 M	1.61 M	1.24 M	0.747 M	<0.015 M	<0.015 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.201 M	0.718 M	0.47 M	0.373 M	<0.014 M	<0.014 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.316 M	1.63 M	1.13 M	0.775 M	<0.015 M	<0.015 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.227 M	0.96 M	0.729 M	0.614 M	<0.018 M	<0.018 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.0744 M	0.264 M	0.209 M	0.135 M	<0.023 M	<0.023 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		0.24 M	1.11 M	0.862 M	0.638 M	<0.024 M	<0.024 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		3.65	12.5	12.6	7.27	<0.118	<0.118

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C3	4G-C3	4G-C4	4G-C4	4G-C5	4G-C5
			Depth (m)	0.50 - 0.50	1.00 - 1.00	0.30 - 0.30	0.80 - 0.80	0.70 - 0.70	1.20 - 1.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673492	18673554	18673566	18673570	18673578	18673584
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		85.7	86.5	91.2	87.9	93.3	85.4
Acenaphthene-d10 % recovery**	%	TM218		90.8	77.7	89.4	86.8	93.6	89.7
Phenanthrene-d10 % recovery**	%	TM218		101	84.6	87.4	87.5	94	97.4
Chrysene-d12 % recovery**	%	TM218		101	92.7	89.1	91.1	93.8	100
Perylene-d12 % recovery**	%	TM218		95.8	93.5	91.7	94.4	87.5	94.3
Naphthalene	<0.009 mg/kg	TM218		0.303 M	<0.09 M	0.131 M	0.0492 M	0.909 M	0.224 M
Acenaphthylene	<0.012 mg/kg	TM218		0.212 M	<0.12 M	0.0289 M	0.0145 M	0.218 M	0.0659 M
Acenaphthene	<0.008 mg/kg	TM218		0.0515 M	<0.08 M	0.0221 M	<0.008 M	0.0441 M	0.00959 M
Fluorene	<0.01 mg/kg	TM218		0.16 M	<0.1 M	0.0358 M	<0.01 M	0.157 M	0.0343 M
Phenanthrene	<0.015 mg/kg	TM218		1.41 M	0.276 M	0.388 M	0.13 M	1.92 M	0.517 M
Anthracene	<0.016 mg/kg	TM218		0.4 M	<0.16 M	0.104 M	0.0347 M	0.472 M	0.215 M
Fluoranthene	<0.017 mg/kg	TM218		3.04 M	0.391 M	0.785 M	0.288 M	3.24 M	1.07 M
Pyrene	<0.015 mg/kg	TM218		2.61 M	0.449 M	0.707 M	0.271 M	2.67 M	0.882 M
Benz(a)anthracene	<0.014 mg/kg	TM218		1.71 M	0.218 M	0.646 M	0.245 M	1.92 M	0.646 M
Chrysene	<0.01 mg/kg	TM218		1.54 M	0.261 M	0.647 M	0.261 M	1.72 M	0.632 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		2.04 M	0.378 M	1.2 M	0.505 M	2.94 M	0.762 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.898 M	<0.14 M	0.465 M	0.167 M	0.959 M	0.292 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		1.85 M	0.261 M	0.906 M	0.364 M	1.8 M	0.656 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		1.15 M	<0.18 M	0.589 M	0.24 M	1.3 M	0.447 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.349 M	<0.23 M	0.164 M	0.0673 M	0.361 M	0.126 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		1.34 M	<0.24 M	0.684 M	0.278 M	1.37 M	0.503 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		19.1	2.23	7.5	2.92	22	7.08

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C4-V	4G-C5-V				
			Depth (m)	2.10 - 2.10	1.90 - 1.90				
			Sample Type	Soil/Solid (S)	Soil/Solid (S)				
			Date Sampled	05/11/2018	05/11/2018				
			Sample Time	00:00	00:00				
			Date Received	06/11/2018	06/11/2018				
			SDG Ref	181106-25	181106-25				
			Lab Sample No.(s)	18673574	18673593				
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		99.3	98.7				
Acenaphthene-d10 % recovery**	%	TM218		97.6	97.3				
Phenanthrene-d10 % recovery**	%	TM218		94.6	95.8				
Chrysene-d12 % recovery**	%	TM218		100	98				
Perylene-d12 % recovery**	%	TM218		89	87				
Naphthalene	<0.009 mg/kg	TM218		<0.009 M	<0.009 M				
Acenaphthylene	<0.012 mg/kg	TM218		<0.012 M	<0.012 M				
Acenaphthene	<0.008 mg/kg	TM218		<0.008 M	<0.008 M				
Fluorene	<0.01 mg/kg	TM218		<0.01 M	<0.01 M				
Phenanthrene	<0.015 mg/kg	TM218		<0.015 M	<0.015 M				
Anthracene	<0.016 mg/kg	TM218		<0.016 M	<0.016 M				
Fluoranthene	<0.017 mg/kg	TM218		<0.017 M	<0.017 M				
Pyrene	<0.015 mg/kg	TM218		<0.015 M	<0.015 M				
Benz(a)anthracene	<0.014 mg/kg	TM218		<0.014 M	<0.014 M				
Chrysene	<0.01 mg/kg	TM218		<0.01 M	<0.01 M				
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		<0.015 M	<0.015 M				
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		<0.014 M	<0.014 M				
Benzo(a)pyrene	<0.015 mg/kg	TM218		<0.015 M	<0.015 M				
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		<0.018 M	<0.018 M				
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		<0.023 M	<0.023 M				
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		<0.024 M	<0.024 M				
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		<0.118	<0.118				

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-A6	4G-A6	4G-A6-V	4G-B3	4G-B4	4G-B4
			Depth (m)	0.50 - 0.50	0.70 - 0.70	2.80 - 2.80	0.50 - 0.50	0.30 - 0.30	0.60 - 0.60
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673542	18673546	18673558	18673562	18673517	18673521
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		88	126	78.2	75	92	85.6
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		2.03	1.5	0.546	<0.1	2.89	1.18
Aliphatics >C16-C21	<0.1 mg/kg	TM173		8.87	3.86	<0.1	6.48	11.6	6.52
Aliphatics >C21-C35	<0.1 mg/kg	TM173		53.5	21.9	42.8	39.3	79.1	23.3
Aliphatics >C35-C44	<0.1 mg/kg	TM173		25.2	15.1	<0.1	7.93	24.9	8.51
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		89.6	42.3	43.3	53.7	118	39.5
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		1.41	<0.1	2.52	7.26	1.74	<0.1
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		12.4	5.95	8	72.8	10.1	1.17
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		98	57	159	3310	49.4	19.4
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		41	20	32.5	74.4	24.8	15.8
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		15	6.7	11.9	24.6	9.64	6.88
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		153	82.9	202	3470	86.1	36.3
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		242	125	245	3520	205	75.8

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B5	4G-B5	4G-B6	4G-B6	4G-B5-V	4G-B6-V
			Depth (m)	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.90 - 0.90	2.10 - 2.10	1.80 - 1.80
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673497	18673509	18673527	18673532	18673513	18673538
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		65	92	84.5	80.9	99.8	98
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 #	<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		1.67	1.61	15	2.03	<0.1	<0.1
Aliphatics >C16-C21	<0.1 mg/kg	TM173		4.36	7.42	13.4	9.5	<0.1	<0.1
Aliphatics >C21-C35	<0.1 mg/kg	TM173		11.9	51.5	121	74.1	<0.1	2.07
Aliphatics >C35-C44	<0.1 mg/kg	TM173		1.46	8.9	91.6	47.5	<0.1	<0.1
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		19.4	69.4	241	133	<0.1	2.07
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		1.18	0.435	5.94	2.16	<0.1	<0.1
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		5.16	13.2	13.9	10.7	0.34	<0.1
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		18.6	108	229	108	3.05	5.95
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		6.72	35.5	228	74.8	0.95	0.607
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		2.43	12.6	90.1	32.3	<0.1	<0.1
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		31.6	157	476	196	4.34	6.55
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		51.1	226	717	329	4.34	8.62

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C3	4G-C3	4G-C4	4G-C4	4G-C5	4G-C5
			Depth (m)	0.50 - 0.50	1.00 - 1.00	0.30 - 0.30	0.80 - 0.80	0.70 - 0.70	1.20 - 1.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673492	18673554	18673566	18673570	18673578	18673584
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		73.6	94.2	38.4	88	18.4	83.9
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 #	<0.2 M	0.576 #	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	0.0357	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	0.194	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	0.115	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	0.0656	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		2.58	1.93	0.267	0.918	5.99	1.21
Aliphatics >C16-C21	<0.1 mg/kg	TM173		18.4	17.6	3.07	8.81	27.1	7.45
Aliphatics >C21-C35	<0.1 mg/kg	TM173		198	399	18.7	14.9	151	21.3
Aliphatics >C35-C44	<0.1 mg/kg	TM173		37.4	46.3	3.25	3.77	43.5	2.38
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		256	465	25.2	28.4	227	32.3
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	0.0449	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	0.0759	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	0.0437	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		4.04	1.7	1.11	0.302	8.94	2.07
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		21.4	10.9	6.46	2.02	35.4	10.2
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		133	152	41.3	19.5	135	32.8
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		63	40.7	14.2	14.3	40.7	9.99
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		25.4	15.7	5.18	6.23	13.7	3.64
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		222	205	63.1	36.1	220	55.1
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		478	670	88.4	64.5	448	87.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C4-V	4G-C5-V				
			Depth (m)	2.10 - 2.10	1.90 - 1.90				
			Sample Type	Soil/Solid (S)	Soil/Solid (S)				
			Date Sampled	05/11/2018	05/11/2018				
			Sample Time	00:00	00:00				
			Date Received	06/11/2018	06/11/2018				
			SDG Ref	181106-25	181106-25				
			Lab Sample No.(s)	18673574	18673593				
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		90	103				
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M				
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02				
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02				
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02				
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02				
Aliphatics >C12-C16	<0.1 mg/kg	TM173		0.443	<0.1				
Aliphatics >C16-C21	<0.1 mg/kg	TM173		<0.1	<0.1				
Aliphatics >C21-C35	<0.1 mg/kg	TM173		1.22	<0.1				
Aliphatics >C35-C44	<0.1 mg/kg	TM173		<0.1	<0.1				
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		1.67	<0.1				
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02				
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02				
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02				
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02				
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		<0.1	<0.1				
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		0.212	<0.1				
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		7.47	3.2				
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		1.11	<0.1				
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		<0.1	<0.1				
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		8.8	3.2				
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		10.5	3.2				

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-A6	4G-A6	4G-A6-V	4G-B3	4G-B4	4G-B4
			Depth (m)	0.50 - 0.50	0.70 - 0.70	2.80 - 2.80	0.50 - 0.50	0.30 - 0.30	0.60 - 0.60
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673542	18673546	18673558	18673562	18673517	18673521
			AGS Reference						
Dibromofluoromethane**	%	TM116		112	108	112	105	108	109
Toluene-d8**	%	TM116		98.7	99.8	93.6	113	101	97.8
4-Bromofluorobenzene**	%	TM116		91.2	108	74.4	94.6	97.5	85.2
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B5	4G-B5	4G-B6	4G-B6	4G-B5-V	4G-B6-V
			Depth (m)	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.90 - 0.90	2.10 - 2.10	1.80 - 1.80
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673497	18673509	18673527	18673532	18673513	18673538
			AGS Reference						
Dibromofluoromethane**	%	TM116		105	107	104	104	110	111
Toluene-d8**	%	TM116		96.9	115	108	101	99	98.6
4-Bromofluorobenzene**	%	TM116		80.1	100	91.9	93.7	91.9	96.7
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	0.534 M	<0.13 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C3	4G-C3	4G-C4	4G-C4	4G-C5	4G-C5
			Depth (m)	0.50 - 0.50	1.00 - 1.00	0.30 - 0.30	0.80 - 0.80	0.70 - 0.70	1.20 - 1.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018	05/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018	06/11/2018
			SDG Ref	181106-25	181106-25	181106-25	181106-25	181106-25	181106-25
			Lab Sample No.(s)	18673492	18673554	18673566	18673570	18673578	18673584
			AGS Reference						
Dibromofluoromethane**	%	TM116		109	108	97.1	108	84.2	103
Toluene-d8**	%	TM116		97	96.8	93.6	98.5	77.4	94.5
4-Bromofluorobenzene**	%	TM116		83.1	86.7	70	109	64.7	80
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	0.108 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	<0.13 M	0.364 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-C4-V	4G-C5-V				
			Depth (m)	2.10 - 2.10	1.90 - 1.90				
			Sample Type	Soil/Solid (S)	Soil/Solid (S)				
			Date Sampled	05/11/2018	05/11/2018				
			Sample Time	00:00	00:00				
			Date Received	06/11/2018	06/11/2018				
			SDG Ref	181106-25	181106-25				
			Lab Sample No.(s)	18673574	18673593				
			AGS Reference						
Dibromofluoromethane**	%	TM116		108	133				
Toluene-d8**	%	TM116		101	91.2				
4-Bromofluorobenzene**	%	TM116		99.8	103				
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M				
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M				
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M				
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M				
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #				
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M				
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M				
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4				

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Asbestos Identification - Solid Samples

		Date of Analysis	Analysed By	Comments	Amosite (Brown) Asbestos	Chrysotile (White) Asbestos	Crocidolite (Blue) Asbestos	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non-Asbestos Fibre
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-A6 0.70 - 0.70 SOLID 05/11/2018 00:00:00 06/11/2018 14:50:01 181106-25 18673546 TM048	09/11/2018	Andrzej Ferfecki	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B3 0.50 - 0.50 SOLID 05/11/2018 00:00:00 06/11/2018 16:19:11 181106-25 18673562 TM048	14/11/2018	Lucy Caroe	Soil containing ACM debris	Not Detected (#)	Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B4 0.30 - 0.30 SOLID 05/11/2018 00:00:00 07/11/2018 08:02:05 181106-25 18673517 TM048	14/11/2018	James Richards	Fibre bundles in soil	Not Detected (#)	Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B5 1.00 - 1.00 SOLID 05/11/2018 00:00:00 06/11/2018 17:14:40 181106-25 18673509 TM048	14/11/2018	Barbara Urbanek-Walsh	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B6 0.90 - 0.90 SOLID 05/11/2018 00:00:00 06/11/2018 13:49:41 181106-25 18673532 TM048	09/11/2018	Andrzej Ferfecki	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-C3 0.50 - 0.50 SOLID 05/11/2018 00:00:00 06/11/2018 16:20:52 181106-25 18673492 TM048	14/11/2018	Andrzej Ferfecki	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected

Validated

CERTIFICATE OF ANALYSIS

SDG: 181106-25 **Client Reference:** **Report Number:** 481875
Location: Llanwern **Order Number:** LLA508 **Superseded Report:**

		Date of Analysis	Analysed By	Comments	Amosite (Brown) Asbestos	Chrysotile (White) Asbestos	Crocidolite (Blue) Asbestos	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non-Asbestos Fibre
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-C4 0.80 - 0.80 SOLID 05/11/2018 00:00:00 06/11/2018 15:38:49 181106-25 18673570 TM048	09/11/2018	Andrzej Ferfecki	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-C5 1.20 - 1.20 SOLID 05/11/2018 00:00:00 06/11/2018 14:42:56 181106-25 18673584 TM048	09/11/2018	Barbara Urbanek-Walsh	Loose fibres in soil.	Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Asbestos Quantification - Full

		Additional Asbestos Components (Using TM048)	Analysts Comments	Asbestos Quantification - Gravimetric - %	Asbestos Quantification - PCOM Evaluation - %	Asbestos Quantification - Total - %
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B3 0.50 - 0.50 SOLID 05/11/2018 00:00:00 06/11/2018 16:19:57 181106-25 18673562 TM304	None (#)	N/A	<0.001 (#)	<0.001 (#)	<0.001 (#)
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B4 0.30 - 0.30 SOLID 05/11/2018 00:00:00 07/11/2018 08:03:05 181106-25 18673517 TM304	None (#)	N/A	0.0047 (#)	<0.001 (#)	0.0047 (#)
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-C5 1.20 - 1.20 SOLID 05/11/2018 00:00:00 06/11/2018 14:45:43 181106-25 18673584 TM304	None (#)	N/C	<0.001 (#)	<0.001 (#)	<0.001 (#)

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.34
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.3
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673492
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C3
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00141	<0.0005	0.0141	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00196	<0.001	0.0196	<0.01	-	-	-
Copper	0.00519	<0.0003	0.0519	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000593	<0.0004	0.00593	<0.004	-	-	-
Selenium	0.00134	<0.001	0.0134	<0.01	-	-	-
Vanadium	0.0728	<0.001	0.728	<0.01	-	-	-
Zinc	0.0147	<0.001	0.147	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000372	<0.00001	0.00372	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000837	<0.000005	0.000837	<0.00005	-	-	-
Acenaphthylene by GCMS	0.000035	<0.000005	0.00035	<0.00005	-	-	-
Fluoranthene by GCMS	0.000216	<0.000005	0.00216	<0.00005	-	-	-
Anthracene by GCMS	0.0000482	<0.000005	0.000482	<0.00005	-	-	-
Phenanthrene by GCMS	0.000294	<0.000005	0.00294	<0.00005	-	-	-
Fluorene by GCMS	0.00015	<0.000005	0.0015	<0.00005	-	-	-
Chrysene by GCMS	0.0000172	<0.000005	0.000172	<0.00005	-	-	-
Pyrene by GCMS	0.0002	<0.000005	0.002	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000106	<0.000005	0.000106	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00000998	<0.000005	0.0000998	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000527	<0.000002	0.0000527	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00144	<0.000082	0.0144	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.83
Conductivity (µS/cm)	372.00
Temperature (°C)	17.40
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.34
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.3
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673492
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C3
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.83
Conductivity (µS/cm)	372.00
Temperature (°C)	17.40
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.34
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.3
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673497
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B5
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	0.217	<0.2	2.17	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.0104	<0.0005	0.104	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.000409	<0.0003	0.00409	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00156	<0.001	0.0156	<0.01	-	-	-
Vanadium	0.0353	<0.001	0.353	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000739	<0.0001	0.00739	<0.001	-	-	-
Acenaphthene by GCMS	0.0000578	<0.00005	0.000578	<0.0005	-	-	-
Acenaphthylene by GCMS	0.000297	<0.00005	0.00297	<0.0005	-	-	-
Fluoranthene by GCMS	0.00384	<0.00005	0.0384	<0.0005	-	-	-
Anthracene by GCMS	0.000776	<0.00005	0.00776	<0.0005	-	-	-
Phenanthrene by GCMS	0.00289	<0.00005	0.0289	<0.0005	-	-	-
Fluorene by GCMS	0.000245	<0.00005	0.00245	<0.0005	-	-	-
Chrysene by GCMS	0.00255	<0.00005	0.0255	<0.0005	-	-	-
Pyrene by GCMS	0.00293	<0.00005	0.0293	<0.0005	-	-	-
Benz(a)anthracene by GCMS	0.00194	<0.00005	0.0194	<0.0005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00284	<0.00005	0.0284	<0.0005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00195	<0.00005	0.0195	<0.0005	-	-	-
Benzo(a)pyrene by GCMS	0.00205	<0.00002	0.0205	<0.0002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.000423	<0.00005	0.00423	<0.0005	-	-	-
Benzo(ghi)perylene by GCMS	0.00152	<0.00005	0.0152	<0.0005	-	-	-
Indeno(123cd)pyrene by GCMS	0.00133	<0.00005	0.0133	<0.0005	-	-	-
PAH 16 EPA Total by GCMS	0.0264	<0.00082	0.264	<0.0082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	8.43
Conductivity (µS/cm)	99.80
Temperature (°C)	18.80
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.34
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.3
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673497
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B5
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.1	<0.1	<1	<1	-	-	-
Aliphatics >C16-C21	<0.1	<0.1	<1	<1	-	-	-
Aliphatics >C21-C35	<0.1	<0.1	<1	<1	-	-	-
Total Aliphatics >C12-C35	<0.1	<0.1	<1	<1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.1	<0.1	<1	<1	-	-	-
Aromatics >EC16-EC21	<0.1	<0.1	<1	<1	-	-	-
Aromatics >EC21-EC35	<0.1	<0.1	<1	<1	-	-	-
Total Aromatics >EC12-EC35	<0.1	<0.1	<1	<1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.1	<0.1	<1	<1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	8.43
Conductivity (µS/cm)	99.80
Temperature (°C)	18.80
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.64
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.9
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673509
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B5
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	<0.0005	<0.0005	<0.005	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00285	<0.001	0.0285	<0.01	-	-	-
Copper	0.00169	<0.0003	0.0169	<0.003	-	-	-
Lead	0.0017	<0.0002	0.017	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	<0.001	<0.001	<0.01	<0.01	-	-	-
Zinc	0.00583	<0.001	0.0583	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000997	<0.00001	0.000997	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000586	<0.000005	0.000586	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00000796	<0.000005	0.0000796	<0.00005	-	-	-
Fluoranthene by GCMS	0.000756	<0.000005	0.00756	<0.00005	-	-	-
Anthracene by GCMS	0.0000534	<0.000005	0.000534	<0.00005	-	-	-
Phenanthrene by GCMS	0.000697	<0.000005	0.00697	<0.00005	-	-	-
Fluorene by GCMS	0.0000187	<0.000005	0.000187	<0.00005	-	-	-
Chrysene by GCMS	0.0000577	<0.000005	0.000577	<0.00005	-	-	-
Pyrene by GCMS	0.000626	<0.000005	0.00626	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000267	<0.000005	0.000267	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000238	<0.000005	0.000238	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00001	<0.000005	0.0001	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000824	<0.000002	0.0000824	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00244	<0.000082	0.0244	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.93
Conductivity (µS/cm)	440.00
Temperature (°C)	18.60
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.64
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.9
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673509
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B5
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.93
Conductivity (µS/cm)	440.00
Temperature (°C)	18.60
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	9.41
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.4
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673517
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B4
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00153	<0.0005	0.0153	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.0011	<0.001	0.011	<0.01	-	-	-
Copper	0.00397	<0.0003	0.0397	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000467	<0.0004	0.00467	<0.004	-	-	-
Selenium	0.00128	<0.001	0.0128	<0.01	-	-	-
Vanadium	0.0825	<0.001	0.825	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000106	<0.00001	0.00106	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000492	<0.000005	0.000492	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000151	<0.000005	0.000151	<0.00005	-	-	-
Fluoranthene by GCMS	0.000162	<0.000005	0.00162	<0.00005	-	-	-
Anthracene by GCMS	0.000023	<0.000005	0.00023	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000698	<0.000005	0.000698	<0.00005	-	-	-
Fluorene by GCMS	0.000021	<0.000005	0.00021	<0.00005	-	-	-
Chrysene by GCMS	0.0000253	<0.000005	0.000253	<0.00005	-	-	-
Pyrene by GCMS	0.000181	<0.000005	0.00181	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000153	<0.000005	0.000153	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000126	<0.000005	0.000126	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000692	<0.000005	0.0000692	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000726	<0.000002	0.0000726	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000694	<0.000082	0.00694	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.73
Conductivity (µS/cm)	287.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	9.41
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.4
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673517
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B4
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.73
Conductivity (µS/cm)	287.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.41
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.1
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673521
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B4
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.0135	<0.0005	0.135	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00148	<0.001	0.0148	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00171	<0.001	0.0171	<0.01	-	-	-
Vanadium	0.0572	<0.001	0.572	<0.01	-	-	-
Zinc	0.00104	<0.001	0.0104	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000135	<0.000005	0.000135	<0.00005	-	-	-
Anthracene by GCMS	0.0000128	<0.000005	0.000128	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000171	<0.000005	0.000171	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.00000612	<0.000005	0.0000612	<0.00005	-	-	-
Pyrene by GCMS	0.0000106	<0.000005	0.000106	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000169	<0.000005	0.000169	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000669	<0.000005	0.0000669	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000799	<0.000002	0.0000799	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.0000916	<0.000082	0.000916	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	9.44
Conductivity (µS/cm)	106.00
Temperature (°C)	18.40
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.41
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.1
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673521
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B4
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	9.44
Conductivity (µS/cm)	106.00
Temperature (°C)	18.40
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.100	**Natural Moisture Content (%)**	10.7
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90.3
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673527
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B6
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00293	<0.0005	0.0293	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.0015	<0.001	0.015	<0.01	-	-	-
Copper	0.00353	<0.0003	0.0353	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.0021	<0.001	0.021	<0.01	-	-	-
Vanadium	0.0738	<0.001	0.738	<0.01	-	-	-
Zinc	0.00319	<0.001	0.0319	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000448	<0.00001	0.000448	<0.0001	-	-	-
Acenaphthene by GCMS	0.000013	<0.000005	0.00013	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000181	<0.000005	0.000181	<0.00005	-	-	-
Fluoranthene by GCMS	0.000115	<0.000005	0.00115	<0.00005	-	-	-
Anthracene by GCMS	0.000029	<0.000005	0.00029	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000688	<0.000005	0.000688	<0.00005	-	-	-
Fluorene by GCMS	0.0000194	<0.000005	0.000194	<0.00005	-	-	-
Chrysene by GCMS	0.0000384	<0.000005	0.000384	<0.00005	-	-	-
Pyrene by GCMS	0.0001	<0.000005	0.001	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000268	<0.000005	0.000268	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000466	<0.000005	0.000466	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000233	<0.000005	0.000233	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000274	<0.000002	0.000274	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000165	<0.000005	0.000165	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.000017	<0.000005	0.00017	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000604	<0.000082	0.00604	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	10.23
Conductivity (µS/cm)	197.00
Temperature (°C)	17.50
Volume Leachant (Litres)	0.890

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.100	**Natural Moisture Content (%)**	10.7
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90.3
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673527
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B6
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	08-Nov-2018
pH (pH Units)	10.23
Conductivity (µS/cm)	197.00
Temperature (°C)	17.50
Volume Leachant (Litres)	0.890

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	10.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90.6
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673532
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B6
Depth (m)	0.90 - 0.90

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.000023	<0.00001	0.00023	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	<0.0005	<0.0005	<0.005	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00603	<0.001	0.0603	<0.01	-	-	-
Copper	0.00171	<0.0003	0.0171	<0.003	-	-	-
Lead	0.000954	<0.0002	0.00954	<0.002	-	-	-
Manganese	0.0259	<0.003	0.259	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.00543	<0.001	0.0543	<0.01	-	-	-
Zinc	0.0133	<0.001	0.133	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.669	<0.019	6.69	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000282	<0.00001	0.000282	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000262	<0.000005	0.000262	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000145	<0.000005	0.000145	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.000031	<0.000005	0.00031	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.0000999	<0.000082	0.000999	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.71
Conductivity (µS/cm)	1,280.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates
20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	10.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90.6
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673532
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B6
Depth (m)	0.90 - 0.90

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.71
Conductivity (µS/cm)	1,280.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673542
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-A6
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	0.61	<0.2	6.1	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000117	<0.00001	0.000117	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00199	<0.0005	0.0199	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00297	<0.001	0.0297	<0.01	-	-	-
Copper	0.00988	<0.0003	0.0988	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.00181	<0.0004	0.0181	<0.004	-	-	-
Selenium	0.00114	<0.001	0.0114	<0.01	-	-	-
Vanadium	0.0298	<0.001	0.298	<0.01	-	-	-
Zinc	0.00524	<0.001	0.0524	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000539	<0.00001	0.000539	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000514	<0.000005	0.000514	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000109	<0.000005	0.000109	<0.00005	-	-	-
Fluoranthene by GCMS	0.000249	<0.000005	0.00249	<0.00005	-	-	-
Anthracene by GCMS	0.0000252	<0.000005	0.000252	<0.00005	-	-	-
Phenanthrene by GCMS	0.000167	<0.000005	0.00167	<0.00005	-	-	-
Fluorene by GCMS	0.0000272	<0.000005	0.000272	<0.00005	-	-	-
Chrysene by GCMS	0.0000254	<0.000005	0.000254	<0.00005	-	-	-
Pyrene by GCMS	0.000206	<0.000005	0.00206	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000161	<0.000005	0.000161	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00000947	<0.000005	0.0000947	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000472	<0.000002	0.0000472	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000846	<0.000082	0.00846	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.58
Conductivity (µS/cm)	715.00
Temperature (°C)	17.70
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates
20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673542
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-A6
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.58
Conductivity (µS/cm)	715.00
Temperature (°C)	17.70
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673546
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-A6
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	1.74	<0.2	17.4	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00649	<0.0005	0.0649	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00162	<0.001	0.0162	<0.01	-	-	-
Copper	0.0183	<0.0003	0.183	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	0.00395	<0.003	0.0395	<0.03	-	-	-
Nickel	0.00272	<0.0004	0.0272	<0.004	-	-	-
Selenium	0.00616	<0.001	0.0616	<0.01	-	-	-
Vanadium	0.104	<0.001	1.04	<0.01	-	-	-
Zinc	0.00266	<0.001	0.0266	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.56	<0.019	5.6	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000333	<0.00001	0.000333	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000232	<0.000005	0.000232	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000115	<0.000005	0.00115	<0.00005	-	-	-
Anthracene by GCMS	0.0000152	<0.000005	0.000152	<0.00005	-	-	-
Phenanthrene by GCMS	0.000119	<0.000005	0.00119	<0.00005	-	-	-
Fluorene by GCMS	0.0000121	<0.000005	0.000121	<0.00005	-	-	-
Chrysene by GCMS	0.00000586	<0.000005	0.0000586	<0.00005	-	-	-
Pyrene by GCMS	0.0000969	<0.000005	0.000969	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00042	<0.000082	0.0042	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	11.44
Conductivity (µS/cm)	542.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673546
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-A6
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	11.44
Conductivity (µS/cm)	542.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	10.5
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90.5
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673554
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C3
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00149	<0.0005	0.0149	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00238	<0.001	0.0238	<0.01	-	-	-
Copper	0.00507	<0.0003	0.0507	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.00049	<0.0004	0.0049	<0.004	-	-	-
Selenium	0.00128	<0.001	0.0128	<0.01	-	-	-
Vanadium	0.0735	<0.001	0.735	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000111	<0.00001	0.00111	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000714	<0.000005	0.000714	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000313	<0.000005	0.000313	<0.00005	-	-	-
Fluoranthene by GCMS	0.000153	<0.000005	0.00153	<0.00005	-	-	-
Anthracene by GCMS	0.0000362	<0.000005	0.000362	<0.00005	-	-	-
Phenanthrene by GCMS	0.000163	<0.000005	0.00163	<0.00005	-	-	-
Fluorene by GCMS	0.0000559	<0.000005	0.000559	<0.00005	-	-	-
Chrysene by GCMS	0.0000138	<0.000005	0.000138	<0.00005	-	-	-
Pyrene by GCMS	0.000147	<0.000005	0.00147	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.00000722	<0.000005	0.0000722	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000107	<0.000005	0.000107	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000717	<0.000002	0.0000717	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000807	<0.000082	0.00807	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.79
Conductivity (µS/cm)	331.00
Temperature (°C)	18.10
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	10.5
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90.5
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673554
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C3
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.79
Conductivity (µS/cm)	331.00
Temperature (°C)	18.10
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.34
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.3
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673562
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B3
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00291	<0.0005	0.0291	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00221	<0.001	0.0221	<0.01	-	-	-
Copper	0.00157	<0.0003	0.0157	<0.003	-	-	-
Lead	0.000463	<0.0002	0.00463	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00131	<0.001	0.0131	<0.01	-	-	-
Vanadium	0.074	<0.001	0.74	<0.01	-	-	-
Zinc	0.00165	<0.001	0.0165	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.0506	<0.019	0.506	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000279	<0.00001	0.000279	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000369	<0.000005	0.000369	<0.00005	-	-	-
Anthracene by GCMS	0.00000661	<0.000005	0.0000661	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000236	<0.000005	0.000236	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.0000169	<0.000005	0.000169	<0.00005	-	-	-
Pyrene by GCMS	0.0000302	<0.000005	0.000302	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000104	<0.000005	0.000104	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000241	<0.000005	0.000241	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000122	<0.000005	0.000122	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000138	<0.000002	0.000138	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000115	<0.000005	0.000115	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.0000133	<0.000005	0.000133	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000227	<0.000082	0.00227	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.57
Conductivity (µS/cm)	229.00
Temperature (°C)	18.10
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.34
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.3
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673562
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-B3
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.57
Conductivity (µS/cm)	229.00
Temperature (°C)	18.10
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

Validated

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.107	**Natural Moisture Content (%)**	19
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	84
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673566
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C4
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000101	<0.00001	0.000101	<0.0001	-	-	-
Total Cyanide (W)	1.29	<0.05	12.9	<0.5	-	-	-
Arsenic	0.00278	<0.0005	0.0278	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00271	<0.001	0.0271	<0.01	-	-	-
Copper	0.0036	<0.0003	0.036	<0.003	-	-	-
Lead	0.000565	<0.0002	0.00565	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00194	<0.001	0.0194	<0.01	-	-	-
Vanadium	0.0486	<0.001	0.486	<0.01	-	-	-
Zinc	0.00759	<0.001	0.0759	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.544	<0.019	5.44	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000163	<0.00001	0.000163	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00000665	<0.000005	0.0000665	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000949	<0.000005	0.000949	<0.00005	-	-	-
Anthracene by GCMS	0.0000114	<0.000005	0.000114	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000441	<0.000005	0.000441	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.0000557	<0.000005	0.000557	<0.00005	-	-	-
Pyrene by GCMS	0.0000774	<0.000005	0.000774	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000441	<0.000005	0.000441	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00009	<0.000005	0.0009	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000408	<0.000005	0.000408	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000479	<0.000002	0.000479	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.00000968	<0.000005	0.0000968	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000488	<0.000005	0.000488	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.000035	<0.000005	0.00035	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000623	<0.000082	0.00623	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	9.61
Conductivity (µS/cm)	213.00
Temperature (°C)	18.10
Volume Leachant (Litres)	0.883

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.107	**Natural Moisture Content (%)**	19
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	84
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673566
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C4
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	9.61
Conductivity (µS/cm)	213.00
Temperature (°C)	18.10
Volume Leachant (Litres)	0.883

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673570
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C4
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00118	<0.0005	0.0118	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00424	<0.001	0.0424	<0.01	-	-	-
Copper	0.00119	<0.0003	0.0119	<0.003	-	-	-
Lead	0.000478	<0.0002	0.00478	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0509	<0.001	0.509	<0.01	-	-	-
Zinc	0.0156	<0.001	0.156	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.39	<0.019	3.9	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000104	<0.00001	0.000104	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000118	<0.000005	0.000118	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.00000802	<0.000005	0.0000802	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000123	<0.000005	0.000123	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00000694	<0.000005	0.0000694	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000617	<0.000002	0.0000617	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.88
Conductivity (µS/cm)	399.00
Temperature (°C)	17.70
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates
20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673570
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C4
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	10.88
Conductivity (µS/cm)	399.00
Temperature (°C)	17.70
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.103	**Natural Moisture Content (%)**	14.9
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	87
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673578
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C5
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000277	<0.00001	0.000277	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	<0.0005	<0.0005	<0.005	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00971	<0.001	0.0971	<0.01	-	-	-
Copper	0.00501	<0.0003	0.0501	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000935	<0.0004	0.00935	<0.004	-	-	-
Selenium	0.00124	<0.001	0.0124	<0.01	-	-	-
Vanadium	0.00659	<0.001	0.0659	<0.01	-	-	-
Zinc	0.00259	<0.001	0.0259	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000339	<0.00001	0.000339	<0.0001	-	-	-
Acenaphthene by GCMS	0.00000616	<0.000005	0.0000616	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00000638	<0.000005	0.0000638	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000239	<0.000005	0.000239	<0.00005	-	-	-
Anthracene by GCMS	0.0000059	<0.000005	0.000059	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000213	<0.000005	0.000213	<0.00005	-	-	-
Fluorene by GCMS	0.00000501	<0.000005	0.0000501	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000258	<0.000005	0.000258	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000128	<0.000082	0.00128	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.37
Conductivity (µS/cm)	818.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.887

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.103	**Natural Moisture Content (%)**	14.9
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	87
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673578
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C5
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.37
Conductivity (µS/cm)	818.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.887

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673584
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C5
Depth (m)	1.20 - 1.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	0.277	<0.2	2.77	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000215	<0.00001	0.000215	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	<0.0005	<0.0005	<0.005	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.0167	<0.001	0.167	<0.01	-	-	-
Copper	0.00308	<0.0003	0.0308	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000606	<0.0004	0.00606	<0.004	-	-	-
Selenium	0.0013	<0.001	0.013	<0.01	-	-	-
Vanadium	0.00426	<0.001	0.0426	<0.01	-	-	-
Zinc	0.00385	<0.001	0.0385	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000195	<0.00001	0.000195	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000348	<0.000005	0.000348	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000176	<0.000005	0.000176	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.000042	<0.000005	0.00042	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00000619	<0.000005	0.0000619	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000415	<0.000002	0.0000415	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000124	<0.000082	0.00124	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.47
Conductivity (µS/cm)	1,060.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181106-25
Lab Sample Number(s)	18673584
Sampled Date	05-Nov-2018
Customer Sample Ref.	4G-C5
Depth (m)	1.20 - 1.20

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	09-Nov-2018
pH (pH Units)	11.47
Conductivity (µS/cm)	1,060.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

20/11/2018 16:34:57

16:34:34 20/11/2018

Table of Results - Appendix

Method No	Reference	Description
PM001		Preparation of Samples for Metals Analysis
PM024	Modified BS 1377	Soil preparation including homogenisation, moisture screens of soils for Asbestos Containing Material
PM115		Leaching Procedure for CEN One Stage Leach Test 2:1 & 10:1 1 Step
TM024	Method 4500A & B, AWWA/APHA, 20th Ed., 1999	Determination of Exchangeable Ammonium and Ammoniacal Nitrogen as N by titration on solids
TM048	HSG 248, Asbestos: The analysts' guide for sampling, analysis and clearance procedures	Identification of Asbestos in Bulk Material
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM062 (S)	National Grid Property Holdings Methods for the Collection & Analysis of Samples from National Grid Sites version 1 Sec 3.9	Determination of Phenols in Soils by HPLC
TM089	Modified: US EPA Methods 8020 & 602	Determination of Gasoline Range Hydrocarbons (GRO) by Headspace GC-FID (C4-C12)
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM116	Modified: US EPA Method 8260, 8120, 8020, 624, 610 & 602	Determination of Volatile Organic Compounds by Headspace / GC-MS
TM132	In - house Method	ELTRA CS800 Operators Guide
TM133	BS 1377: Part 3 1990;BS 6068-2.5	Determination of pH in Soil and Water using the GLpH pH Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM153	Method 4500A,B,C, I, M AWWA/APHA, 20th Ed., 1999	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate using the Skalar SANS+ System Segmented Flow Analyser
TM173	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Soils by GC-FID
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM181	US EPA Method 6010B	Determination of Routine Metals in Soil by iCap 6500 Duo ICP-OES
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM218	Shaker extraction - EPA method 3546.	The determination of PAH in soil samples by GC-MS
TM221	Inductively Coupled Plasma - Atomic Emission Spectroscopy. An Atlas of Spectral Information: Winge, Fassel, Peterson and Floyd	Determination of Acid extractable Sulphate in Soils by IRIS Emission Spectrometer
TM224	US EPA Method 6010B	Determination of Alkaline Metals by iCap 6500 Duo ICP-OES
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM243		Mixed Anions In Soils By Kone
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM304	HSE Contract research Report no 83/1996	Asbestos Quantification in Soil: Fibres identified by morphology only

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

CERTIFICATE OF ANALYSIS

SDG:	181106-25	**Client Reference:**		**Report Number:**	481875
Location:	Llanwern	**Order Number:**	LLA508	**Superseded Report:**	

Test Completion Dates

Lab Sample No(s)	18673542	18673546	18673558	18673562	18673517	18673521	18673497	18673509	18673527	18673532
Customer Sample Ref.	4G-A6	4G-A6	4G-A6-V	4G-B3	4G-B4	4G-B4	4G-B5	4G-B5	4G-B6	4G-B6
AGS Ref.										
Depth	0.50 - 0.50	0.70 - 0.70	2.80 - 2.80	0.50 - 0.50	0.30 - 0.30	0.60 - 0.60	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.90 - 0.90
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)		15-Nov-2018		16-Nov-2018	16-Nov-2018			16-Nov-2018		16-Nov-2018
Ammoniacal Nitrogen	19-Nov-2018	19-Nov-2018		19-Nov-2018	19-Nov-2018	20-Nov-2018	20-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018
Ammonium Soil by Titration	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018
Anions by Kone (soil)		15-Nov-2018		20-Nov-2018	20-Nov-2018			20-Nov-2018		20-Nov-2018
Asbestos ID in Solid Samples		09-Nov-2018		14-Nov-2018	14-Nov-2018			14-Nov-2018		09-Nov-2018
Asbestos Quantification - Full				20-Nov-2018	20-Nov-2018					
CEN 10:1 Leachate (1 Stage)	09-Nov-2018	10-Nov-2018		09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	08-Nov-2018	09-Nov-2018
CEN Readings	14-Nov-2018	15-Nov-2018		15-Nov-2018	15-Nov-2018	13-Nov-2018	13-Nov-2018	13-Nov-2018	14-Nov-2018	15-Nov-2018
Cyanide Comp/Free/Total/Thiocyanate	20-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	20-Nov-2018	20-Nov-2018
Dissolved Metals by ICP-MS	20-Nov-2018	20-Nov-2018		20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018
EPH CWG (Aliphatic) Aqueous GC (W)	16-Nov-2018	16-Nov-2018		16-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	14-Nov-2018	16-Nov-2018	16-Nov-2018
EPH CWG (Aliphatic) GC (S)	09-Nov-2018	20-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	08-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	16-Nov-2018	16-Nov-2018		16-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	14-Nov-2018	16-Nov-2018	16-Nov-2018
EPH CWG (Aromatic) GC (S)	09-Nov-2018	20-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	08-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018
GRO by GC-FID (S)	16-Nov-2018	15-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	17-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018
GRO by GC-FID (W)	15-Nov-2018	17-Nov-2018		15-Nov-2018	17-Nov-2018	13-Nov-2018	13-Nov-2018	13-Nov-2018	17-Nov-2018	15-Nov-2018
Mercury Dissolved	19-Nov-2018	20-Nov-2018		19-Nov-2018	19-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	19-Nov-2018	19-Nov-2018
Metals in solid samples by OES	19-Nov-2018	19-Nov-2018	14-Nov-2018	13-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	19-Nov-2018	16-Nov-2018
PAH by GCMS	09-Nov-2018	20-Nov-2018	14-Nov-2018	08-Nov-2018	09-Nov-2018	09-Nov-2018	08-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018
PAH Spec MS - Aqueous (W)	16-Nov-2018	16-Nov-2018		16-Nov-2018	16-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	16-Nov-2018	16-Nov-2018
pH	19-Nov-2018	20-Nov-2018	13-Nov-2018	20-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	20-Nov-2018	19-Nov-2018	20-Nov-2018
pH Value	16-Nov-2018	16-Nov-2018		15-Nov-2018	15-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	15-Nov-2018	16-Nov-2018
Phenols by HPLC (S)	16-Nov-2018	16-Nov-2018	14-Nov-2018	14-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018
Sample description	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018
Total Organic Carbon	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018
Total Sulphate		14-Nov-2018		14-Nov-2018	14-Nov-2018			14-Nov-2018		14-Nov-2018
Total Sulphur		16-Nov-2018		19-Nov-2018	19-Nov-2018			15-Nov-2018		15-Nov-2018
TPH CWG (W)	16-Nov-2018	17-Nov-2018		16-Nov-2018	17-Nov-2018	15-Nov-2018	15-Nov-2018	14-Nov-2018	17-Nov-2018	16-Nov-2018
TPH CWG GC (S)	16-Nov-2018	20-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	17-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018
VOC MS (S)	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018

Lab Sample No(s)	18673513	18673538	18673492	18673554	18673566	18673570	18673578	18673584	18673574	18673593
Customer Sample Ref.	4G-B5-V	4G-B6-V	4G-C3	4G-C3	4G-C4	4G-C4	4G-C5	4G-C5	4G-C4-V	4G-C5-V
AGS Ref.										
Depth	2.10 - 2.10	1.80 - 1.80	0.50 - 0.50	1.00 - 1.00	0.30 - 0.30	0.80 - 0.80	0.70 - 0.70	1.20 - 1.20	2.10 - 2.10	1.90 - 1.90
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)			16-Nov-2018			16-Nov-2018		16-Nov-2018		
Ammoniacal Nitrogen			19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018		
Ammonium Soil by Titration	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018
Anions by Kone (soil)			20-Nov-2018			09-Nov-2018		09-Nov-2018		
Asbestos ID in Solid Samples			14-Nov-2018			09-Nov-2018		09-Nov-2018		
Asbestos Quantification - Full								20-Nov-2018		
CEN 10:1 Leachate (1 Stage)			09-Nov-2018	09-Nov-2018	17-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018		
CEN Readings			14-Nov-2018	15-Nov-2018	15-Nov-2018	14-Nov-2018	13-Nov-2018	15-Nov-2018		
Cyanide Comp/Free/Total/Thiocyanate	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	20-Nov-2018	19-Nov-2018	20-Nov-2018	19-Nov-2018	19-Nov-2018	20-Nov-2018
Dissolved Metals by ICP-MS			20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018		
EPH CWG (Aliphatic) Aqueous GC (W)			16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	15-Nov-2018	16-Nov-2018		
EPH CWG (Aliphatic) GC (S)	08-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)			16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	15-Nov-2018	16-Nov-2018		
EPH CWG (Aromatic) GC (S)	08-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018
GRO by GC-FID (S)	17-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	17-Nov-2018	15-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018
GRO by GC-FID (W)			15-Nov-2018	17-Nov-2018	19-Nov-2018	17-Nov-2018	15-Nov-2018	17-Nov-2018		
Mercury Dissolved			19-Nov-2018	19-Nov-2018	19-Nov-2018	20-Nov-2018	20-Nov-2018	19-Nov-2018		
Metals in solid samples by OES	16-Nov-2018	16-Nov-2018	16-Nov-2018	19-Nov-2018	20-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	16-Nov-2018	16-Nov-2018
PAH by GCMS	09-Nov-2018	08-Nov-2018	09-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	09-Nov-2018	09-Nov-2018	09-Nov-2018
PAH Spec MS - Aqueous (W)			16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	14-Nov-2018	16-Nov-2018		
pH	19-Nov-2018	19-Nov-2018	20-Nov-2018	19-Nov-2018	19-Nov-2018	20-Nov-2018	19-Nov-2018	20-Nov-2018	20-Nov-2018	19-Nov-2018
pH Value			16-Nov-2018	15-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018		
Phenols by HPLC (S)	14-Nov-2018	16-Nov-2018	16-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	14-Nov-2018	16-Nov-2018
Sample description	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018	06-Nov-2018
Total Organic Carbon	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018
Total Sulphate			14-Nov-2018			14-Nov-2018		14-Nov-2018		
Total Sulphur			16-Nov-2018			20-Nov-2018		20-Nov-2018		
TPH CWG (W)			16-Nov-2018	17-Nov-2018	19-Nov-2018	17-Nov-2018	15-Nov-2018	17-Nov-2018		
TPH CWG GC (S)	17-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	17-Nov-2018	15-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018
VOC MS (S)	15-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	15-Nov-2018	15-Nov-2018	16-Nov-2018

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35ºC) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as “Not detected”. If no asbestos fibre types are found all will be reported as “Not detected” and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethyphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as “mixed hydrocarbons”. Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	**Container with Headspace provided for volatiles analysis**
2	**Incorrect container received**
3	**Deviation from method**
4	**Holding time exceeded before sample received**
5	**Samples exceeded holding time before presevation was performed**
§	**Sampled on date not provided**
♦	**Sample holding time exceeded in laboratory**
@	**Sample holding time exceeded due to sampled on date**
&	**Sample Holding Time exceeded - Late arrival of instructions.**

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

ALS

	Customer Sample ID	4G-E1	4G-E1
	Depth	0.50-0.50	1.00-1.00
SDG(s): 181107-11	**AGS Id**		
Customer: Atkins Global Ltd Llandarcy (7158)	**Sample Type**	SOLID	SOLID
Client Reference / Location: Llanwern	**Sampled Date**	11/6/2018	11/6/2018
Order no: LLA510	**Sample Received Date**	11/7/2018	11/7/2018
	Final Instruction Date	11/7/2018	11/7/2018
All results expressed on a dry weight basis	**Report Completed Date**	11/26/2018	11/26/2018
	SDG	181107-11	181107-11
	Lab Sample Number	18681194	18681198
	Sample Temperature	8.6	8.6

Analysis	Test	Method	Units	LOD		
Waste Acceptance Crit						
	CEN 10:1 - Temperature	PM115	°C		18.2	18.5
	CEN 10:1 - pH	PM115	pH Units		8.65	11.18
	CEN 10:1 - Conductivity @ 20 deg.C	PM115	µS/cm		95.1	521
Inorganics						
	CEN 10:1 - Ammoniacal Nitrogen as N	TM099	mg/kg	<2	<2	<2
	CEN 10:1 - Ammoniacal Nitrogen as N	TM099	mg/l	<0.2	<0.2	<0.2
	CEN 10:1 - pH	TM256	pH Units	<1	9.32	11.42
	CEN 10:1 - Cyanide, Total	TM227	mg/kg	<0.5	<0.5	<0.5
	CEN 10:1 - Cyanide, Total	TM227	mg/l	<0.05	<0.05	<0.05
Filtered (Dissolved) Me						
	CEN 10:1 - Mercury (diss.filt)	TM183	mg/kg	<0.0001	<0.0001	0.00021
	CEN 10:1 - Mercury (diss.filt)	TM183	mg/l	<0.00001	<0.00001	0.000021
	CEN 10:1 - Arsenic (diss.filt)	TM152	mg/kg	<0.005	0.0574	0.00511
	CEN 10:1 - Arsenic (diss.filt)	TM152	mg/l	<0.0005	0.00574	0.000511
	CEN 10:1 - Cadmium (diss.filt)	TM152	mg/kg	<0.0008	<0.0008	<0.0008
	CEN 10:1 - Cadmium (diss.filt)	TM152	mg/l	<0.00008	<0.00008	<0.00008
	CEN 10:1 - Chromium (diss.filt)	TM152	mg/kg	<0.01	0.0129	0.0152
	CEN 10:1 - Chromium (diss.filt)	TM152	mg/l	<0.001	0.00129	0.00152

CEN 10:1 - Copper (diss.filt)	TM152	mg/kg	<0.003	0.00757	0.0228
CEN 10:1 - Copper (diss.filt)	TM152	mg/l	<0.0003	0.000757	0.00228
CEN 10:1 - Lead (diss.filt)	TM152	mg/kg	<0.002	0.005	<0.002
CEN 10:1 - Lead (diss.filt)	TM152	mg/l	<0.0002	0.0005	<0.0002
CEN 10:1 - Manganese (diss.filt)	TM152	mg/kg	<0.03	<0.03	<0.03
CEN 10:1 - Manganese (diss.filt)	TM152	mg/l	<0.003	<0.003	<0.003
CEN 10:1 - Nickel (diss.filt)	TM152	mg/kg	<0.004	<0.004	0.00449
CEN 10:1 - Nickel (diss.filt)	TM152	mg/l	<0.0004	<0.0004	0.000449
CEN 10:1 - Selenium (diss.filt)	TM152	mg/kg	<0.01	<0.01	<0.01
CEN 10:1 - Selenium (diss.filt)	TM152	mg/l	<0.001	<0.001	<0.001
CEN 10:1 - Vanadium (diss.filt)	TM152	mg/kg	<0.01	0.303	0.98
CEN 10:1 - Vanadium (diss.filt)	TM152	mg/l	<0.001	0.0303	0.098
CEN 10:1 - Zinc (diss.filt)	TM152	mg/kg	<0.01	0.0209	<0.01
CEN 10:1 - Zinc (diss.filt)	TM152	mg/l	<0.001	0.00209	<0.001
CEN 10:1 - Iron (Dis.Filt)	TM152	mg/kg	<0.19	2.48	<0.19
CEN 10:1 - Iron (Dis.Filt)	TM152	mg/l	<0.019	0.248	<0.019
TPH Criteria Working C					
CEN 10:1 - GRO Surrogate % recovery**	TM245	%		99	103
CEN 10:1 - GRO >C5-C12	TM245	mg/kg	<0.5	<0.5	<0.5
CEN 10:1 - GRO >C5-C12	TM245	mg/l	<0.05	<0.05	<0.05
CEN 10:1 - Methyl tertiary butyl ether (MTBE)	TM245	mg/kg	<0.03	<0.03	<0.03
CEN 10:1 - Methyl tertiary butyl ether (MTBE)	TM245	mg/l	<0.003	<0.003	<0.003
CEN 10:1 - Benzene	TM245	mg/kg	<0.07	<0.07	<0.07
CEN 10:1 - Benzene	TM245	mg/l	<0.007	<0.007	<0.007
CEN 10:1 - Toluene	TM245	mg/kg	<0.04	<0.04	<0.04
CEN 10:1 - Toluene	TM245	mg/l	<0.004	<0.004	<0.004
CEN 10:1 - Ethylbenzene	TM245	mg/kg	<0.05	<0.05	<0.05
CEN 10:1 - Ethylbenzene	TM245	mg/l	<0.005	<0.005	<0.005
CEN 10:1 - m,p-Xylene	TM245	mg/kg	<0.08	<0.08	<0.08
CEN 10:1 - m,p-Xylene	TM245	mg/l	<0.008	<0.008	<0.008
CEN 10:1 - o-Xylene	TM245	mg/kg	<0.03	<0.03	<0.03
CEN 10:1 - o-Xylene	TM245	mg/l	<0.003	<0.003	<0.003

CEN 10:1 - Sum of detected Xylenes	TM245	mg/kg	<0.11	<0.11	<0.11
CEN 10:1 - Sum of detected Xylenes	TM245	mg/l	<0.011	<0.011	<0.011
CEN 10:1 - Sum of detected BTEX	TM245	mg/kg	<0.28	<0.28	<0.28
CEN 10:1 - Sum of detected BTEX	TM245	mg/l	<0.028	<0.028	<0.028
CEN 10:1 - Aliphatics >C5-C6	TM245	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aliphatics >C5-C6	TM245	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aliphatics >C6-C8	TM245	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aliphatics >C6-C8	TM245	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aliphatics >C8-C10	TM245	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aliphatics >C8-C10	TM245	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aliphatics >C10-C12	TM245	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aliphatics >C10-C12	TM245	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aliphatics >C12-C16 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aliphatics >C12-C16 (aq)	TM174	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aliphatics >C16-C21 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aliphatics >C16-C21 (aq)	TM174	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aliphatics >C21-C35 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aliphatics >C21-C35 (aq)	TM174	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Total Aliphatics >C12-C35 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Total Aliphatics >C12-C35 (aq)	TM174	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aromatics >EC5-EC7	TM245	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aromatics >EC5-EC7	TM245	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aromatics >EC7-EC8	TM245	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aromatics >EC7-EC8	TM245	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aromatics >EC8-EC10	TM245	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aromatics >EC8-EC10	TM245	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aromatics >EC10-EC12	TM245	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aromatics >EC10-EC12	TM245	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aromatics >EC12-EC16 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aromatics >EC12-EC16 (aq)	TM174	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Aromatics >EC16-EC21 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aromatics >EC16-EC21 (aq)	TM174	mg/l	<0.01	<0.01	<0.01

CEN 10:1 - Aromatics >EC21-EC35 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aromatics >EC21-EC35 (aq)	TM174	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Total Aromatics >EC12-EC35 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Total Aromatics >EC12-EC35 (aq)	TM174	mg/l	<0.01	<0.01	<0.01
CEN 10:1 - Total Aliphatics & Aromatics >C5-35 (aq)	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Total Aliphatics & Aromatics >C5-35 (aq)	TM174	mg/l	<0.01	<0.01	<0.01
Polyaromatic Hydrocar					
CEN 10:1 - Naphthalene (aq)	TM178	mg/kg	<0.0001	0.000281	0.000686
CEN 10:1 - Naphthalene (aq)	TM178	mg/l	<0.00001	0.0000281	0.0000686
CEN 10:1 - Acenaphthene (aq)	TM178	mg/kg	<0.00005	<0.00005	0.000301
CEN 10:1 - Acenaphthene (aq)	TM178	mg/l	<0.000005	<0.000005	0.0000301
CEN 10:1 - Acenaphthylene (aq)	TM178	mg/kg	<0.00005	0.00282	0.0000667
CEN 10:1 - Acenaphthylene (aq)	TM178	mg/l	<0.000005	0.000282	0.00000667
CEN 10:1 - Fluoranthene (aq)	TM178	mg/kg	<0.00005	0.00627	0.00144
CEN 10:1 - Fluoranthene (aq)	TM178	mg/l	<0.000005	0.000627	0.000144
CEN 10:1 - Anthracene (aq)	TM178	mg/kg	<0.00005	0.000447	0.000194
CEN 10:1 - Anthracene (aq)	TM178	mg/l	<0.000005	0.0000447	0.0000194
CEN 10:1 - Phenanthrene (aq)	TM178	mg/kg	<0.00005	0.000631	0.00115
CEN 10:1 - Phenanthrene (aq)	TM178	mg/l	<0.000005	0.0000631	0.000115
CEN 10:1 - Fluorene (aq)	TM178	mg/kg	<0.00005	0.0000843	0.000122
CEN 10:1 - Fluorene (aq)	TM178	mg/l	<0.000005	0.00000843	0.0000122
CEN 10:1 - Chrysene (aq)	TM178	mg/kg	<0.00005	0.00647	0.000293
CEN 10:1 - Chrysene (aq)	TM178	mg/l	<0.000005	0.000647	0.0000293
CEN 10:1 - Pyrene (aq)	TM178	mg/kg	<0.00005	0.00587	0.00334
CEN 10:1 - Pyrene (aq)	TM178	mg/l	<0.000005	0.000587	0.000334
CEN 10:1 - Benzo(a)anthracene (aq)	TM178	mg/kg	<0.00005	0.00424	0.000147
CEN 10:1 - Benzo(a)anthracene (aq)	TM178	mg/l	<0.000005	0.000424	0.0000147
CEN 10:1 - Benzo(b)fluoranthene (aq)	TM178	mg/kg	<0.00005	0.0207	0.000146
CEN 10:1 - Benzo(b)fluoranthene (aq)	TM178	mg/l	<0.000005	0.00207	0.0000146
CEN 10:1 - Benzo(k)fluoranthene (aq)	TM178	mg/kg	<0.00005	0.00882	<0.00005
CEN 10:1 - Benzo(k)fluoranthene (aq)	TM178	mg/l	<0.000005	0.000882	<0.000005
CEN 10:1 - Benzo(a)pyrene (aq)	TM178	mg/kg	<0.00002	0.013	0.0000411

CEN 10:1 - Benzo(a)pyrene (aq)	TM178	mg/l	<0.000002	0.0013	0.00000411
CEN 10:1 - Dibenzo(a,h)anthracene (aq)	TM178	mg/kg	<0.00005	0.00311	<0.00005
CEN 10:1 - Dibenzo(a,h)anthracene (aq)	TM178	mg/l	<0.000005	0.000311	<0.000005
CEN 10:1 - Benzo(g,h,i)perylene (aq)	TM178	mg/kg	<0.00005	0.0251	<0.00005
CEN 10:1 - Benzo(g,h,i)perylene (aq)	TM178	mg/l	<0.000005	0.00251	<0.000005
CEN 10:1 - Indeno(1,2,3-cd)pyrene (aq)	TM178	mg/kg	<0.00005	0.0161	<0.00005
CEN 10:1 - Indeno(1,2,3-cd)pyrene (aq)	TM178	mg/l	<0.000005	0.00161	<0.000005
CEN 10:1 - PAH, Total Detected USEPA 16 (aq)	TM178	mg/kg	<0.00082	0.114	0.00792
CEN 10:1 - PAH, Total Detected USEPA 16 (aq)	TM178	mg/l	<0.000082	0.0114	0.000792
EPH CWG (Speciated)					
CEN 10:1 - Aliphatics >C16-C35 Aqueous	TM174	mg/kg	<0.1	<0.1	<0.1
CEN 10:1 - Aliphatics >C16-C35 Aqueous	TM174	mg/l	<0.01	<0.01	<0.01

Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US
Tel: (01244) 528700
Fax: (01244) 528701
email: hawardencustomerservices@alsglobal.com
Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: John Fitzgerald

CERTIFICATE OF ANALYSIS

Date:	23 November 2018
Customer:	H_ATKINS_LDC
Sample Delivery Group (SDG):	181108-13
Your Reference:	
Location:	Llanwern
Report No:	482369

We received 15 samples on Thursday November 08, 2018 and 15 of these samples were scheduled for analysis which was completed on Friday November 23, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:



Sonia McWhan

Operations Manager

ALS Life Sciences Limited. Registered Office: Units 7 & 8 Hawarden Business Park, Manor Road, Hawarden, Deeside, CH5 3US. Registered in England and Wales No. 4057291.

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18689483	4G-D2		0.40 - 0.40	07/11/2018
18689487	4G-D2		0.80 - 0.80	07/11/2018
18689421	4G-D2-V		1.80 - 1.80	07/11/2018
18689474	4G-E2		0.80 - 0.80	07/11/2018
18689430	4G-E3		0.80 - 0.80	07/11/2018
18689478	4G-E2-V		1.95 - 1.95	07/11/2018
18689437	4G-E3-V		2.20 - 2.20	07/11/2018
18689416	4G-F1		0.50 - 0.50	07/11/2018
18689455	4G-F1		1.00 - 1.00	07/11/2018
18689464	4G-F2		0.50 - 0.50	07/11/2018
18689441	4G-F3		0.20 - 0.20	07/11/2018
18689447	4G-F3		0.60 - 0.60	07/11/2018
18689459	4G-F1-V		2.40 - 2.40	07/11/2018
18689468	4G-F2-V		2.00 - 2.00	07/11/2018
18689451	4G-F3-V		2.50 - 2.50	07/11/2018

Maximum Sample/Coolbox Temperature (°C) : **10.4**

ISO5667-3 Water quality - Sampling - Part3 -
During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -
S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18689483			18689487			18689421			18689474			18689430			18689478			18689437			18689416
Customer Sample Reference			4G-D2			4G-D2			4G-D2-V			4G-E2			4G-E3			4G-E2-V			4G-E3-V			4G-F1
AGS Reference																								
Depth (m)			0.40 - 0.40			0.80 - 0.80			1.80 - 1.80			0.80 - 0.80			0.80 - 0.80			1.95 - 1.95			2.20 - 2.20			0.50 - 0.50
Container			1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Alkali Metals by iCap-OES (Soil)	All	NDPs: 0 Tests: 6		X								X			X								
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 9	X			X					X			X									X
Ammonium Soil by Titration	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X				
Anions by Kone (soil)	All	NDPs: 0 Tests: 6		X								X			X								
Asbestos ID in Solid Samples	All	NDPs: 0 Tests: 6	X								X			X									X
Asbestos Quantification - Full	All	NDPs: 0 Tests: 1																					
CEN Readings	All	NDPs: 0 Tests: 9	X			X					X			X									X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 24	X	X		X	X		X		X	X		X	X		X		X				X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 9	X			X					X			X									X
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 9	X			X					X			X									X
EPH CWG (Aliphatic) GC (S)	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X				
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 9	X			X					X			X									X
EPH CWG (Aromatic) GC (S)	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X				
GRO by GC-FID (S)	All	NDPs: 0 Tests: 15			X			X		X			X			X		X		X			
GRO by GC-FID (W)	All	NDPs: 0 Tests: 9	X			X					X			X									X

18689451	4G-F3-V		2.50 - 2.50	60g VOC (ALE215)	S														X	
				250g Amber Jar (ALE210)	S			X					X			X		X		
18689468	4G-F2-V		2.00 - 2.00	60g VOC (ALE215)	S														X	
				250g Amber Jar (ALE210)	S			X					X			X		X		
18689459	4G-F1-V		2.40 - 2.40	60g VOC (ALE215)	S														X	
				250g Amber Jar (ALE210)	S			X					X			X		X		
18689447	4G-F3		0.60 - 0.60	60g VOC (ALE215)	S														X	
				250g Amber Jar (ALE210)	S	X		X	X				X			X		X		
				1kg TUB	S		X			X	X	X	X	X	X		X			X
18689441	4G-F3		0.20 - 0.20	60g VOC (ALE215)	S														X	
				250g Amber Jar (ALE210)	S			X					X			X		X		
				1kg TUB	S		X					X	X	X	X		X			X
18689464	4G-F2		0.50 - 0.50	60g VOC (ALE215)	S														X	
				250g Amber Jar (ALE210)	S	X		X	X				X			X		X		
				1kg TUB	S		X			X		X	X	X	X		X			X
18689455	4G-F1		1.00 - 1.00	60g VOC (ALE215)	S														X	
				250g Amber Jar (ALE210)	S			X					X			X		X		
				1kg TUB	S		X					X	X	X	X		X			X
18689416	4G-F1		0.50 - 0.50	60g VOC (ALE215)	S														X	
				250g Amber Jar (ALE210)	S	X		X	X				X			X		X		

CERTIFICATE OF ANALYSIS

SDG: 181108-13
Location: Llanwern
Client Reference:
Order Number: LLA512
Report Number: 482369
Superseded Report:

Results Legend

X Test

N No Determination Possible

Sample Types -
S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18689483			18689487			18689421		18689474			18689430			18689478		18689437		18689416
Customer Sample Reference			4G-D2			4G-D2			4G-D2-V		4G-E2			4G-E3			4G-E2-V		4G-E3-V		4G-F1
AGS Reference																					
Depth (m)			0.40 - 0.40			0.80 - 0.80			1.80 - 1.80		0.80 - 0.80			0.80 - 0.80			1.95 - 1.95		2.20 - 2.20		0.50 - 0.50
Container			1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Mercury Dissolved	All	NDPs: 0 Tests: 9	X			X					X			X							X
Metals in solid samples by OES	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X		
PAH by GCMS	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X		
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 9	X			X					X			X							X
pH	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X		
pH Value	All	NDPs: 0 Tests: 9	X			X					X			X							X
Phenols by HPLC (S)	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X		
Sample description	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X		
Total Organic Carbon	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X		
Total Sulphate	All	NDPs: 0 Tests: 6		X								X			X						
Total Sulphur	All	NDPs: 0 Tests: 6		X								X			X						
TPH CWG (W)	All	NDPs: 0 Tests: 9	X			X					X			X							X
TPH CWG GC (S)	All	NDPs: 0 Tests: 15		X			X		X			X			X		X		X		
VOC MS (S)	All	NDPs: 0 Tests: 15			X			X		X			X			X		X		X	

15:53:36 23/11/2018

18689451	4G-F3-V		2.50 - 2.50	60g VOC (ALE215)	S																		X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X					X				
18689468	4G-F2-V		2.00 - 2.00	60g VOC (ALE215)	S																		X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X					X				
18689459	4G-F1-V		2.40 - 2.40	60g VOC (ALE215)	S																		X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X					X				
18689447	4G-F3		0.60 - 0.60	60g VOC (ALE215)	S																		X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X	X	X			X				
				1kg TUB	S	X			X		X							X					
18689441	4G-F3		0.20 - 0.20	60g VOC (ALE215)	S																		X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X					X				
				1kg TUB	S	X			X		X							X					
18689464	4G-F2		0.50 - 0.50	60g VOC (ALE215)	S																		X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X	X	X			X				
				1kg TUB	S	X			X		X							X					
18689455	4G-F1		1.00 - 1.00	60g VOC (ALE215)	S																		X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X					X				
				1kg TUB	S	X			X		X							X					
18689416	4G-F1		0.50 - 0.50	60g VOC (ALE215)	S																		X
				250g Amber Jar (ALE210)	S		X	X		X		X	X	X	X	X			X				

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Sample Descriptions

Grain Sizes

very fine	<0.063mm	fine	0.063mm - 0.1mm	medium	0.1mm - 2mm	coarse	2mm - 10mm	very coarse	>10mm

Lab Sample No(s)	Customer Sample Ref.	Depth (m)	Colour	Description	Inclusions	Inclusions 2
18689483	4G-D2	0.40 - 0.40	Black	Sand	Stones	None
18689487	4G-D2	0.80 - 0.80	Dark Brown	Sandy Loam	Stones	None
18689421	4G-D2-V	1.80 - 1.80	Grey	Clay	None	None
18689474	4G-E2	0.80 - 0.80	Dark Brown	Sand	Vegetation	Stones
18689430	4G-E3	0.80 - 0.80	Black	Sand	Stones	Brick
18689478	4G-E2-V	1.95 - 1.95	Dark Brown	Sandy Loam	Vegetation	Stones
18689437	4G-E3-V	2.20 - 2.20	Grey	Clay	None	None
18689416	4G-F1	0.50 - 0.50	Dark Brown	Sandy Loam	Vegetation	Stones
18689455	4G-F1	1.00 - 1.00	Dark Brown	Sandy Loam	Vegetation	Stones
18689464	4G-F2	0.50 - 0.50	Dark Brown	Sandy Loam	Vegetation	Stones
18689441	4G-F3	0.20 - 0.20	Dark Brown	Sand	Stones	None
18689447	4G-F3	0.60 - 0.60	Black	Sand	Stones	None
18689459	4G-F1-V	2.40 - 2.40	Dark Brown	Loamy Sand	Vegetation	Stones
18689468	4G-F2-V	2.00 - 2.00	Dark Brown	Sandy Loam	Vegetation	Stones
18689451	4G-F3-V	2.50 - 2.50	Grey	Clay	None	None

These descriptions are only intended to act as a cross check if sample identities are questioned, and to provide a log of sample matrices with respect to MCERTS validation. They are not intended as full geological descriptions.

We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally ocurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample.

Other coarse granular materials such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D2	4G-D2	4G-D2-V	4G-E2	4G-E3	4G-E2-V
			Depth (m)	0.40 - 0.40	0.80 - 0.80	1.80 - 1.80	0.80 - 0.80	0.80 - 0.80	1.95 - 1.95
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018
			SDG Ref	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
			Lab Sample No.(s)	18689483	18689487	18689421	18689474	18689430	18689478
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		12	15	22	11	12	33
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	<12 M	76 M	<12 M	<12 M	702 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132		0.183			0.201	0.155	
Sulphate, Total potential	<0.06 %	TM132		0.549			0.603	0.465	
Soil Organic Matter (SOM)	<0.35 %	TM132		38.1 #	6.6 #	0.741 #	17.6 #	9.28 #	5.65 #
pH	1 pH Units	TM133		8.85 M	8.93 M	8.08 M	8.34 M	8.63 M	6.94 M
Cyanide, Total	<1 mg/kg	TM153		1.96 M	<1 M	<1 M	<1 M	1.56 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		14.5 M	8.79 M	12.8 M	16.5 M	13.6 M	13.1 M
Cadmium	<0.02 mg/kg	TM181		2.07 M	<0.02 M	<0.02 M	<0.02 M	0.553 M	<0.02 M
Chromium	<0.9 mg/kg	TM181		81.7 M	56.7 M	29.5 M	11.2 M	18.7 M	36 M
Copper	<1.4 mg/kg	TM181		34.4 M	23.6 M	9.12 M	42.6 M	40.8 M	14.9 M
Iron	<1000 mg/kg	TM181		190000 #	36800 #	37800 #	32900 #	32300 #	29700 #
Lead	<0.7 mg/kg	TM181		103 M	31.2 M	21 M	27.9 M	33.1 M	31.5 M
Manganese	<0.13 mg/kg	TM181		7160 M	2960 M	1530 M	661 M	1520 M	228 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<0.14 M	<0.14 M	<0.14 M	<0.14 M	<0.14 M
Nickel	<0.2 mg/kg	TM181		40.4 M	20.6 M	33.4 M	38.8 M	42.5 M	28.5 M
Selenium	<1 mg/kg	TM181		<10 #	1.7 #	<1 #	<1 #	1.11 #	<1 #
Vanadium	<0.2 mg/kg	TM181		86.4 #	78.9 #	53.7 #	33.3 #	38.2 #	57 #
Zinc	<1.9 mg/kg	TM181		254 M	70.3 M	100 M	78.5 M	137 M	115 M
Sulphate, acid soluble (total)	<0.02 %	TM221		0.149			0.256	0.214	
Calcium	<21 mg/kg	TM224		95500			3230	16000	
Magnesium	<8 mg/kg	TM224		13700			2530	4690	
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243		0.0518 M			0.0394 M	0.0549 M	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E3-V	4G-F1	4G-F1	4G-F2	4G-F3	4G-F3
			Depth (m)	2.20 - 2.20	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.20 - 0.20	0.60 - 0.60
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018
			SDG Ref	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
			Lab Sample No.(s)	18689437	18689416	18689455	18689464	18689441	18689447
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		23	6.1	12	6.9	11	1
Exchangeable Ammonia as N	<12 mg/kg	TM024		133 M	<12 M	<12 M	<12 M	<12 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132			0.14		0.154		0.495
Sulphate, Total potential	<0.06 %	TM132			0.42		0.462		1.49
Soil Organic Matter (SOM)	<0.35 %	TM132		1.62 #	11.7 #	25 #	2.95 #	40.2 #	2.74 #
pH	1 pH Units	TM133		7.32 M	9.95 M	8.57 M	10 M	9.39 M	12.2 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	1.5 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		13.7 M	11.6 M	11.3 M	6.18 M	10.2 M	<6 M
Cadmium	<0.02 mg/kg	TM181		16.9 M	<0.2 M	0.821 M	<0.2 M	<0.02 M	1.62 M
Chromium	<0.9 mg/kg	TM181		56.7 M	<9 M	1.56 M	36.2 M	<0.9 M	547 M
Copper	<1.4 mg/kg	TM181		356 M	31.6 M	50.8 M	16.9 M	<14 M	18 M
Iron	<1000 mg/kg	TM181		35700 #	30300 #	54100 #	49400 #	107000 #	183000 #
Lead	<0.7 mg/kg	TM181		276 M	167 M	36.7 M	35.3 M	20 M	47.2 M
Manganese	<0.13 mg/kg	TM181		342 M	4750 M	1400 M	2990 M	3260 M	39500 M
Mercury	<0.14 mg/kg	TM181		<0.14 M	<1.4 M	<0.14 M	<1.4 M	<0.14 M	<1.4 M
Nickel	<0.2 mg/kg	TM181		41.2 M	60.2 M	26.3 M	14.6 M	15 M	8.22 M
Selenium	<1 mg/kg	TM181		<1 #	<10 #	1.26 #	<10 #	<1 #	18.4 #
Vanadium	<0.2 mg/kg	TM181		60.9 #	179 #	41.1 #	116 #	38.1 #	1270 #
Zinc	<1.9 mg/kg	TM181		1680 M	250 M	203 M	106 M	93.6 M	91 M
Sulphate, acid soluble (total)	<0.02 %	TM221			0.068		0.374		1.33
Calcium	<21 mg/kg	TM224			67200		274000		222000
Magnesium	<8 mg/kg	TM224			7520		8030		6830
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243			0.0377 M		0.0829 M		0.123 M
Asbestos Quantification - Gravimetric - %	<0.001 %	TM304							<0.001 #
Asbestos Quantification - PCOM Evaluation - %	<0.001 %	TM304							<0.001 #
Additional Asbestos Components (Using TM048)		TM304							None #
Analysts Comments		TM304							N/A
Asbestos Quantification - Total - %	<0.001 %	TM304							<0.001 #

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Customer Sample Ref.	4G-F1-V	4G-F2-V	4G-F3-V			
Depth (m)	2.40 - 2.40	2.00 - 2.00	2.50 - 2.50			
Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)			
Date Sampled	07/11/2018	07/11/2018	07/11/2018			
Sample Time	00:00	00:00	00:00			
Date Received	08/11/2018	08/11/2018	08/11/2018			
SDG Ref	181108-13	181108-13	181108-13			
Lab Sample No.(s)	18689459	18689468	18689451			
AGS Reference						

Component	LOD/Units	Method						
Moisture Content Ratio (% of as received sample)	%	PM024	23	32	26			
Exchangeable Ammonia as N	<12 mg/kg	TM024	573 M	661 M	19.6 M			
Phenol	<0.01 mg/kg	TM062 (S)	<0.01 M	<0.01 M	<0.01 M			
Cresols	<0.01 mg/kg	TM062 (S)	<0.01 M	<0.01 M	<0.01 M			
Xylenols	<0.015 mg/kg	TM062 (S)	<0.015 M	<0.015 M	<0.015 M			
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)	<0.035 M	<0.035 M	<0.035 M			
Soil Organic Matter (SOM)	<0.35 %	TM132	1.13 #	4.02 #	1.01 #			
pH	1 pH Units	TM133	8.52 M	7.39 M	8.18 M			
Cyanide, Total	<1 mg/kg	TM153	5.64 M	<1 M	<1 M			
Cyanide, Free	<1 mg/kg	TM153	<1 M	<1 M	<1 M			
Arsenic	<0.6 mg/kg	TM181	9.4 M	13.7 M	11.6 M			
Cadmium	<0.02 mg/kg	TM181	<0.02 M	<0.02 M	<0.02 M			
Chromium	<0.9 mg/kg	TM181	28.9 M	34.8 M	28.4 M			
Copper	<1.4 mg/kg	TM181	9.07 M	15.5 M	11.3 M			
Iron	<1000 mg/kg	TM181	41100 #	34200 #	35400 #			
Lead	<0.7 mg/kg	TM181	21.2 M	24.8 M	23.5 M			
Manganese	<0.13 mg/kg	TM181	1820 M	590 M	723 M			
Mercury	<0.14 mg/kg	TM181	<0.14 M	<0.14 M	<0.14 M			
Nickel	<0.2 mg/kg	TM181	31.6 M	32.2 M	31.8 M			
Selenium	<1 mg/kg	TM181	<1 #	<1 #	<1 #			
Vanadium	<0.2 mg/kg	TM181	51.8 #	59.4 #	51.1 #			
Zinc	<1.9 mg/kg	TM181	122 M	116 M	141 M			

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D2	4G-D2	4G-D2-V	4G-E2	4G-E3	4G-E2-V
			Depth (m)	0.40 - 0.40	0.80 - 0.80	1.80 - 1.80	0.80 - 0.80	0.80 - 0.80	1.95 - 1.95
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018
			SDG Ref	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
			Lab Sample No.(s)	18689483	18689487	18689421	18689474	18689430	18689478
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		93.7	95.5	99.4	96.5	85	93.2
Acenaphthene-d10 % recovery**	%	TM218		90	90	96.3	95.7	81.2	88.7
Phenanthrene-d10 % recovery**	%	TM218		90.8	89.5	94.7	94.3	75.8	88.5
Chrysene-d12 % recovery**	%	TM218		82.1	84.2	86.3	88.2	69.9	84.1
Perylene-d12 % recovery**	%	TM218		74.7	83.9	87.1	76.3	65.7	84.9
Naphthalene	<0.009 mg/kg	TM218		0.22 M	0.266 M	<0.009 M	0.051 M	0.118 M	<0.009 M
Acenaphthylene	<0.012 mg/kg	TM218		0.234 M	0.0679 M	<0.012 M	0.0146 M	0.0864 M	<0.012 M
Acenaphthene	<0.008 mg/kg	TM218		0.0527 M	<0.008 M	<0.008 M	<0.008 M	<0.008 M	<0.008 M
Fluorene	<0.01 mg/kg	TM218		0.0843 M	0.0188 M	<0.01 M	<0.01 M	0.013 M	<0.01 M
Phenanthrene	<0.015 mg/kg	TM218		1.78 M	0.167 M	<0.015 M	0.121 M	0.287 M	<0.015 M
Anthracene	<0.016 mg/kg	TM218		0.438 M	0.0409 M	<0.016 M	0.0187 M	0.0473 M	<0.016 M
Fluoranthene	<0.017 mg/kg	TM218		3.14 M	0.31 M	<0.017 M	0.0971 M	0.317 M	<0.017 M
Pyrene	<0.015 mg/kg	TM218		2.28 M	0.266 M	<0.015 M	0.0774 M	0.261 M	<0.015 M
Benz(a)anthracene	<0.014 mg/kg	TM218		1.53 M	0.214 M	<0.014 M	0.0609 M	0.202 M	<0.014 M
Chrysene	<0.01 mg/kg	TM218		1.38 M	0.231 M	<0.01 M	0.0818 M	0.17 M	<0.01 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		2.44 M	0.424 M	0.0244 M	0.062 M	0.467 M	<0.015 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.885 M	0.137 M	<0.014 M	0.0251 M	0.157 M	<0.014 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		1.52 M	0.275 M	<0.015 M	0.0531 M	0.267 M	<0.015 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		1.12 M	0.206 M	<0.018 M	0.0505 M	0.234 M	<0.018 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.339 M	0.0578 M	<0.023 M	<0.023 M	0.0631 M	<0.023 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		1.22 M	0.215 M	<0.024 M	0.0512 M	0.241 M	<0.024 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		18.7	2.89	<0.118	0.765	2.93	<0.118

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E3-V	4G-F1	4G-F1	4G-F2	4G-F3	4G-F3
			Depth (m)	2.20 - 2.20	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.20 - 0.20	0.60 - 0.60
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018
			SDG Ref	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
			Lab Sample No.(s)	18689437	18689416	18689455	18689464	18689441	18689447
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		89.8	94.5	92	97.3	93.4	92.6
Acenaphthene-d10 % recovery**	%	TM218		84.6	93.3	89	93.1	92.7	80.9
Phenanthrene-d10 % recovery**	%	TM218		87.8	91.2	83.5	94.1	92.1	88.7
Chrysene-d12 % recovery**	%	TM218		83.2	89.2	72.4	85.7	77.2	82.1
Perylene-d12 % recovery**	%	TM218		82.3	88.3	62.4	84.6	72.4	82.9
Naphthalene	<0.009 mg/kg	TM218		<0.009 M	0.24 M	0.106 M	0.0304 M	0.103 M	<0.045 M
Acenaphthylene	<0.012 mg/kg	TM218		<0.012 M	0.913 M	<0.012 M	0.013 M	0.108 M	<0.06 M
Acenaphthene	<0.008 mg/kg	TM218		<0.008 M	<0.008 M	<0.008 M	0.0168 M	0.0134 M	<0.04 M
Fluorene	<0.01 mg/kg	TM218		<0.01 M	0.0434 M	<0.01 M	0.0108 M	0.0369 M	<0.05 M
Phenanthrene	<0.015 mg/kg	TM218		<0.015 M	0.359 M	0.179 M	0.229 M	0.675 M	<0.075 M
Anthracene	<0.016 mg/kg	TM218		<0.016 M	0.227 M	<0.016 M	0.0453 M	0.161 M	<0.08 M
Fluoranthene	<0.017 mg/kg	TM218		<0.017 M	2.01 M	0.101 M	0.508 M	1.47 M	<0.085 M
Pyrene	<0.015 mg/kg	TM218		<0.015 M	1.95 M	0.0877 M	0.443 M	1.1 M	<0.075 M
Benz(a)anthracene	<0.014 mg/kg	TM218		<0.014 M	1.78 M	0.0558 M	0.274 M	0.674 M	<0.07 M
Chrysene	<0.01 mg/kg	TM218		<0.01 M	1.23 M	0.0669 M	0.327 M	0.594 M	<0.05 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		<0.015 M	4.89 M	0.115 M	0.539 M	1.14 M	<0.075 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		<0.014 M	1.35 M	0.0375 M	0.17 M	0.331 M	<0.07 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		<0.015 M	3.08 M	0.053 M	0.309 M	0.61 M	<0.075 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		<0.018 M	3.02 M	0.0441 M	0.247 M	0.449 M	<0.09 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		<0.023 M	0.72 M	<0.023 M	0.0635 M	0.143 M	<0.115 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		<0.024 M	3.46 M	0.0527 M	0.297 M	0.496 M	<0.12 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		<0.118	25.3	0.899	3.52	8.1	<0.59

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F1-V	4G-F2-V	4G-F3-V			
			Depth (m)	2.40 - 2.40	2.00 - 2.00	2.50 - 2.50			
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)			
			Date Sampled	07/11/2018	07/11/2018	07/11/2018			
			Sample Time	00:00	00:00	00:00			
			Date Received	08/11/2018	08/11/2018	08/11/2018			
			SDG Ref	181108-13	181108-13	181108-13			
			Lab Sample No.(s)	18689459	18689468	18689451			
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		92.5	93.8	99.5			
Acenaphthene-d10 % recovery**	%	TM218		86.5	88.4	101			
Phenanthrene-d10 % recovery**	%	TM218		88.7	89.5	104			
Chrysene-d12 % recovery**	%	TM218		85.1	85.4	106			
Perylene-d12 % recovery**	%	TM218		83.7	85.6	98.5			
Naphthalene	<0.009 mg/kg	TM218		0.0948 M	<0.009 M	<0.009 M			
Acenaphthylene	<0.012 mg/kg	TM218		<0.012 M	<0.012 M	<0.012 M			
Acenaphthene	<0.008 mg/kg	TM218		<0.008 M	<0.008 M	<0.008 M			
Fluorene	<0.01 mg/kg	TM218		<0.01 M	<0.01 M	<0.01 M			
Phenanthrene	<0.015 mg/kg	TM218		0.0341 M	<0.015 M	<0.015 M			
Anthracene	<0.016 mg/kg	TM218		<0.016 M	<0.016 M	<0.016 M			
Fluoranthene	<0.017 mg/kg	TM218		0.0598 M	<0.017 M	<0.017 M			
Pyrene	<0.015 mg/kg	TM218		0.0443 M	<0.015 M	<0.015 M			
Benz(a)anthracene	<0.014 mg/kg	TM218		0.0329 M	<0.014 M	<0.014 M			
Chrysene	<0.01 mg/kg	TM218		0.0335 M	<0.01 M	<0.01 M			
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		0.058 M	<0.015 M	<0.015 M			
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		<0.014 M	<0.014 M	<0.014 M			
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.0356 M	<0.015 M	<0.015 M			
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.0284 M	<0.018 M	<0.018 M			
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		<0.023 M	<0.023 M	<0.023 M			
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		<0.024 M	<0.024 M	<0.024 M			
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		0.421	<0.118	<0.118			

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D2	4G-D2	4G-D2-V	4G-E2	4G-E3	4G-E2-V
			Depth (m)	0.40 - 0.40	0.80 - 0.80	1.80 - 1.80	0.80 - 0.80	0.80 - 0.80	1.95 - 1.95
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018
			SDG Ref	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
			Lab Sample No.(s)	18689483	18689487	18689421	18689474	18689430	18689478
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		76.1	92	98.6	54.9	74.5	125
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 #	<0.2 M	0.476 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	0.033
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	0.122
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	0.137
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	0.057
Aliphatics >C12-C16	<0.1 mg/kg	TM173		<0.1	<0.1	<0.1	0.793	<0.1	0.216
Aliphatics >C16-C21	<0.1 mg/kg	TM173		10.1	2.95	<0.1	0.835	0.195	<0.1
Aliphatics >C21-C35	<0.1 mg/kg	TM173		86.2	23.3	<0.1	4.1	4.38	1.66
Aliphatics >C35-C44	<0.1 mg/kg	TM173		15.9	8.15	<0.1	<0.1	<0.1	0.537
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		112	34.4	<0.1	5.73	4.57	2.42
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	0.09
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	0.0375
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		3.46	1.45	0.608	0.782	1.15	<0.1
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		19	4.41	1.39	1.36	6.67	<0.1
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		113	32.7	2.42	4.57	14.8	22.7
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		51.2	22	0.267	0.657	4.75	6.1
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		18.9	9	<0.1	<0.1	1.6	2.33
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		187	60.5	4.69	7.37	27.4	28.8
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		299	94.9	4.69	13.1	32	31.7

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E3-V	4G-F1	4G-F1	4G-F2	4G-F3	4G-F3
			Depth (m)	2.20 - 2.20	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.20 - 0.20	0.60 - 0.60
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018
			SDG Ref	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
			Lab Sample No.(s)	18689437	18689416	18689455	18689464	18689441	18689447
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		82	93.5	77.5	90.1	73.3	98.9
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		<0.1	<0.1	<0.1	0.182	<0.1	<0.1
Aliphatics >C16-C21	<0.1 mg/kg	TM173		<0.1	7.64	1.21	1.14	8.35	1.03
Aliphatics >C21-C35	<0.1 mg/kg	TM173		<0.1	26.2	6.45	16	34.9	17.2
Aliphatics >C35-C44	<0.1 mg/kg	TM173		<0.1	7.35	0.948	5.11	13.5	2.79
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		<0.1	41.2	8.6	22.4	56.8	21
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		<0.1	2.51	1.23	0.711	1.79	1.29
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		<0.1	15.3	4.5	5.21	13.9	18.9
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		3.14	93.7	12.5	40.9	64.1	147
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		0.463	40.7	5.9	16.5	36.7	43.6
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		<0.1	14.5	2.8	6.02	15.8	14
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		3.6	152	24.1	63.3	117	211
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		3.6	193	32.7	85.7	173	232

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F1-V	4G-F2-V	4G-F3-V			
			Depth (m)	2.40 - 2.40	2.00 - 2.00	2.50 - 2.50			
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)			
			Date Sampled	07/11/2018	07/11/2018	07/11/2018			
			Sample Time	00:00	00:00	00:00			
			Date Received	08/11/2018	08/11/2018	08/11/2018			
			SDG Ref	181108-13	181108-13	181108-13			
			Lab Sample No.(s)	18689459	18689468	18689451			
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		98.2	102	97			
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M			
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02			
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02			
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02			
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02			
Aliphatics >C12-C16	<0.1 mg/kg	TM173		<0.1	<0.1	<0.1			
Aliphatics >C16-C21	<0.1 mg/kg	TM173		<0.1	<0.1	<0.1			
Aliphatics >C21-C35	<0.1 mg/kg	TM173		3.44	0.782	<0.1			
Aliphatics >C35-C44	<0.1 mg/kg	TM173		1.53	<0.1	<0.1			
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		4.98	0.782	<0.1			
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02			
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02			
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02			
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02			
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		<0.1	<0.1	0.814			
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		<0.1	0.219	1.47			
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		5.22	10.1	3.65			
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		4.45	1.09	0.537			
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		1.76	<0.1	<0.1			
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		9.66	11.5	6.47			
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		14.6	12.2	6.47			

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D2	4G-D2	4G-D2-V	4G-E2	4G-E3	4G-E2-V
			Depth (m)	0.40 - 0.40	0.80 - 0.80	1.80 - 1.80	0.80 - 0.80	0.80 - 0.80	1.95 - 1.95
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018
			SDG Ref	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
			Lab Sample No.(s)	18689483	18689487	18689421	18689474	18689430	18689478
			AGS Reference						
Dibromofluoromethane**	%	TM116		116	125	126	117	115	125
Toluene-d8**	%	TM116		97.5	100	101	99.9	98.6	96.6
4-Bromofluorobenzene**	%	TM116		74.4	76.9	84.7	75.7	84	78.7
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.2 M	<0.1 M	<0.1 M	<0.1 M	<2 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.18 M	<0.09 M	<0.09 M	<0.09 M	<1.8 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.14 M	<0.07 M	<0.07 M	<0.07 M	<1.4 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.08 M	<0.04 M	<0.04 M	<0.04 M	<0.8 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.2 #	<0.1 #	<0.1 #	<0.1 #	<2 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.2 M	<0.1 M	<0.1 M	<0.1 M	<2 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.26 M	<0.13 M	<0.13 M	<0.13 M	<2.6 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.8	<0.4	<0.4	<0.4	<8	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E3-V	4G-F1	4G-F1	4G-F2	4G-F3	4G-F3
			Depth (m)	2.20 - 2.20	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50	0.20 - 0.20	0.60 - 0.60
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018	07/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018	08/11/2018
			SDG Ref	181108-13	181108-13	181108-13	181108-13	181108-13	181108-13
			Lab Sample No.(s)	18689437	18689416	18689455	18689464	18689441	18689447
			AGS Reference						
Dibromofluoromethane**	%	TM116		123	112	115	126	117	133
Toluene-d8**	%	TM116		101	98.6	98.9	100	96.2	100
4-Bromofluorobenzene**	%	TM116		83.1	79.2	70.4	81.1	70	84.5
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.2 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.18 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.14 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.08 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.2 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.2 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.26 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.8	<0.4

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F1-V	4G-F2-V	4G-F3-V			
			Depth (m)	2.40 - 2.40	2.00 - 2.00	2.50 - 2.50			
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)			
			Date Sampled	07/11/2018	07/11/2018	07/11/2018			
			Sample Time	00:00	00:00	00:00			
			Date Received	08/11/2018	08/11/2018	08/11/2018			
			SDG Ref	181108-13	181108-13	181108-13			
			Lab Sample No.(s)	18689459	18689468	18689451			
			AGS Reference						
Dibromofluoromethane**	%	TM116		125	115	128			
Toluene-d8**	%	TM116		101	99.3	100			
4-Bromofluorobenzene**	%	TM116		88	82.1	82.3			
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M			
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M			
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M			
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M			
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #			
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M			
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M			
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4			

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Asbestos Identification - Solid Samples

		Date of Analysis	Analysed By	Comments	Amosite (Brown) Asbestos	Chrysotile (White) Asbestos	Crocidolite (Blue) Asbestos	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non-Asbestos Fibre
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-D2 0.40 - 0.40 SOLID 07/11/2018 00:00:00 08/11/2018 13:37:48 181108-13 18689483 TM048	09/11/2018	Barbara Urbanek-Walsh	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-E2 0.80 - 0.80 SOLID 07/11/2018 00:00:00 08/11/2018 10:49:42 181108-13 18689474 TM048	09/11/2018	Lucy Caroe	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-E3 0.80 - 0.80 SOLID 07/11/2018 00:00:00 08/11/2018 09:19:07 181108-13 18689430 TM048	09/11/2018	Lucy Caroe	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F1 0.50 - 0.50 SOLID 07/11/2018 00:00:00 08/11/2018 14:28:18 181108-13 18689416 TM048	09/11/2018	Barbara Urbanek-Walsh	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F2 0.50 - 0.50 SOLID 07/11/2018 00:00:00 08/11/2018 10:59:43 181108-13 18689464 TM048	09/11/2018	Lucy Caroe	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F3 0.60 - 0.60 SOLID 07/11/2018 00:00:00 08/11/2018 09:14:57 181108-13 18689447 TM048	09/11/2018	Barbara Urbanek-Walsh	Loose fibres in soil.	Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Asbestos Quantification - Full

		Additional Asbestos Components (Using TM048)	Analysts Comments	Asbestos Quantification - Gravimetric - %	Asbestos Quantification - PCOM Evaluation - %	Asbestos Quantification - Total - %
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F3 0.60 - 0.60 SOLID 07/11/2018 00:00:00 08/11/2018 09:16:52 181108-13 18689447 TM304	None (#)	N/A	<0.001 (#)	<0.001 (#)	<0.001 (#)

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.096	**Natural Moisture Content (%)**	6.5
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.9
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689416
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F1
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000215	<0.00001	0.000215	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00795	<0.0005	0.0795	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00173	<0.001	0.0173	<0.01	-	-	-
Copper	0.00208	<0.0003	0.0208	<0.003	-	-	-
Lead	0.00204	<0.0002	0.0204	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000546	<0.0004	0.00546	<0.004	-	-	-
Selenium	0.00127	<0.001	0.0127	<0.01	-	-	-
Vanadium	0.0606	<0.001	0.606	<0.01	-	-	-
Zinc	0.0015	<0.001	0.015	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.792	<0.019	7.92	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000249	<0.00001	0.000249	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00014	<0.000005	0.0014	<0.00005	-	-	-
Fluoranthene by GCMS	0.00023	<0.000005	0.0023	<0.00005	-	-	-
Anthracene by GCMS	0.0000244	<0.000005	0.000244	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000442	<0.000005	0.000442	<0.00005	-	-	-
Fluorene by GCMS	0.00000622	<0.000005	0.0000622	<0.00005	-	-	-
Chrysene by GCMS	0.000214	<0.000005	0.00214	<0.00005	-	-	-
Pyrene by GCMS	0.000243	<0.000005	0.00243	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.000156	<0.000005	0.00156	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000736	<0.000005	0.00736	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.000301	<0.000005	0.00301	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.000441	<0.000002	0.00441	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.000173	<0.000005	0.00173	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.00116	<0.000005	0.0116	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.000751	<0.000005	0.00751	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00465	<0.000082	0.0465	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	8.78
Conductivity (µS/cm)	97.10
Temperature (°C)	18.70
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.096	**Natural Moisture Content (%)**	6.5
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.9
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689416
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F1
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	8.78
Conductivity (µS/cm)	97.10
Temperature (°C)	18.70
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.102	**Natural Moisture Content (%)**	13.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	88
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689430
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-E3
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00853	<0.0005	0.0853	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00175	<0.0003	0.0175	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	0.0145	<0.003	0.145	<0.03	-	-	-
Nickel	0.000743	<0.0004	0.00743	<0.004	-	-	-
Selenium	0.00124	<0.001	0.0124	<0.01	-	-	-
Vanadium	0.0226	<0.001	0.226	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000015	<0.00001	0.00015	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000178	<0.000005	0.000178	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000204	<0.000005	0.000204	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.00000807	<0.000005	0.0000807	<0.00005	-	-	-
Pyrene by GCMS	0.0000169	<0.000005	0.000169	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.00000711	<0.000005	0.0000711	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000174	<0.000005	0.000174	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000797	<0.000005	0.0000797	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000992	<0.000002	0.0000992	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000121	<0.000082	0.00121	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	8.25
Conductivity (µS/cm)	91.90
Temperature (°C)	18.40
Volume Leachant (Litres)	0.888

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.102	**Natural Moisture Content (%)**	13.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	88
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689430
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-E3
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	8.25
Conductivity (µS/cm)	91.90
Temperature (°C)	18.40
Volume Leachant (Litres)	0.888

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689441
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F3
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00242	<0.0005	0.0242	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.000587	<0.0003	0.00587	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0151	<0.001	0.151	<0.01	-	-	-
Zinc	0.00381	<0.001	0.0381	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000029	<0.000005	0.00029	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000163	<0.000005	0.000163	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.0000109	<0.000005	0.000109	<0.00005	-	-	-
Pyrene by GCMS	0.0000328	<0.000005	0.000328	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000186	<0.000005	0.000186	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000744	<0.000005	0.0000744	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000086	<0.000002	0.000086	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000124	<0.000082	0.00124	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	9.63
Conductivity (µS/cm)	84.70
Temperature (°C)	18.50
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689441
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F3
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	9.63
Conductivity (µS/cm)	84.70
Temperature (°C)	18.50
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.091	**Natural Moisture Content (%)**	1.01
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	99
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689447
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F3
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000119	<0.00001	0.000119	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00067	<0.0005	0.0067	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00635	<0.001	0.0635	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	0.000934	<0.0002	0.00934	<0.002	-	-	-
Manganese	0.00973	<0.003	0.0973	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.021	<0.001	0.21	<0.01	-	-	-
Zinc	0.00368	<0.001	0.0368	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.34	<0.019	3.4	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000898	<0.00001	0.000898	<0.0001	-	-	-
Acenaphthene by GCMS	0.000145	<0.000005	0.00145	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000773	<0.000005	0.00773	<0.00005	-	-	-
Anthracene by GCMS	0.0000813	<0.000005	0.000813	<0.00005	-	-	-
Phenanthrene by GCMS	0.000555	<0.000005	0.00555	<0.00005	-	-	-
Fluorene by GCMS	0.0000257	<0.000005	0.000257	<0.00005	-	-	-
Chrysene by GCMS	0.0000908	<0.000005	0.000908	<0.00005	-	-	-
Pyrene by GCMS	0.000866	<0.000005	0.00866	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.000056	<0.000005	0.00056	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000482	<0.000005	0.000482	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000196	<0.000005	0.000196	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.000012	<0.000002	0.00012	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.00000861	<0.000005	0.0000861	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000222	<0.000005	0.000222	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.00000778	<0.000005	0.0000778	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.0028	<0.000082	0.028	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	15-Nov-2018
pH (pH Units)	11.49
Conductivity (µS/cm)	1,220.00
Temperature (°C)	17.90
Volume Leachant (Litres)	0.899

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.091	**Natural Moisture Content (%)**	1.01
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	99
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689447
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F3
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	15-Nov-2018
pH (pH Units)	11.49
Conductivity (µS/cm)	1,220.00
Temperature (°C)	17.90
Volume Leachant (Litres)	0.899

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.102	**Natural Moisture Content (%)**	13.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	88
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689455
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F1
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.0125	<0.0005	0.125	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00128	<0.0003	0.0128	<0.003	-	-	-
Lead	0.00051	<0.0002	0.0051	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.00067	<0.0004	0.0067	<0.004	-	-	-
Selenium	0.00337	<0.001	0.0337	<0.01	-	-	-
Vanadium	0.0709	<0.001	0.709	<0.01	-	-	-
Zinc	0.0012	<0.001	0.012	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.606	<0.019	6.06	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000118	<0.00001	0.000118	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000121	<0.000005	0.000121	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000199	<0.000005	0.000199	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000101	<0.000005	0.000101	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	7.52
Conductivity (µS/cm)	86.60
Temperature (°C)	18.50
Volume Leachant (Litres)	0.888

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.102	**Natural Moisture Content (%)**	13.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	88
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689455
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F1
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	7.52
Conductivity (µS/cm)	86.60
Temperature (°C)	18.50
Volume Leachant (Litres)	0.888

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.41
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.1
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689464
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F2
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000127	<0.00001	0.000127	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.000544	<0.0005	0.00544	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00193	<0.001	0.0193	<0.01	-	-	-
Copper	0.00135	<0.0003	0.0135	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00111	<0.001	0.0111	<0.01	-	-	-
Vanadium	0.0772	<0.001	0.772	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000124	<0.00001	0.000124	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000032	<0.000005	0.00032	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000251	<0.000005	0.000251	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000307	<0.000005	0.000307	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.0001	<0.000082	0.001	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	10.94
Conductivity (µS/cm)	364.00
Temperature (°C)	18.30
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.41
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.1
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689464
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-F2
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	10.94
Conductivity (µS/cm)	364.00
Temperature (°C)	18.30
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689474
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-E2
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.0026	<0.0005	0.026	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00204	<0.0003	0.0204	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00108	<0.001	0.0108	<0.01	-	-	-
Vanadium	0.00233	<0.001	0.0233	<0.01	-	-	-
Zinc	0.0084	<0.001	0.084	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.00000903	<0.000005	0.0000903	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000121	<0.000005	0.000121	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.00000591	<0.000005	0.0000591	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	12.35
Conductivity (µS/cm)	111.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689474
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-E2
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	12.35
Conductivity (µS/cm)	111.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.102	**Natural Moisture Content (%)**	13.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	88
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689483
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-D2
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000124	<0.00001	0.000124	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00577	<0.0005	0.0577	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00265	<0.001	0.0265	<0.01	-	-	-
Copper	0.00117	<0.0003	0.0117	<0.003	-	-	-
Lead	0.000249	<0.0002	0.00249	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0319	<0.001	0.319	<0.01	-	-	-
Zinc	0.00194	<0.001	0.0194	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000166	<0.000005	0.000166	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000593	<0.000005	0.000593	<0.00005	-	-	-
Anthracene by GCMS	0.0000074	<0.000005	0.000074	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000259	<0.000005	0.000259	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.0000501	<0.000005	0.000501	<0.00005	-	-	-
Pyrene by GCMS	0.0000454	<0.000005	0.000454	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000324	<0.000005	0.000324	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000105	<0.000005	0.00105	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000404	<0.000005	0.000404	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000372	<0.000002	0.000372	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000196	<0.000005	0.000196	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000737	<0.000005	0.000737	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.0000518	<0.000005	0.000518	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000565	<0.000082	0.00565	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	9.02
Conductivity (µS/cm)	95.60
Temperature (°C)	18.20
Volume Leachant (Litres)	0.888

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.102	**Natural Moisture Content (%)**	13.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	88
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689483
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-D2
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	9.02
Conductivity (µS/cm)	95.60
Temperature (°C)	18.20
Volume Leachant (Litres)	0.888

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.106	**Natural Moisture Content (%)**	17.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	85
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689487
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-D2
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000103	<0.00001	0.000103	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00684	<0.0005	0.0684	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00126	<0.001	0.0126	<0.01	-	-	-
Copper	0.000961	<0.0003	0.00961	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00106	<0.001	0.0106	<0.01	-	-	-
Vanadium	0.0314	<0.001	0.314	<0.01	-	-	-
Zinc	0.00274	<0.001	0.0274	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000162	<0.000005	0.000162	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000122	<0.000005	0.000122	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.00000608	<0.000005	0.0000608	<0.00005	-	-	-
Pyrene by GCMS	0.0000142	<0.000005	0.000142	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000029	<0.000005	0.00029	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000879	<0.000005	0.0000879	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000853	<0.000002	0.0000853	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.0000949	<0.000082	0.000949	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	9.18
Conductivity (µS/cm)	88.40
Temperature (°C)	18.50
Volume Leachant (Litres)	0.884

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.106	**Natural Moisture Content (%)**	17.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	85
Particle Size <4mm	>95%		

Case	
SDG	181108-13
Lab Sample Number(s)	18689487
Sampled Date	07-Nov-2018
Customer Sample Ref.	4G-D2
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	10-Nov-2018
pH (pH Units)	9.18
Conductivity (µS/cm)	88.40
Temperature (°C)	18.50
Volume Leachant (Litres)	0.884

Mcerts Certification does not apply to leachates

23/11/2018 15:54:02

15:53:36 23/11/2018

Table of Results - Appendix

Method No	Reference	Description
PM001		Preparation of Samples for Metals Analysis
PM024	Modified BS 1377	Soil preparation including homogenisation, moisture screens of soils for Asbestos Containing Material
PM115		Leaching Procedure for CEN One Stage Leach Test 2:1 & 10:1 1 Step
TM024	Method 4500A & B, AWWA/APHA, 20th Ed., 1999	Determination of Exchangeable Ammonium and Ammoniacal Nitrogen as N by titration on solids
TM048	HSG 248, Asbestos: The analysts' guide for sampling, analysis and clearance procedures	Identification of Asbestos in Bulk Material
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM062 (S)	National Grid Property Holdings Methods for the Collection & Analysis of Samples from National Grid Sites version 1 Sec 3.9	Determination of Phenols in Soils by HPLC
TM089	Modified: US EPA Methods 8020 & 602	Determination of Gasoline Range Hydrocarbons (GRO) by Headspace GC-FID (C4-C12)
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM116	Modified: US EPA Method 8260, 8120, 8020, 624, 610 & 602	Determination of Volatile Organic Compounds by Headspace / GC-MS
TM132	In - house Method	ELTRA CS800 Operators Guide
TM133	BS 1377: Part 3 1990;BS 6068-2.5	Determination of pH in Soil and Water using the GLpH pH Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM153	Method 4500A,B,C, I, M AWWA/APHA, 20th Ed., 1999	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate using the Skalar SANS+ System Segmented Flow Analyser
TM173	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Soils by GC-FID
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM181	US EPA Method 6010B	Determination of Routine Metals in Soil by iCap 6500 Duo ICP-OES
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM218	Shaker extraction - EPA method 3546.	The determination of PAH in soil samples by GC-MS
TM221	Inductively Coupled Plasma - Atomic Emission Spectroscopy. An Atlas of Spectral Information: Winge, Fassel, Peterson and Floyd	Determination of Acid extractable Sulphate in Soils by IRIS Emission Spectrometer
TM224	US EPA Method 6010B	Determination of Alkaline Metals by iCap 6500 Duo ICP-OES
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM243		Mixed Anions In Soils By Kone
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM304	HSE Contract research Report no 83/1996	Asbestos Quantification in Soil: Fibres identified by morphology only

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

CERTIFICATE OF ANALYSIS

SDG:	181108-13	**Client Reference:**		**Report Number:**	482369
Location:	Llanwern	**Order Number:**	LLA512	**Superseded Report:**	

Test Completion Dates

Lab Sample No(s)	18689483	18689487	18689421	18689474	18689430	18689478	18689437	18689416	18689455	18689464
Customer Sample Ref.	4G-D2	4G-D2	4G-D2-V	4G-E2	4G-E3	4G-E2-V	4G-E3-V	4G-F1	4G-F1	4G-F2
AGS Ref.										
Depth	0.40 - 0.40	0.80 - 0.80	1.80 - 1.80	0.80 - 0.80	0.80 - 0.80	1.95 - 1.95	2.20 - 2.20	0.50 - 0.50	1.00 - 1.00	0.50 - 0.50
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)	15-Nov-2018			13-Nov-2018	15-Nov-2018			16-Nov-2018		16-Nov-2018
Ammoniacal Nitrogen	21-Nov-2018	21-Nov-2018		21-Nov-2018	21-Nov-2018			21-Nov-2018	21-Nov-2018	21-Nov-2018
Ammonium Soil by Titration	23-Nov-2018	23-Nov-2018	23-Nov-2018	22-Nov-2018	22-Nov-2018	23-Nov-2018	23-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018
Anions by Kone (soil)	20-Nov-2018			20-Nov-2018	12-Nov-2018			12-Nov-2018		12-Nov-2018
Asbestos ID in Solid Samples	09-Nov-2018			09-Nov-2018	09-Nov-2018			09-Nov-2018		09-Nov-2018
CEN 10:1 Leachate (1 Stage)	10-Nov-2018	10-Nov-2018		10-Nov-2018	10-Nov-2018			10-Nov-2018	10-Nov-2018	10-Nov-2018
CEN Readings	17-Nov-2018	17-Nov-2018		17-Nov-2018	17-Nov-2018			20-Nov-2018	20-Nov-2018	17-Nov-2018
Cyanide Comp/Free/Total/Thiocyanate	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018
Dissolved Metals by ICP-MS	22-Nov-2018	22-Nov-2018		22-Nov-2018	22-Nov-2018			22-Nov-2018	22-Nov-2018	22-Nov-2018
EPH CWG (Aliphatic) Aqueous GC (W)	16-Nov-2018	16-Nov-2018		17-Nov-2018	16-Nov-2018			16-Nov-2018	16-Nov-2018	17-Nov-2018
EPH CWG (Aliphatic) GC (S)	13-Nov-2018	13-Nov-2018	13-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	16-Nov-2018	13-Nov-2018	12-Nov-2018	12-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	16-Nov-2018	16-Nov-2018		17-Nov-2018	16-Nov-2018			16-Nov-2018	16-Nov-2018	17-Nov-2018
EPH CWG (Aromatic) GC (S)	13-Nov-2018	13-Nov-2018	13-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	15-Nov-2018	13-Nov-2018	12-Nov-2018	12-Nov-2018
GRO by GC-FID (S)	20-Nov-2018	20-Nov-2018	20-Nov-2018	21-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	18-Nov-2018	18-Nov-2018	21-Nov-2018
GRO by GC-FID (W)	21-Nov-2018	21-Nov-2018		21-Nov-2018	18-Nov-2018			18-Nov-2018	18-Nov-2018	21-Nov-2018
Mercury Dissolved	19-Nov-2018	19-Nov-2018		19-Nov-2018	19-Nov-2018			19-Nov-2018	19-Nov-2018	19-Nov-2018
Metals in solid samples by OES	16-Nov-2018	22-Nov-2018	22-Nov-2018	14-Nov-2018	14-Nov-2018	22-Nov-2018	22-Nov-2018	14-Nov-2018	23-Nov-2018	13-Nov-2018
PAH by GCMS	12-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018	12-Nov-2018
PAH Spec MS - Aqueous (W)	16-Nov-2018	16-Nov-2018		16-Nov-2018	15-Nov-2018			16-Nov-2018	15-Nov-2018	16-Nov-2018
pH	22-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018	21-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018
pH Value	15-Nov-2018	15-Nov-2018		21-Nov-2018	15-Nov-2018			15-Nov-2018	15-Nov-2018	21-Nov-2018
Phenols by HPLC (S)	19-Nov-2018	19-Nov-2018	20-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	20-Nov-2018	19-Nov-2018	19-Nov-2018
Sample description	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018
Total Organic Carbon	22-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018
Total Sulphate	14-Nov-2018			16-Nov-2018	14-Nov-2018			16-Nov-2018		16-Nov-2018
Total Sulphur	16-Nov-2018			20-Nov-2018	20-Nov-2018			20-Nov-2018		20-Nov-2018
TPH CWG (W)	21-Nov-2018	21-Nov-2018		21-Nov-2018	18-Nov-2018			18-Nov-2018	18-Nov-2018	21-Nov-2018
TPH CWG GC (S)	20-Nov-2018	20-Nov-2018	20-Nov-2018	21-Nov-2018	20-Nov-2018	20-Nov-2018	21-Nov-2018	18-Nov-2018	18-Nov-2018	21-Nov-2018
VOC MS (S)	21-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	22-Nov-2018	20-Nov-2018	21-Nov-2018	18-Nov-2018	18-Nov-2018	20-Nov-2018

Lab Sample No(s)	18689441	18689447	18689459	18689468	18689451
Customer Sample Ref.	4G-F3	4G-F3	4G-F1-V	4G-F2-V	4G-F3-V
AGS Ref.					
Depth	0.20 - 0.20	0.60 - 0.60	2.40 - 2.40	2.00 - 2.00	2.50 - 2.50
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)		16-Nov-2018			
Ammoniacal Nitrogen	21-Nov-2018	20-Nov-2018			
Ammonium Soil by Titration	22-Nov-2018	22-Nov-2018	22-Nov-2018	23-Nov-2018	23-Nov-2018
Anions by Kone (soil)		12-Nov-2018			
Asbestos ID in Solid Samples		09-Nov-2018			
Asbestos Quantification - Full		20-Nov-2018			
CEN 10:1 Leachate (1 Stage)	10-Nov-2018	15-Nov-2018			
CEN Readings	20-Nov-2018	16-Nov-2018			
Cyanide Comp/Free/Total/Thiocyanate	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018
Dissolved Metals by ICP-MS	22-Nov-2018	22-Nov-2018			
EPH CWG (Aliphatic) Aqueous GC (W)	16-Nov-2018	21-Nov-2018			
EPH CWG (Aliphatic) GC (S)	16-Nov-2018	13-Nov-2018	12-Nov-2018	19-Nov-2018	13-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	16-Nov-2018	21-Nov-2018			
EPH CWG (Aromatic) GC (S)	15-Nov-2018	13-Nov-2018	12-Nov-2018	19-Nov-2018	13-Nov-2018
GRO by GC-FID (S)	20-Nov-2018	20-Nov-2018	22-Nov-2018	18-Nov-2018	20-Nov-2018
GRO by GC-FID (W)	13-Nov-2018	18-Nov-2018			
Mercury Dissolved	19-Nov-2018	19-Nov-2018			
Metals in solid samples by OES	23-Nov-2018	16-Nov-2018	23-Nov-2018	23-Nov-2018	22-Nov-2018
PAH by GCMS	12-Nov-2018	12-Nov-2018	14-Nov-2018	12-Nov-2018	12-Nov-2018
PAH Spec MS - Aqueous (W)	15-Nov-2018	20-Nov-2018			
pH	21-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018
pH Value	15-Nov-2018	22-Nov-2018			
Phenols by HPLC (S)	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018	19-Nov-2018
Sample description	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018	08-Nov-2018
Total Organic Carbon	21-Nov-2018	22-Nov-2018	21-Nov-2018	21-Nov-2018	22-Nov-2018
Total Sulphate		14-Nov-2018			
Total Sulphur		21-Nov-2018			
TPH CWG (W)	16-Nov-2018	21-Nov-2018			
TPH CWG GC (S)	20-Nov-2018	20-Nov-2018	22-Nov-2018	19-Nov-2018	20-Nov-2018
VOC MS (S)	21-Nov-2018	20-Nov-2018	21-Nov-2018	18-Nov-2018	20-Nov-2018

Appendix General

1. Results are expressed on a dry weight basis (dried at 35ºC) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as “Not detected”. If no asbestos fibre types are found all will be reported as “Not detected” and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethyphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as “mixed hydrocarbons”. Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	**Container with Headspace provided for volatiles analysis**
2	**Incorrect container received**
3	**Deviation from method**
4	**Holding time exceeded before sample received**
5	**Samples exceeded holding time before presevation was performed**
§	**Sampled on date not provided**
♦	**Sample holding time exceeded in laboratory**
@	**Sample holding time exceeded due to sampled on date**
&	**Sample Holding Time exceeded - Late arrival of instructions.**

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US
Tel: (01244) 528700
Fax: (01244) 528701
email: hawardencustomerservices@alsglobal.com
Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: John Fitzgerald

CERTIFICATE OF ANALYSIS

Date:	05 December 2018
Customer:	H_ATKINS_LDC
Sample Delivery Group (SDG):	181114-83
Your Reference:	
Location:	Llanwern
Report No:	484045

We received 23 samples on Wednesday November 14, 2018 and 23 of these samples were scheduled for analysis which was completed on Wednesday December 05, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:



Sonia McWhan

Operations Manager

ALS Life Sciences Limited. Registered Office: Units 7 & 8 Hawarden Business Park, Manor Road, Hawarden, Deeside, CH5 3US. Registered in England and Wales No. 4057291.

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18733119	4G-D3		0.20 - 0.20	13/11/2018
18733124	4G-D3		0.50 - 0.50	13/11/2018
18733095	4G-D4		0.20 - 0.20	13/11/2018
18733099	4G-D4		0.50 - 0.50	13/11/2018
18733084	4G-D5		0.50 - 0.50	13/11/2018
18733005	4G-D6		0.20 - 0.20	13/11/2018
18733106	4G-D6		0.60 - 0.60	13/11/2018
18733131	4G-D3-V		1.80 - 1.80	13/11/2018
18733112	4G-D4-V		1.70 - 1.70	13/11/2018
18733089	4G-D5-V		1.70 - 1.70	13/11/2018
18733139	4G-D6-V		1.70 - 1.70	13/11/2018
18733046	4G-E5		0.20 - 0.20	13/11/2018
18733057	4G-E5		0.60 - 0.60	13/11/2018
18733146	4G-E6		0.30 - 0.30	13/11/2018
18733151	4G-E6		0.50 - 0.50	13/11/2018
18733071	4G-E5-V		3.00 - 3.00	13/11/2018
18733158	4G-E6-V		2.20 - 2.20	13/11/2018
18733163	4G-F6		0.40 - 0.40	13/11/2018
18733168	4G-F6		0.60 - 0.60	13/11/2018
18733173	4G-F6		1.20 - 1.20	13/11/2018
18733019	4G-F6-V		2.70 - 2.70	13/11/2018
18733028	4G-G6		0.30 - 0.30	13/11/2018
18733037	4G-G6		0.50 - 0.50	13/11/2018

Maximum Sample/Coolbox Temperature (°C) :

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

9.2

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -
S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

			Lab Sample No(s)	18733119			18733124			18733095			18733099			18733084			18733005			18733106
			Customer Sample Reference	4G-D3			4G-D3			4G-D4			4G-D4			4G-D5			4G-D6			4G-D6
			AGS Reference																			
			Depth (m)	0.20 - 0.20			0.50 - 0.50			0.20 - 0.20			0.50 - 0.50			0.50 - 0.50			0.20 - 0.20			0.60 - 0.60
			Container	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB
			Sample Type	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Alkali Metals by iCap-OES (Soil)	All	NDPs: 0 Tests: 9						X						X			X					
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
Ammonium Soil by Titration	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
Anions by Kone (soil)	All	NDPs: 0 Tests: 9						X						X			X					
Asbestos ID in Solid Samples	All	NDPs: 0 Tests: 9					X						X			X						X
Asbestos Quantification - Full	All	NDPs: 0 Tests: 2														X						
Calorific Value (S)*	All	NDPs: 0 Tests: 1																				
CEN Readings	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 39		X	X		X	X		X	X		X	X		X	X		X	X		X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
EPH CWG (Aliphatic) GC (S)	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
EPH CWG (Aromatic) GC (S)	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
GRO by GC-FID (S)	All	NDPs: 0 Tests: 23				X			X			X			X			X				X	

18733151	4G-E6		0.50 - 0.50	250g Amber Jar (ALE210)	S			X				X		X			X		X	
				1kg TUB	S		X						X	X	X	X		X		
18733146	4G-E6		0.30 - 0.30	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S	X		X	X					X			X		X	
				1kg TUB	S		X			X			X	X	X	X		X		
18733057	4G-E5		0.60 - 0.60	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X						X			X		X	
				1kg TUB	S		X						X	X	X	X		X		
18733046	4G-E5		0.20 - 0.20	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S	X		X	X					X			X		X	
				1kg TUB	S		X			X	X		X	X	X	X		X		
18733139	4G-D6-V		1.70 - 1.70	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X						X			X		X	
18733089	4G-D5-V		1.70 - 1.70	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X						X			X		X	
18733112	4G-D4-V		1.70 - 1.70	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X						X			X		X	
18733131	4G-D3-V		1.80 - 1.80	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X						X			X		X	
18733106	4G-D6		0.60 - 0.60	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S	X		X	X					X			X		X	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

			Lab Sample No(s)																			
			18733119			18733124			18733095			18733099			18733084			18733005			18733106	
			Customer Sample Reference																			
			4G-D3			4G-D3			4G-D4			4G-D4			4G-D5			4G-D6			4G-D6	
			AGS Reference																			
			Depth (m)			0.20 - 0.20			0.50 - 0.50			0.20 - 0.20			0.50 - 0.50			0.50 - 0.50			0.20 - 0.20		
			Container	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB
			Sample Type	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
GRO by GC-FID (W)	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
Mercury Dissolved	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
Metals in solid samples by OES	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
PAH by GCMS	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
pH	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
pH Value	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
Phenols by HPLC (S)	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
Sample description	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
Total Organic Carbon	All	NDPs: 1 Tests: 22			X			X			X			X			X			X		
Total Sulphate	All	NDPs: 0 Tests: 9						X						X			X					
Total Sulphur	All	NDPs: 0 Tests: 9						X						X			X					
TPH CWG (W)	All	NDPs: 0 Tests: 16		X			X			X			X			X			X			X
TPH CWG GC (S)	All	NDPs: 0 Tests: 23			X			X			X			X			X			X		
VOC MS (S)	All	NDPs: 0 Tests: 23				X			X			X			X			X			X		

18733151	4G-E6		0.50 - 0.50	250g Amber Jar (ALE210)	S			X	X		X		X	X	N				X	
				1kg TUB	S	X	X			X		X						X		
18733146	4G-E6		0.30 - 0.30	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X	X		X		X	X	X	X	X		X	
				1kg TUB	S	X	X			X		X						X		
18733057	4G-E5		0.60 - 0.60	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X	X		X		X	X	X				X	
				1kg TUB	S	X	X			X		X						X		
18733046	4G-E5		0.20 - 0.20	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X	X		X		X	X	X	X	X		X	
				1kg TUB	S	X	X			X		X						X		
18733139	4G-D6-V		1.70 - 1.70	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X	X		X		X	X	X				X	
18733089	4G-D5-V		1.70 - 1.70	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X	X		X		X	X	X				X	
18733112	4G-D4-V		1.70 - 1.70	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X	X		X		X	X	X				X	
18733131	4G-D3-V		1.80 - 1.80	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X	X		X		X	X	X				X	
18733106	4G-D6		0.60 - 0.60	60g VOC (ALE215)	S															X
				250g Amber Jar (ALE210)	S			X	X		X		X	X	X	X	X		X	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18733151	18733071		18733158		18733163			18733168			18733173			18733019		18733028	
Customer Sample Reference			4G-E6	4G-E5-V		4G-E6-V		4G-F6			4G-F6			4G-F6			4G-F6-V		4G-G6	
AGS Reference																				
Depth (m)			0.50 - 0.50	3.00 - 3.00		2.20 - 2.20		0.40 - 0.40			0.60 - 0.60			1.20 - 1.20			2.70 - 2.70		0.30 - 0.30	
Container			60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Alkali Metals by iCap-OES (Soil)	All	NDPs: 0 Tests: 9							X						X					X	
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 16						X			X			X					X		
Ammonium Soil by Titration	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
Anions by Kone (soil)	All	NDPs: 0 Tests: 9							X						X					X	
Asbestos ID in Solid Samples	All	NDPs: 0 Tests: 9						X						X					X		
CEN Readings	All	NDPs: 0 Tests: 16						X			X			X					X		
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 39		X		X		X	X		X	X		X	X		X		X	X	
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 16						X			X			X					X		
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 16						X			X			X					X		
EPH CWG (Aliphatic) GC (S)	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 16						X			X			X					X		
EPH CWG (Aromatic) GC (S)	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
GRO by GC-FID (S)	All	NDPs: 0 Tests: 23	X		X		X			X			X			X		X			X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 16						X			X			X					X		
Mercury Dissolved	All	NDPs: 0 Tests: 16						X			X			X					X		

18733037	4G-G6		0.50 - 0.50	60g VOC (ALE215)	S																										X				
				250g Amber Jar (ALE210)	S						X								X						X				X						
				1kg TUB	S				X								X		X		X		X				X						X		X

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18733151	18733071		18733158		18733163			18733168			18733173			18733019		18733028	
Customer Sample Reference			4G-E6	4G-E5-V		4G-E6-V		4G-F6			4G-F6			4G-F6			4G-F6-V		4G-G6	
AGS Reference																				
Depth (m)			0.50 - 0.50	3.00 - 3.00		2.20 - 2.20		0.40 - 0.40			0.60 - 0.60			1.20 - 1.20			2.70 - 2.70		0.30 - 0.30	
Container			60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Metals in solid samples by OES	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
PAH by GCMS	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 16						X			X			X					X		
pH	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
pH Value	All	NDPs: 0 Tests: 16						X			X			X					X		
Phenols by HPLC (S)	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
Sample description	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
Total Organic Carbon	All	NDPs: 1 Tests: 22		X		X			X			X			X		X			X	
Total Sulphate	All	NDPs: 0 Tests: 9							X						X					X	
Total Sulphur	All	NDPs: 0 Tests: 9							X						X					X	
TPH CWG (W)	All	NDPs: 0 Tests: 16						X			X			X					X		
TPH CWG GC (S)	All	NDPs: 0 Tests: 23		X		X			X			X			X		X			X	
VOC MS (S)	All	NDPs: 0 Tests: 23	X		X		X			X			X			X		X			X

18733037	4G-G6		0.50 - 0.50	60g VOC (ALE215)	S																										X
				250g Amber Jar (ALE210)	S		X		X				X				X		X		X								X		
				1kg TUB	S						X				X												X				

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Sample Descriptions

Grain Sizes

very fine	<0.063mm	fine	0.063mm - 0.1mm	medium	0.1mm - 2mm	coarse	2mm - 10mm	very coarse	>10mm

Lab Sample No(s)	Customer Sample Ref.	Depth (m)	Colour	Description	Inclusions	Inclusions 2
18733119	4G-D3	0.20 - 0.20	Dark Brown	Sandy Loam	Vegetation	Stones
18733124	4G-D3	0.50 - 0.50	Dark Brown	Loamy Sand	Vegetation	Stones
18733095	4G-D4	0.20 - 0.20	Dark Brown	Sandy Loam	Vegetation	Stones
18733099	4G-D4	0.50 - 0.50	Dark Brown	Sandy Loam	Vegetation	Stones
18733084	4G-D5	0.50 - 0.50	Dark Brown	Loamy Sand	Stones	None
18733005	4G-D6	0.20 - 0.20	Dark Brown	Loamy Sand	Stones	None
18733106	4G-D6	0.60 - 0.60	Dark Brown	Sandy Loam	Vegetation	Stones
18733131	4G-D3-V	1.80 - 1.80	Dark Brown	Sandy Clay Loam	None	None
18733112	4G-D4-V	1.70 - 1.70	Dark Brown	Loamy Sand	Stones	Concrete/Aggregate
18733089	4G-D5-V	1.70 - 1.70	Light Brown	Clay	Stones	None
18733139	4G-D6-V	1.70 - 1.70	Light Brown	Clay	None	None
18733046	4G-E5	0.20 - 0.20	Dark Brown	Sandy Loam	Vegetation	Stones
18733057	4G-E5	0.60 - 0.60	Dark Brown	Sandy Loam	Vegetation	Stones
18733146	4G-E6	0.30 - 0.30	Dark Brown	Sandy Loam	Vegetation	Stones
18733151	4G-E6	0.50 - 0.50	Dark Brown	Sandy Loam	Vegetation	Stones
18733071	4G-E5-V	3.00 - 3.00	Grey	Clay	None	None
18733158	4G-E6-V	2.20 - 2.20	Dark Brown	Loamy Sand	Vegetation	Stones
18733163	4G-F6	0.40 - 0.40	Dark Brown	Loamy Sand	Vegetation	Stones
18733168	4G-F6	0.60 - 0.60	Dark Brown	Sandy Loam	Vegetation	Stones
18733173	4G-F6	1.20 - 1.20	Dark Brown	Sandy Loam	Vegetation	Stones
18733019	4G-F6-V	2.70 - 2.70	Dark Brown	Loamy Sand	Vegetation	Stones
18733028	4G-G6	0.30 - 0.30	Dark Brown	Sandy Loam	Vegetation	Stones
18733037	4G-G6	0.50 - 0.50	Dark Brown	Sandy Loam	Vegetation	Stones

These descriptions are only intended to act as a cross check if sample identities are questioned, and to provide a log of sample matrices with respect to MCERTS validation. They are not intended as full geological descriptions.

We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally ocurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample.

Other coarse granular materials such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D3	4G-D3	4G-D4	4G-D4	4G-D5	4G-D6
			Depth (m)	0.20 - 0.20	0.50 - 0.50	0.20 - 0.20	0.50 - 0.50	0.50 - 0.50	0.20 - 0.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733119	18733124	18733095	18733099	18733084	18733005
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		9	11	8.6	17	11	8.5
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	<12 M	<12 M	71.6 M	<12 M	141 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132			0.128		<0.02	0.212	
Sulphate, Total potential	<0.06 %	TM132			0.384		0.06	0.636	
Soil Organic Matter (SOM)	<0.35 %	TM132		20.9 #	0.459 #	10.7 #	3.02 #	18.8 #	7.88 #
pH	1 pH Units	TM133		9.04 M	9.2 M	8.8 M	7.99 M	9 M	11.5 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	2.8 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		9.39 M	14.3 M	8.57 M	12.3 M	10.5 M	8.24 M
Cadmium	<0.02 mg/kg	TM181		<0.2 M	<0.2 M	<0.02 M	<0.02 M	<0.2 M	<0.02 M
Chromium	<0.9 mg/kg	TM181		21 M	360 M	2.8 M	24.7 M	18.1 M	43.3 M
Copper	<1.4 mg/kg	TM181		17.2 M	69.7 M	17.2 M	8.2 M	28 M	9.53 M
Iron	<1000 mg/kg	TM181		124000 #	64700 #	72200 #	30400 #	95800 #	48600 #
Lead	<0.7 mg/kg	TM181		39.7 M	89 M	47.8 M	21.5 M	82.9 M	32.6 M
Manganese	<0.13 mg/kg	TM181		5490 M	19100 M	7400 M	778 M	3770 M	4370 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<1.4 M	<0.14 M	<0.14 M	<1.4 M	<0.14 M
Nickel	<0.2 mg/kg	TM181		23.1 M	32.3 M	13.1 M	29.3 M	27.3 M	9.47 M
Selenium	<1 mg/kg	TM181		<10 #	11.6 #	2.69 #	<1 #	<10 #	1.7 #
Vanadium	<0.2 mg/kg	TM181		50.8 #	515 #	27.5 #	46.1 #	54.2 #	73.5 #
Zinc	<1.9 mg/kg	TM181		149 M	289 M	156 M	102 M	320 M	398 M
Sulphate, acid soluble (total)	<0.02 %	TM221			0.0815		0.0317	0.207	
Calcium	<21 mg/kg	TM224			113000		43300	109000	
Magnesium	<8 mg/kg	TM224			9540		9360	14400	
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243			0.0402 M		0.0211 M	0.0717 M	
Asbestos Quantification - Gravimetric - %	<0.001 %	TM304						0.0034 #	
Asbestos Quantification - PCOM Evaluation - %	<0.001 %	TM304						<0.001 #	
Additional Asbestos Components (Using TM048)		TM304						Chrysotile detected. #	
Analysts Comments		TM304						Loose fibres in soil.	
Asbestos Quantification - Total - %	<0.001 %	TM304						0.0035 #	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D6	4G-D3-V	4G-D4-V	4G-D5-V	4G-D6-V	4G-E5
			Depth (m)	0.60 - 0.60	1.80 - 1.80	1.70 - 1.70	1.70 - 1.70	1.70 - 1.70	0.20 - 0.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733106	18733131	18733112	18733089	18733139	18733046
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		21	24	9.4	32	22	14
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	29 M	20.9 M	271 M	48.5 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132		0.534					0.189
Sulphate, Total potential	<0.06 %	TM132		1.6					0.567
Soil Organic Matter (SOM)	<0.35 %	TM132		>100 #	0.56 #	9.1 #	4.93 #	0.765 #	13.7 #
pH	1 pH Units	TM133		10.4 M	8.38 M	8.69 M	6.79 M	8.5 M	9.99 M
Cyanide, Total	<1 mg/kg	TM153		2.41 M	<1 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		7.93 M	12.2 M	10.1 M	15.9 M	11.2 M	10.6 M
Cadmium	<0.02 mg/kg	TM181		0.15 M	0.277 M	0.505 M	<0.02 M	<0.02 M	<0.2 M
Chromium	<0.9 mg/kg	TM181		7.04 M	23.5 M	10 M	35 M	25.2 M	58.5 M
Copper	<1.4 mg/kg	TM181		28.6 M	10.1 M	33.2 M	16.4 M	8.94 M	19.6 M
Iron	<1000 mg/kg	TM181		23800 #	25900 #	38500 #	25400 #	31100 #	101000 #
Lead	<0.7 mg/kg	TM181		45.2 M	20.6 M	31.6 M	40.2 M	22.2 M	84.1 M
Manganese	<0.13 mg/kg	TM181		574 M	917 M	1850 M	268 M	1190 M	4010 M
Mercury	<0.14 mg/kg	TM181		0.575 M	<0.14 M	<0.14 M	<0.14 M	<0.14 M	<1.4 M
Nickel	<0.2 mg/kg	TM181		11.8 M	29.3 M	21.9 M	29.7 M	31.9 M	24 M
Selenium	<1 mg/kg	TM181		<1 #	<1 #	2.57 #	<1 #	<1 #	<10 #
Vanadium	<0.2 mg/kg	TM181		17.5 #	41.7 #	34.8 #	53.1 #	43.7 #	85.4 #
Zinc	<1.9 mg/kg	TM181		225 M	94.3 M	78.1 M	139 M	90.7 M	353 M
Sulphate, acid soluble (total)	<0.02 %	TM221		0.0633					<0.2
Calcium	<21 mg/kg	TM224		14700					130000
Magnesium	<8 mg/kg	TM224		1570					17600
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243		0.0339 M					0.103 M
Asbestos Quantification - Gravimetric - %	<0.001 %	TM304							<0.001 #
Asbestos Quantification - PCOM Evaluation - %	<0.001 %	TM304							<0.001 #
Additional Asbestos Components (Using TM048)		TM304							None #
Analysts Comments		TM304							No
Asbestos Quantification - Total - %	<0.001 %	TM304							<0.001 #

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E5	4G-E6	4G-E6	4G-E5-V	4G-E6-V	4G-F6
			Depth (m)	0.60 - 0.60	0.30 - 0.30	0.50 - 0.50	3.00 - 3.00	2.20 - 2.20	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733057	18733146	18733151	18733071	18733158	18733163
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		24	14	25	25	26	6.7
Gross Calorific Value in Dry Matter Q(V/gr/d)	<0.5 MJ/kg	SUB				9.54			
Gross Calorific Value Original Q(V/gr/ar)	<0.5 MJ/kg	SUB				8.52			
Net Calorific Value in Dry Matter Q(V/net/d)	<0.5 MJ/kg	SUB				9.41			
Net Calorific Value in Original Q(V/net/ar)	<0.5 MJ/kg	SUB				8.16			
Water Analytical M (ad)	<0.5 %	SUB				0.69			
Water Gross M(ex)	<0.5 %	SUB				10			
Water Total M(ar)	<0.5 %	SUB				10.7			
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	<12 M	<12 M	105 M	331 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	0.0117 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	0.0117 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132			0.284				0.182
Sulphate, Total potential	<0.06 %	TM132			0.852				0.546
Soil Organic Matter (SOM)	<0.35 %	TM132		>100 #	24.8 #		0.94 #	1.9 #	18.6 #
pH	1 pH Units	TM133		9.21 M	11.1 M	8.61 M	8.2 M	7.14 M	11 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		6.73 M	7.12 M	5.96 M	12.8 M	15.4 M	8.24 M
Cadmium	<0.02 mg/kg	TM181		<0.2 M	<0.2 M	<0.02 M	<0.02 M	<0.02 M	<0.2 M
Chromium	<0.9 mg/kg	TM181		<9 M	446 M	3.08 M	24.9 M	30.6 M	<9 M
Copper	<1.4 mg/kg	TM181		<14 M	18.6 M	23.2 M	7.9 M	11.2 M	15.8 M
Iron	<1000 mg/kg	TM181		59400 #	113000 #	8800 #	31300 #	36700 #	173000 #
Lead	<0.7 mg/kg	TM181		8.2 M	58.6 M	12.2 M	23 M	29.3 M	29.3 M
Manganese	<0.13 mg/kg	TM181		1060 M	16700 M	164 M	1170 M	472 M	3380 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<1.4 M	0.81 M	<0.14 M	<0.14 M	<1.4 M
Nickel	<0.2 mg/kg	TM181		11.7 M	18.1 M	8.3 M	30.3 M	34.7 M	31 M
Selenium	<1 mg/kg	TM181		<10 #	10.4 #	<1 #	<1 #	<1 #	<10 #
Vanadium	<0.2 mg/kg	TM181		18 #	327 #	8.23 #	44.3 #	55 #	87.7 #
Zinc	<1.9 mg/kg	TM181		25.1 M	206 M	23.7 M	95.1 M	107 M	160 M
Sulphate, acid soluble (total)	<0.02 %	TM221			0.375				0.213
Calcium	<21 mg/kg	TM224			160000				142000

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)	AGS Reference
			4G-E5	0.60 - 0.60	Soil/Solid (S)	13/11/2018	00:00	14/11/2018	181114-83	18733057	
			4G-E6	0.30 - 0.30	Soil/Solid (S)	13/11/2018	00:00	14/11/2018	181114-83	18733146	
			4G-E6	0.50 - 0.50	Soil/Solid (S)	13/11/2018	00:00	14/11/2018	181114-83	18733151	
			4G-E5-V	3.00 - 3.00	Soil/Solid (S)	13/11/2018	00:00	14/11/2018	181114-83	18733071	
			4G-E6-V	2.20 - 2.20	Soil/Solid (S)	13/11/2018	00:00	14/11/2018	181114-83	18733158	
			4G-F6	0.40 - 0.40	Soil/Solid (S)	13/11/2018	00:00	14/11/2018	181114-83	18733163	
Magnesium	<8 mg/kg	TM224			18700					11000	
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243			0.169 M					0.108 M	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F6	4G-F6	4G-F6-V	4G-G6	4G-G6
			Depth (m)	0.60 - 0.60	1.20 - 1.20	2.70 - 2.70	0.30 - 0.30	0.50 - 0.50
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733168	18733173	18733019	18733028	18733037
			AGS Reference					
Moisture Content Ratio (% of as received sample)	%	PM024		6.7	7.6	25	7.3	6.5
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	<12 M	115 M	<12 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132			0.265		0.916	
Sulphate, Total potential	<0.06 %	TM132			0.795		2.75	
Soil Organic Matter (SOM)	<0.35 %	TM132		4.93 #	12.5 #	1.3 #	0.712 #	1.72 #
pH	1 pH Units	TM133		12.2 M	10.7 M	7.88 M	10.4 M	9.82 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		10.1 M	11.6 M	12.9 M	2.38 M	14.2 M
Cadmium	<0.02 mg/kg	TM181		<0.2 M	<0.2 M	<0.02 M	<0.02 M	<0.2 M
Chromium	<0.9 mg/kg	TM181		<9 M	19.1 M	31.9 M	17.8 M	<9 M
Copper	<1.4 mg/kg	TM181		15.2 M	17.6 M	10.8 M	<1.4 M	<14 M
Iron	<1000 mg/kg	TM181		264000 #	155000 #	32900 #	13200 #	231000 #
Lead	<0.7 mg/kg	TM181		32.1 M	40.9 M	26.7 M	3.57 M	25.1 M
Manganese	<0.13 mg/kg	TM181		3880 M	3530 M	626 M	4010 M	7140 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<1.4 M	<0.14 M	<0.14 M	<1.4 M
Nickel	<0.2 mg/kg	TM181		32.8 M	24.2 M	37.3 M	1.36 M	23.7 M
Selenium	<1 mg/kg	TM181		<10 #	<10 #	<1 #	3.57 #	<10 #
Vanadium	<0.2 mg/kg	TM181		112 #	96.1 #	54.6 #	40 #	76.2 #
Zinc	<1.9 mg/kg	TM181		195 M	167 M	103 M	11.8 M	134 M
Sulphate, acid soluble (total)	<0.02 %	TM221			0.212		0.736	
Calcium	<21 mg/kg	TM224			157000		263000	
Magnesium	<8 mg/kg	TM224			31700		41800	
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243			0.0796 M		1.51 M	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D3	4G-D3	4G-D4	4G-D4	4G-D5	4G-D6
			Depth (m)	0.20 - 0.20	0.50 - 0.50	0.20 - 0.20	0.50 - 0.50	0.50 - 0.50	0.20 - 0.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733119	18733124	18733095	18733099	18733084	18733005
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		75.4	76.2	74.1	83.2	73.4	89.2
Acenaphthene-d10 % recovery**	%	TM218		81.2	79.6	79.9	90.8	78.7	85.7
Phenanthrene-d10 % recovery**	%	TM218		89.8	86.8	86	90.3	80.2	86.2
Chrysene-d12 % recovery**	%	TM218		99.6	102	97.5	88.4	73	85.1
Perylene-d12 % recovery**	%	TM218		91.8	95.6	90.2	73.6	58.2	82
Naphthalene	<0.009 mg/kg	TM218		0.0873 M	0.0356 M	0.245 M	<0.009 M	0.131 M	0.116 M
Acenaphthylene	<0.012 mg/kg	TM218		0.194 M	0.049 M	0.259 M	<0.012 M	0.13 M	0.0642 M
Acenaphthene	<0.008 mg/kg	TM218		0.0102 M	0.0144 M	0.0192 M	<0.008 M	0.0219 M	0.0144 M
Fluorene	<0.01 mg/kg	TM218		0.0293 M	0.0162 M	0.0823 M	<0.01 M	0.0463 M	0.0319 M
Phenanthrene	<0.015 mg/kg	TM218		0.343 M	0.189 M	0.709 M	<0.015 M	0.457 M	0.322 M
Anthracene	<0.016 mg/kg	TM218		0.12 M	0.0883 M	0.178 M	<0.016 M	0.147 M	0.0973 M
Fluoranthene	<0.017 mg/kg	TM218		0.973 M	1.15 M	1.6 M	<0.017 M	0.895 M	0.861 M
Pyrene	<0.015 mg/kg	TM218		0.78 M	0.826 M	1.18 M	<0.015 M	0.659 M	0.83 M
Benz(a)anthracene	<0.014 mg/kg	TM218		0.668 M	1.38 M	1.1 M	<0.014 M	0.578 M	0.601 M
Chrysene	<0.01 mg/kg	TM218		0.863 M	1.45 M	1.14 M	<0.01 M	0.618 M	0.546 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		1.45 M	2.31 M	1.98 M	<0.015 M	0.895 M	1.17 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.472 M	0.773 M	0.564 M	<0.014 M	0.307 M	0.284 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.836 M	0.987 M	1.03 M	<0.015 M	0.458 M	0.955 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.726 M	0.395 M	1.05 M	<0.018 M	0.504 M	0.908 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.158 M	0.102 M	0.23 M	<0.023 M	0.0823 M	0.204 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		0.685 M	0.318 M	0.982 M	<0.024 M	0.369 M	0.882 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		8.4	10.1	12.4	<0.118	6.3	7.89

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D6	4G-D3-V	4G-D4-V	4G-D5-V	4G-D6-V	4G-E5
			Depth (m)	0.60 - 0.60	1.80 - 1.80	1.70 - 1.70	1.70 - 1.70	1.70 - 1.70	0.20 - 0.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733106	18733131	18733112	18733089	18733139	18733046
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		67.7	89.7	90.4	86.3	91.2	88.6
Acenaphthene-d10 % recovery**	%	TM218		75.4	88	91	88.8	88.1	88
Phenanthrene-d10 % recovery**	%	TM218		74.4	86.5	96.5	92.9	87.8	95
Chrysene-d12 % recovery**	%	TM218		71.5	79.4	85.9	111	78.6	105
Perylene-d12 % recovery**	%	TM218		56.6	75.7	81.8	101	76.3	103
Naphthalene	<0.009 mg/kg	TM218		1.11 M	<0.009 M	0.0433 M	<0.009 M	<0.009 M	0.373 M
Acenaphthylene	<0.012 mg/kg	TM218		0.277 M	<0.012 M	0.0423 M	<0.012 M	<0.012 M	0.201 M
Acenaphthene	<0.008 mg/kg	TM218		0.0665 M	<0.008 M	<0.008 M	<0.008 M	<0.008 M	0.0433 M
Fluorene	<0.01 mg/kg	TM218		0.141 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	0.162 M
Phenanthrene	<0.015 mg/kg	TM218		1.08 M	<0.015 M	0.167 M	<0.015 M	<0.015 M	1.75 M
Anthracene	<0.016 mg/kg	TM218		0.366 M	<0.016 M	0.0263 M	<0.016 M	<0.016 M	0.506 M
Fluoranthene	<0.017 mg/kg	TM218		2.02 M	<0.017 M	0.145 M	<0.017 M	<0.017 M	3.28 M
Pyrene	<0.015 mg/kg	TM218		1.69 M	<0.015 M	0.105 M	<0.015 M	<0.015 M	2.47 M
Benz(a)anthracene	<0.014 mg/kg	TM218		1.74 M	<0.014 M	0.0703 M	<0.014 M	<0.014 M	1.63 M
Chrysene	<0.01 mg/kg	TM218		2.08 M	<0.01 M	0.084 M	<0.01 M	<0.01 M	1.45 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		3.23 M	<0.015 M	0.132 M	<0.015 M	<0.015 M	2.44 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.981 M	<0.014 M	0.0445 M	<0.014 M	<0.014 M	0.772 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		1.91 M	<0.015 M	0.0721 M	<0.015 M	<0.015 M	1.41 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		1.63 M	<0.018 M	0.109 M	<0.018 M	<0.018 M	0.847 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.368 M	<0.023 M	<0.023 M	<0.023 M	<0.023 M	0.242 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		1.58 M	<0.024 M	0.086 M	<0.024 M	<0.024 M	0.971 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		20.3	<0.118	1.13	<0.118	<0.118	18.5

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E5	4G-E6	4G-E6	4G-E5-V	4G-E6-V	4G-F6
			Depth (m)	0.60 - 0.60	0.30 - 0.30	0.50 - 0.50	3.00 - 3.00	2.20 - 2.20	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733057	18733146	18733151	18733071	18733158	18733163
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		63.9	85.5	82.4	88	70.3	82.8
Acenaphthene-d10 % recovery**	%	TM218		69.1	91	91.4	91.4	73.8	89.5
Phenanthrene-d10 % recovery**	%	TM218		64.7	96.2	93	94.7	78.6	93.3
Chrysene-d12 % recovery**	%	TM218		47.4	89.5	57.6	92.9	89.7	86.4
Perylene-d12 % recovery**	%	TM218		35.5	78.5	43.4	81.2	88.9	71.9
Naphthalene	<0.009 mg/kg	TM218		0.407 M	4.73 M	5.1 M	0.0205 M	<0.009 M	0.143 M
Acenaphthylene	<0.012 mg/kg	TM218		0.051 M	1.2 M	0.252 M	<0.012 M	<0.012 M	0.0919 M
Acenaphthene	<0.008 mg/kg	TM218		0.0207 M	0.448 M	0.0245 M	<0.008 M	<0.008 M	0.0182 M
Fluorene	<0.01 mg/kg	TM218		0.0385 M	1.84 M	0.103 M	<0.01 M	<0.01 M	0.0737 M
Phenanthrene	<0.015 mg/kg	TM218		0.281 M	9.17 M	1.03 M	<0.015 M	<0.015 M	0.612 M
Anthracene	<0.016 mg/kg	TM218		0.0402 M	3.03 M	0.247 M	<0.016 M	<0.016 M	0.137 M
Fluoranthene	<0.017 mg/kg	TM218		0.211 M	12.8 M	0.379 M	<0.017 M	0.0232 M	0.778 M
Pyrene	<0.015 mg/kg	TM218		0.187 M	9.83 M	0.368 M	<0.015 M	<0.015 M	0.607 M
Benz(a)anthracene	<0.014 mg/kg	TM218		0.173 M	5.33 M	0.192 M	<0.014 M	<0.014 M	0.391 M
Chrysene	<0.01 mg/kg	TM218		0.27 M	5.37 M	0.29 M	<0.01 M	0.0197 M	0.433 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		0.379 M	6.47 M	0.402 M	<0.015 M	0.0235 M	0.583 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.105 M	2.31 M	0.122 M	<0.014 M	<0.014 M	0.233 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.179 M	4.2 M	0.185 M	<0.015 M	<0.015 M	0.321 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.161 M	3.15 M	0.234 M	<0.018 M	<0.018 M	0.292 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.0399 M	0.706 M	0.0716 M	<0.023 M	<0.023 M	0.0563 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		0.167 M	2.55 M	0.202 M	<0.024 M	<0.024 M	0.243 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		2.71	73.1	9.21	<0.118	<0.118	5.01

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F6	4G-F6	4G-F6-V	4G-G6	4G-G6	
			Depth (m)	0.60 - 0.60	1.20 - 1.20	2.70 - 2.70	0.30 - 0.30	0.50 - 0.50	
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	
			Sample Time	00:00	00:00	00:00	00:00	00:00	
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	
			Lab Sample No.(s)	18733168	18733173	18733019	18733028	18733037	
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		75.6	84.5	84.4	84	81.1	
Acenaphthene-d10 % recovery**	%	TM218		78.9	90.5	89.7	88.5	80.6	
Phenanthrene-d10 % recovery**	%	TM218		84.2	93.5	94.6	93.6	93.3	
Chrysene-d12 % recovery**	%	TM218		89.8	85.9	90.3	93.2	98.1	
Perylene-d12 % recovery**	%	TM218		85.3	72.8	78.6	79.9	83.2	
Naphthalene	<0.009 mg/kg	TM218		0.0479 M	0.123 M	<0.009 M	0.0164 M	0.0633 M	
Acenaphthylene	<0.012 mg/kg	TM218		<0.012 M	0.0483 M	<0.012 M	<0.012 M	<0.06 M	
Acenaphthene	<0.008 mg/kg	TM218		0.0138 M	0.0138 M	<0.008 M	<0.008 M	0.0474 M	
Fluorene	<0.01 mg/kg	TM218		0.0204 M	0.0271 M	<0.01 M	<0.01 M	<0.05 M	
Phenanthrene	<0.015 mg/kg	TM218		0.168 M	0.319 M	<0.015 M	0.0416 M	0.207 M	
Anthracene	<0.016 mg/kg	TM218		0.0385 M	0.113 M	<0.016 M	<0.016 M	<0.08 M	
Fluoranthene	<0.017 mg/kg	TM218		0.219 M	0.622 M	<0.017 M	0.0501 M	0.24 M	
Pyrene	<0.015 mg/kg	TM218		0.175 M	0.487 M	<0.015 M	0.0374 M	0.22 M	
Benz(a)anthracene	<0.014 mg/kg	TM218		0.0959 M	0.349 M	<0.014 M	0.0282 M	0.0954 M	
Chrysene	<0.01 mg/kg	TM218		0.134 M	0.391 M	<0.01 M	0.0293 M	0.139 M	
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		0.16 M	0.511 M	<0.015 M	0.039 M	0.141 M	
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.0435 M	0.197 M	<0.014 M	<0.014 M	<0.07 M	
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.0759 M	0.286 M	<0.015 M	0.0232 M	0.0819 M	
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.0738 M	0.257 M	<0.018 M	0.0195 M	<0.09 M	
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		<0.023 M	0.0467 M	<0.023 M	<0.023 M	<0.115 M	
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		0.0756 M	0.206 M	<0.024 M	<0.024 M	<0.12 M	
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		1.34	4	<0.118	0.285	1.23	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D3	4G-D3	4G-D4	4G-D4	4G-D5	4G-D6
			Depth (m)	0.20 - 0.20	0.50 - 0.50	0.20 - 0.20	0.50 - 0.50	0.50 - 0.50	0.20 - 0.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733119	18733124	18733095	18733099	18733084	18733005
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		72.2	89.1	75.4	99.5	70.8	90.5
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		2.03	<0.1	2.21	<0.1	2.3	2.24
Aliphatics >C16-C21	<0.1 mg/kg	TM173		7.91	2.72	7.77	<0.1	9.98	12.4
Aliphatics >C21-C35	<0.1 mg/kg	TM173		49	12.1	64.4	<0.1	93.6	67.6
Aliphatics >C35-C44	<0.1 mg/kg	TM173		12.4	4.06	15.5	<0.1	34.8	31.5
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		71.4	18.9	89.9	<0.1	141	114
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		2.23	0.447	3.42	<0.1	2.55	1.04
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		13.2	6.68	15.4	<0.1	12.5	8.13
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		66.1	24.4	76.4	2.21	84.6	41.9
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		29.1	9.37	36.7	0.566	56.4	38.2
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		10.3	3.32	14.1	<0.1	23.1	17
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		111	40.9	132	2.78	156	89.3
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		182	59.8	222	2.78	297	203

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D6	4G-D3-V	4G-D4-V	4G-D5-V	4G-D6-V	4G-E5
			Depth (m)	0.60 - 0.60	1.80 - 1.80	1.70 - 1.70	1.70 - 1.70	1.70 - 1.70	0.20 - 0.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733106	18733131	18733112	18733089	18733139	18733046
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		71	99.1	96.2	96.8	102	59.5
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 #
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	0.0244
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	0.0267
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		4.56	<0.1	0.525	<0.1	<0.1	2.48
Aliphatics >C16-C21	<0.1 mg/kg	TM173		103	<0.1	2.48	<0.1	<0.1	15.7
Aliphatics >C21-C35	<0.1 mg/kg	TM173		63.3	<0.1	14.2	3.17	<0.1	105
Aliphatics >C35-C44	<0.1 mg/kg	TM173		8.84	<0.1	3.23	0.875	<0.1	38.3
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		179	<0.1	20.4	4.04	<0.1	161
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		16.6	<0.1	1.37	0.858	<0.1	5.86
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		134	<0.1	2.86	<0.1	<0.1	35.6
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		482	<0.1	9.26	31.8	1.49	114
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		104	<0.1	3.42	4.3	<0.1	54.6
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		29.9	<0.1	1.08	1.1	<0.1	21.7
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		736	<0.1	16.9	37	1.49	210
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		915	<0.1	37.3	41	1.49	372

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E5	4G-E6	4G-E6	4G-E5-V	4G-E6-V	4G-F6
			Depth (m)	0.60 - 0.60	0.30 - 0.30	0.50 - 0.50	3.00 - 3.00	2.20 - 2.20	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733057	18733146	18733151	18733071	18733158	18733163
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		80.9	96.3	70.6	101	108	82.1
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	0.338 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		0.0694	0.0725	<0.02	<0.02	0.05	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		0.0524	0.069	<0.02	<0.02	0.0459	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		0.0301	0.0761	<0.02	<0.02	0.023	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		4.02	4.32	4.96	<0.1	<0.1	2.6
Aliphatics >C16-C21	<0.1 mg/kg	TM173		94.9	29.3	140	<0.1	<0.1	13.7
Aliphatics >C21-C35	<0.1 mg/kg	TM173		46.2	110	44.3	<0.1	1.65	70.7
Aliphatics >C35-C44	<0.1 mg/kg	TM173		5.19	46.7	3.7	<0.1	<0.1	30.8
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		150	191	193	<0.1	1.65	118
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		0.0341	0.0456	<0.02	<0.02	0.0297	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	0.0503	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		4.19	10.9	12.4	<0.1	<0.1	1.94
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		19.4	74.6	108	<0.1	<0.1	8.2
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		55	206	256	<0.1	5.68	45.7
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		9.53	97.6	37.7	<0.1	<0.1	30.9
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		2.85	35.3	11.3	<0.1	<0.1	13.1
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		88.1	389	414	<0.1	5.68	86.7
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		239	580	607	<0.1	7.48	205

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F6	4G-F6	4G-F6-V	4G-G6	4G-G6
			Depth (m)	0.60 - 0.60	1.20 - 1.20	2.70 - 2.70	0.30 - 0.30	0.50 - 0.50
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733168	18733173	18733019	18733028	18733037
			AGS Reference					
GRO Surrogate % recovery**	%	TM089		88.6	88.8	97	96.3	90.1
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		2.28	2.54	<0.1	<0.1	6.29
Aliphatics >C16-C21	<0.1 mg/kg	TM173		16.4	10.9	<0.1	3.03	23.4
Aliphatics >C21-C35	<0.1 mg/kg	TM173		118	71	<0.1	15.8	125
Aliphatics >C35-C44	<0.1 mg/kg	TM173		23.7	21.4	<0.1	12.1	77.8
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		160	106	<0.1	30.9	233
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		0.966	0.973	<0.1	1.13	2.66
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		5.67	4.94	<0.1	1.41	11
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		37.3	33.1	<0.1	10.4	133
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		14.5	18.4	<0.1	19.5	156
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		5.3	6.88	<0.1	9.65	71.8
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		58.4	57.4	<0.1	32.4	303
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		219	163	<0.1	63.3	536

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D3	4G-D3	4G-D4	4G-D4	4G-D5	4G-D6
			Depth (m)	0.20 - 0.20	0.50 - 0.50	0.20 - 0.20	0.50 - 0.50	0.50 - 0.50	0.20 - 0.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733119	18733124	18733095	18733099	18733084	18733005
			AGS Reference						
Dibromofluoromethane**	%	TM116		106	99.4	95.6	102	104	102
Toluene-d8**	%	TM116		99.5	98.2	94.6	98.8	96.7	98.5
4-Bromofluorobenzene**	%	TM116		94.4	99.2	84.6	102	89.1	89.5
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-D6	4G-D3-V	4G-D4-V	4G-D5-V	4G-D6-V	4G-E5
			Depth (m)	0.60 - 0.60	1.80 - 1.80	1.70 - 1.70	1.70 - 1.70	1.70 - 1.70	0.20 - 0.20
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733106	18733131	18733112	18733089	18733139	18733046
			AGS Reference						
Dibromofluoromethane**	%	TM116		99.5	104	109	102	105	96.8
Toluene-d8**	%	TM116		95.8	99.2	98.1	98.7	99.8	95.3
4-Bromofluorobenzene**	%	TM116		76.1	97.6	98.6	93.3	94.5	76.5
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		0.311 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M	0.184 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E5	4G-E6	4G-E6	4G-E5-V	4G-E6-V	4G-F6
			Depth (m)	0.60 - 0.60	0.30 - 0.30	0.50 - 0.50	3.00 - 3.00	2.20 - 2.20	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	181114-83
			Lab Sample No.(s)	18733057	18733146	18733151	18733071	18733158	18733163
			AGS Reference						
Dibromofluoromethane**	%	TM116		93.6	132	102	107	122	103
Toluene-d8**	%	TM116		95.5	97.4	96.6	99.9	98.5	97.1
4-Bromofluorobenzene**	%	TM116		75.1	97.7	80.6	95	100	94.2
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	0.314 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		0.423 M	0.621 M	0.376 M	<0.13 M	<0.13 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F6	4G-F6	4G-F6-V	4G-G6	4G-G6	
			Depth (m)	0.60 - 0.60	1.20 - 1.20	2.70 - 2.70	0.30 - 0.30	0.50 - 0.50	
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	
			Date Sampled	13/11/2018	13/11/2018	13/11/2018	13/11/2018	13/11/2018	
			Sample Time	00:00	00:00	00:00	00:00	00:00	
			Date Received	14/11/2018	14/11/2018	14/11/2018	14/11/2018	14/11/2018	
			SDG Ref	181114-83	181114-83	181114-83	181114-83	181114-83	
			Lab Sample No.(s)	18733168	18733173	18733019	18733028	18733037	
			AGS Reference						
Dibromofluoromethane**	%	TM116		108	105	121	114	106	
Toluene-d8**	%	TM116		96.8	98.5	97.8	99.4	96.4	
4-Bromofluorobenzene**	%	TM116		90	91.2	107	108	97	
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M	
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Asbestos Identification - Solid Samples

		Date of Analysis	Analysed By	Comments	Amosite (Brown) Asbestos	Chrysotile (White) Asbestos	Crocidolite (Blue) Asbestos	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non-Asbestos Fibre
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-D3 0.50 - 0.50 SOLID 13/11/2018 00:00:00 21/11/2018 16:29:58 181114-83 18733124 TM048	26/11/2018	Marcin Magdziarek	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-D4 0.50 - 0.50 SOLID 13/11/2018 00:00:00 21/11/2018 16:27:10 181114-83 18733099 TM048	26/11/2018	Marcin Magdziarek	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-D5 0.50 - 0.50 SOLID 13/11/2018 00:00:00 15/11/2018 11:24:22 181114-83 18733084 TM048	19/11/2018	Lucy Caroe	Fibre bundles in soil	Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-D6 0.60 - 0.60 SOLID 13/11/2018 00:00:00 15/11/2018 11:21:51 181114-83 18733106 TM048	19/11/2018	Andrzej Ferfecki	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-E5 0.20 - 0.20 SOLID 13/11/2018 00:00:00 15/11/2018 11:26:11 181114-83 18733046 TM048	19/11/2018	Lucy Caroe	Loose fibres in soil	Trace (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-E6 0.30 - 0.30 SOLID 13/11/2018 00:00:00 16/11/2018 14:25:01 181114-83 18733146 TM048	27/11/2018	Andrzej Ferfecki	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected

Validated

CERTIFICATE OF ANALYSIS

SDG: 181114-83 **Client Reference:** **Report Number:** 484045
Location: Llanwern **Order Number:** LLA515 **Superseded Report:**

		Date of Analysis	Analysed By	Comments	Amosite (Brown) Asbestos	Chrysotile (White) Asbestos	Crocidolite (Blue) Asbestos	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non-Asbestos Fibre
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F6 0.40 - 0.40 SOLID 13/11/2018 00:00:00 16/11/2018 14:23:15 181114-83 18733163 TM048	26/11/2018	Marcin Magdziarek	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F6 1.20 - 1.20 SOLID 13/11/2018 00:00:00 16/11/2018 14:21:04 181114-83 18733173 TM048	26/11/2018	Marcin Magdziarek	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-G6 0.30 - 0.30 SOLID 13/11/2018 00:00:00 15/11/2018 10:09:23 181114-83 18733028 TM048	19/11/2018	Andrzej Ferfecki	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Asbestos Quantification - Full

		Additional Asbestos Components (Using TM048)	Analysts Comments	Asbestos Quantification - Gravimetric - %	Asbestos Quantification - PCOM Evaluation - %	Asbestos Quantification - Total - %
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-D5 0.50 - 0.50 SOLID 13/11/2018 00:00:00 15/11/2018 11:25:12 181114-83 18733084 TM304	Chrysotile detected. (#)	Loose fibres in soil.	0.0034 (#)	<0.001 (#)	0.0035 (#)
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-E5 0.20 - 0.20 SOLID 13/11/2018 00:00:00 15/11/2018 11:26:59 181114-83 18733046 TM304	None (#)	No	<0.001 (#)	<0.001 (#)	<0.001 (#)

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	9.29
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.5
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733005
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D6
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.000658	<0.0005	0.00658	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00158	<0.001	0.0158	<0.01	-	-	-
Copper	0.00415	<0.0003	0.0415	<0.003	-	-	-
Lead	0.000266	<0.0002	0.00266	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000676	<0.0004	0.00676	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0372	<0.001	0.372	<0.01	-	-	-
Zinc	0.00137	<0.001	0.0137	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000709	<0.00001	0.000709	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000157	<0.000005	0.000157	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000125	<0.000005	0.000125	<0.00005	-	-	-
Fluoranthene by GCMS	0.000214	<0.000005	0.00214	<0.00005	-	-	-
Anthracene by GCMS	0.0000195	<0.000005	0.000195	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000806	<0.000005	0.000806	<0.00005	-	-	-
Fluorene by GCMS	0.0000163	<0.000005	0.000163	<0.00005	-	-	-
Chrysene by GCMS	0.0000226	<0.000005	0.000226	<0.00005	-	-	-
Pyrene by GCMS	0.000245	<0.000005	0.00245	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.00000949	<0.000005	0.0000949	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000119	<0.000005	0.000119	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000535	<0.000005	0.0000535	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000489	<0.000002	0.0000489	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000729	<0.000082	0.00729	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	17-Nov-2018
pH (pH Units)	11.02
Conductivity (µS/cm)	469.00
Temperature (°C)	19.20
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	9.29
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.5
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733005
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D6
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	17-Nov-2018
pH (pH Units)	11.02
Conductivity (µS/cm)	469.00
Temperature (°C)	19.20
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.87
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.7
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733028
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-G6
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000148	<0.00001	0.000148	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	<0.0005	<0.0005	<0.005	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.000635	<0.0003	0.00635	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.028	<0.001	0.28	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000252	<0.00001	0.000252	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000179	<0.000005	0.000179	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000219	<0.000005	0.000219	<0.00005	-	-	-
Anthracene by GCMS	0.00000815	<0.000005	0.0000815	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000336	<0.000005	0.000336	<0.00005	-	-	-
Fluorene by GCMS	0.00000582	<0.000005	0.0000582	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000159	<0.000005	0.000159	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000129	<0.000082	0.00129	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	17-Nov-2018
pH (pH Units)	10.47
Conductivity (µS/cm)	782.00
Temperature (°C)	19.00
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.87
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.7
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733028
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-G6
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	17-Nov-2018
pH (pH Units)	10.47
Conductivity (µS/cm)	782.00
Temperature (°C)	19.00
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.096	**Natural Moisture Content (%)**	6.95
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.5
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733037
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-G6
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000212	<0.00001	0.000212	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	<0.0005	<0.0005	<0.005	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.000916	<0.0003	0.00916	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00229	<0.001	0.0229	<0.01	-	-	-
Vanadium	0.0478	<0.001	0.478	<0.01	-	-	-
Zinc	0.00101	<0.001	0.0101	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000185	<0.00001	0.00185	<0.0001	-	-	-
Acenaphthene by GCMS	0.000136	<0.000005	0.00136	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000624	<0.000005	0.000624	<0.00005	-	-	-
Anthracene by GCMS	0.000025	<0.000005	0.00025	<0.00005	-	-	-
Phenanthrene by GCMS	0.000178	<0.000005	0.00178	<0.00005	-	-	-
Fluorene by GCMS	0.0000315	<0.000005	0.000315	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000532	<0.000005	0.000532	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00067	<0.000082	0.0067	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	17-Nov-2018
pH (pH Units)	11.43
Conductivity (µS/cm)	696.00
Temperature (°C)	19.20
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.096	**Natural Moisture Content (%)**	6.95
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.5
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733037
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-G6
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	17-Nov-2018
pH (pH Units)	11.43
Conductivity (µS/cm)	696.00
Temperature (°C)	19.20
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733046
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-E5
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00527	<0.0005	0.0527	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00424	<0.0003	0.0424	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.0006	<0.0004	0.006	<0.004	-	-	-
Selenium	0.00199	<0.001	0.0199	<0.01	-	-	-
Vanadium	0.0843	<0.001	0.843	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000353	<0.00001	0.000353	<0.0001	-	-	-
Acenaphthene by GCMS	0.00000865	<0.000005	0.0000865	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000175	<0.000005	0.000175	<0.00005	-	-	-
Fluoranthene by GCMS	0.000205	<0.000005	0.00205	<0.00005	-	-	-
Anthracene by GCMS	0.0000356	<0.000005	0.000356	<0.00005	-	-	-
Phenanthrene by GCMS	0.000098	<0.000005	0.00098	<0.00005	-	-	-
Fluorene by GCMS	0.0000197	<0.000005	0.000197	<0.00005	-	-	-
Chrysene by GCMS	0.000117	<0.000005	0.00117	<0.00005	-	-	-
Pyrene by GCMS	0.000157	<0.000005	0.00157	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000836	<0.000005	0.000836	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000155	<0.000005	0.00155	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000802	<0.000005	0.000802	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00009	<0.000002	0.0009	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000229	<0.000005	0.000229	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000886	<0.000005	0.000886	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.0000771	<0.000005	0.000771	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00129	<0.000082	0.0129	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	9.93
Conductivity (µS/cm)	153.00
Temperature (°C)	18.60
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733046
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-E5
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	9.93
Conductivity (µS/cm)	153.00
Temperature (°C)	18.60
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.118	**Natural Moisture Content (%)**	31.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	76
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733057
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-E5
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00352	<0.0005	0.0352	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.000979	<0.0003	0.00979	<0.003	-	-	-
Lead	0.000218	<0.0002	0.00218	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0235	<0.001	0.235	<0.01	-	-	-
Zinc	0.00118	<0.001	0.0118	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.0369	<0.019	0.369	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000205	<0.00001	0.000205	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000487	<0.000005	0.000487	<0.00005	-	-	-
Anthracene by GCMS	0.0000073	<0.000005	0.000073	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000518	<0.000005	0.000518	<0.00005	-	-	-
Fluorene by GCMS	0.00000597	<0.000005	0.0000597	<0.00005	-	-	-
Chrysene by GCMS	0.0000541	<0.000005	0.000541	<0.00005	-	-	-
Pyrene by GCMS	0.0000447	<0.000005	0.000447	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000317	<0.000005	0.000317	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000078	<0.000005	0.00078	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000291	<0.000005	0.000291	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000211	<0.000002	0.000211	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000198	<0.000005	0.000198	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000521	<0.000005	0.000521	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.0000429	<0.000005	0.000429	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000508	<0.000082	0.00508	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	7.57
Conductivity (µS/cm)	54.70
Temperature (°C)	18.80
Volume Leachant (Litres)	0.872

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.118	**Natural Moisture Content (%)**	31.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	76
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733057
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-E5
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	7.57
Conductivity (µS/cm)	54.70
Temperature (°C)	18.80
Volume Leachant (Litres)	0.872

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733084
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D5
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00524	<0.0005	0.0524	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00234	<0.0003	0.0234	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00132	<0.001	0.0132	<0.01	-	-	-
Vanadium	0.0682	<0.001	0.682	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000562	<0.00001	0.000562	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00000637	<0.000005	0.0000637	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000286	<0.000005	0.000286	<0.00005	-	-	-
Anthracene by GCMS	0.0000052	<0.000005	0.000052	<0.00005	-	-	-
Phenanthrene by GCMS	0.000015	<0.000005	0.00015	<0.00005	-	-	-
Fluorene by GCMS	0.00000507	<0.000005	0.0000507	<0.00005	-	-	-
Chrysene by GCMS	0.0000063	<0.000005	0.000063	<0.00005	-	-	-
Pyrene by GCMS	0.0000231	<0.000005	0.000231	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000153	<0.000005	0.000153	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000774	<0.000005	0.0000774	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000797	<0.000002	0.0000797	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.0000106	<0.000005	0.000106	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000187	<0.000082	0.00187	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	10.10
Conductivity (µS/cm)	124.00
Temperature (°C)	18.80
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733084
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D5
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	10.10
Conductivity (µS/cm)	124.00
Temperature (°C)	18.80
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	9.41
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.4
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733095
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D4
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00621	<0.0005	0.0621	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00226	<0.0003	0.0226	<0.003	-	-	-
Lead	0.000303	<0.0002	0.00303	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00111	<0.001	0.0111	<0.01	-	-	-
Vanadium	0.0312	<0.001	0.312	<0.01	-	-	-
Zinc	0.00123	<0.001	0.0123	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000015	<0.00001	0.00015	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000279	<0.000005	0.000279	<0.00005	-	-	-
Fluoranthene by GCMS	0.000153	<0.000005	0.00153	<0.00005	-	-	-
Anthracene by GCMS	0.0000187	<0.000005	0.000187	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000844	<0.000005	0.000844	<0.00005	-	-	-
Fluorene by GCMS	0.00000673	<0.000005	0.0000673	<0.00005	-	-	-
Chrysene by GCMS	0.000119	<0.000005	0.00119	<0.00005	-	-	-
Pyrene by GCMS	0.000112	<0.000005	0.00112	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000744	<0.000005	0.000744	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000272	<0.000005	0.00272	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000934	<0.000005	0.000934	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000888	<0.000002	0.000888	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000441	<0.000005	0.000441	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.000227	<0.000005	0.00227	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.000167	<0.000005	0.00167	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.0015	<0.000082	0.015	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	8.98
Conductivity (µS/cm)	94.80
Temperature (°C)	18.60
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	9.41
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.4
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733095
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D4
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	0.012	<0.01	0.12	<0.1	-	-	-
Total Aliphatics >C12-C35	0.012	<0.01	0.12	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	0.012	<0.01	0.12	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	0.012	<0.01	0.12	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	8.98
Conductivity (µS/cm)	94.80
Temperature (°C)	18.60
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.108	**Natural Moisture Content (%)**	20.5
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	83
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733099
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D4
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	2.2	<0.2	22	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00137	<0.0005	0.0137	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00161	<0.0003	0.0161	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	0.0321	<0.003	0.321	<0.03	-	-	-
Nickel	0.000503	<0.0004	0.00503	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	<0.001	<0.001	<0.01	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.22	<0.019	2.2	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000974	<0.00001	0.00974	<0.0001	-	-	-
Acenaphthene by GCMS	0.00000734	<0.000005	0.0000734	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000532	<0.000005	0.000532	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000146	<0.000005	0.000146	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000216	<0.000005	0.000216	<0.00005	-	-	-
Fluorene by GCMS	0.0000164	<0.000005	0.000164	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000163	<0.000005	0.000163	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.0011	<0.000082	0.011	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	7.90
Conductivity (µS/cm)	166.00
Temperature (°C)	18.90
Volume Leachant (Litres)	0.882

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.108	**Natural Moisture Content (%)**	20.5
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	83
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733099
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D4
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	7.90
Conductivity (µS/cm)	166.00
Temperature (°C)	18.90
Volume Leachant (Litres)	0.882

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.114	**Natural Moisture Content (%)**	26.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	79
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733106
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D6
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	0.238	<0.2	2.38	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	0.117	<0.05	1.17	<0.5	-	-	-
Arsenic	0.0013	<0.0005	0.013	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00284	<0.0003	0.0284	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	0.00385	<0.003	0.0385	<0.03	-	-	-
Nickel	0.000542	<0.0004	0.00542	<0.004	-	-	-
Selenium	0.0026	<0.001	0.026	<0.01	-	-	-
Vanadium	0.00251	<0.001	0.0251	<0.01	-	-	-
Zinc	0.00158	<0.001	0.0158	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.0647	<0.019	0.647	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000117	<0.00001	0.00117	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000103	<0.000005	0.000103	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000393	<0.000005	0.000393	<0.00005	-	-	-
Fluoranthene by GCMS	0.00042	<0.000005	0.0042	<0.00005	-	-	-
Anthracene by GCMS	0.0000476	<0.000005	0.000476	<0.00005	-	-	-
Phenanthrene by GCMS	0.000184	<0.000005	0.00184	<0.00005	-	-	-
Fluorene by GCMS	0.0000225	<0.000005	0.000225	<0.00005	-	-	-
Chrysene by GCMS	0.000291	<0.000005	0.00291	<0.00005	-	-	-
Pyrene by GCMS	0.000338	<0.000005	0.00338	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.000232	<0.000005	0.00232	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000526	<0.000005	0.00526	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00027	<0.000005	0.0027	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.000365	<0.000002	0.00365	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000944	<0.000005	0.000944	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.000383	<0.000005	0.00383	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.000305	<0.000005	0.00305	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00364	<0.000082	0.0364	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	15-Nov-2018
pH (pH Units)	8.65
Conductivity (µS/cm)	167.00
Temperature (°C)	18.40
Volume Leachant (Litres)	0.876

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.114	**Natural Moisture Content (%)**	26.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	79
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733106
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D6
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	0.01	<0.01	0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	0.01	<0.007	0.1	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	0.016	<0.01	0.16	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	15-Nov-2018
pH (pH Units)	8.65
Conductivity (µS/cm)	167.00
Temperature (°C)	18.40
Volume Leachant (Litres)	0.876

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	9.89
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733119
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D3
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00637	<0.0005	0.0637	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00115	<0.001	0.0115	<0.01	-	-	-
Copper	0.000879	<0.0003	0.00879	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00111	<0.001	0.0111	<0.01	-	-	-
Vanadium	0.0338	<0.001	0.338	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000197	<0.00001	0.00197	<0.0001	-	-	-
Acenaphthene by GCMS	0.00000546	<0.000005	0.0000546	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000589	<0.000005	0.000589	<0.00005	-	-	-
Fluoranthene by GCMS	0.000282	<0.000005	0.00282	<0.00005	-	-	-
Anthracene by GCMS	0.0000402	<0.000005	0.000402	<0.00005	-	-	-
Phenanthrene by GCMS	0.000208	<0.000005	0.00208	<0.00005	-	-	-
Fluorene by GCMS	0.0000378	<0.000005	0.000378	<0.00005	-	-	-
Chrysene by GCMS	0.000208	<0.000005	0.00208	<0.00005	-	-	-
Pyrene by GCMS	0.00021	<0.000005	0.0021	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.000143	<0.000005	0.00143	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00042	<0.000005	0.0042	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.000208	<0.000005	0.00208	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.000207	<0.000002	0.00207	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000799	<0.000005	0.000799	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.000346	<0.000005	0.00346	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.000279	<0.000005	0.00279	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00293	<0.000082	0.0293	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	17-Nov-2018
pH (pH Units)	8.83
Conductivity (µS/cm)	0.01
Temperature (°C)	18.70
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	9.89
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733119
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D3
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	17-Nov-2018
pH (pH Units)	8.83
Conductivity (µS/cm)	0.01
Temperature (°C)	18.70
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733124
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D3
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00583	<0.0005	0.0583	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00405	<0.001	0.0405	<0.01	-	-	-
Copper	0.00148	<0.0003	0.0148	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0816	<0.001	0.816	<0.01	-	-	-
Zinc	0.00109	<0.001	0.0109	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000151	<0.00001	0.000151	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00000694	<0.000005	0.0000694	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000197	<0.000005	0.000197	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000117	<0.000005	0.000117	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.00000903	<0.000005	0.0000903	<0.00005	-	-	-
Pyrene by GCMS	0.0000178	<0.000005	0.000178	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.00000748	<0.000005	0.0000748	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000207	<0.000005	0.000207	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000105	<0.000005	0.000105	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000896	<0.000002	0.0000896	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.00000917	<0.000005	0.0000917	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000137	<0.000082	0.00137	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	8.70
Conductivity (µS/cm)	95.70
Temperature (°C)	18.50
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733124
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-D3
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	8.70
Conductivity (µS/cm)	95.70
Temperature (°C)	18.50
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733146
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-E6
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00225	<0.0005	0.0225	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00166	<0.001	0.0166	<0.01	-	-	-
Copper	0.00633	<0.0003	0.0633	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.00161	<0.0004	0.0161	<0.004	-	-	-
Selenium	0.00169	<0.001	0.0169	<0.01	-	-	-
Vanadium	0.0845	<0.001	0.845	<0.01	-	-	-
Zinc	0.00107	<0.001	0.0107	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000138	<0.00001	0.000138	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000224	<0.000005	0.000224	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000511	<0.000005	0.000511	<0.00005	-	-	-
Fluoranthene by GCMS	0.000108	<0.000005	0.00108	<0.00005	-	-	-
Anthracene by GCMS	0.0000179	<0.000005	0.000179	<0.00005	-	-	-
Phenanthrene by GCMS	0.000055	<0.000005	0.00055	<0.00005	-	-	-
Fluorene by GCMS	0.0000412	<0.000005	0.000412	<0.00005	-	-	-
Chrysene by GCMS	0.0000207	<0.000005	0.000207	<0.00005	-	-	-
Pyrene by GCMS	0.000171	<0.000005	0.00171	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000197	<0.000005	0.000197	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000206	<0.000005	0.000206	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000103	<0.000005	0.000103	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000104	<0.000002	0.000104	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.00000879	<0.000005	0.0000879	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000571	<0.000082	0.00571	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	11.03
Conductivity (µS/cm)	318.00
Temperature (°C)	18.80
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733146
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-E6
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	11.03
Conductivity (µS/cm)	318.00
Temperature (°C)	18.80
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.120	**Natural Moisture Content (%)**	33.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	75
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733151
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-E6
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000701	<0.00001	0.000701	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00468	<0.0005	0.0468	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00185	<0.0003	0.0185	<0.003	-	-	-
Lead	0.000824	<0.0002	0.00824	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000424	<0.0004	0.00424	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0141	<0.001	0.141	<0.01	-	-	-
Zinc	0.00364	<0.001	0.0364	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.548	<0.019	5.48	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000589	<0.00001	0.000589	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000141	<0.000005	0.000141	<0.00005	-	-	-
Acenaphthylene by GCMS	0.000236	<0.000005	0.00236	<0.00005	-	-	-
Fluoranthene by GCMS	0.000098	<0.000005	0.00098	<0.00005	-	-	-
Anthracene by GCMS	0.0000383	<0.000005	0.000383	<0.00005	-	-	-
Phenanthrene by GCMS	0.000283	<0.000005	0.00283	<0.00005	-	-	-
Fluorene by GCMS	0.000165	<0.000005	0.00165	<0.00005	-	-	-
Chrysene by GCMS	0.0000448	<0.000005	0.000448	<0.00005	-	-	-
Pyrene by GCMS	0.0000736	<0.000005	0.000736	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.000025	<0.000005	0.00025	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000088	<0.000005	0.00088	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000405	<0.000005	0.000405	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000282	<0.000002	0.000282	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000178	<0.000005	0.000178	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000419	<0.000005	0.000419	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.0000345	<0.000005	0.000345	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00129	<0.000082	0.0129	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	9.05
Conductivity (µS/cm)	65.20
Temperature (°C)	18.70
Volume Leachant (Litres)	0.870

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.120	**Natural Moisture Content (%)**	33.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	75
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733151
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-E6
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	9.05
Conductivity (µS/cm)	65.20
Temperature (°C)	18.70
Volume Leachant (Litres)	0.870

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.18
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.3
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733163
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-F6
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000175	<0.00001	0.000175	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00147	<0.0005	0.0147	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00129	<0.001	0.0129	<0.01	-	-	-
Copper	0.00238	<0.0003	0.0238	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00111	<0.001	0.0111	<0.01	-	-	-
Vanadium	0.0691	<0.001	0.691	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000146	<0.00001	0.00146	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000652	<0.000005	0.000652	<0.00005	-	-	-
Acenaphthylene by GCMS	0.000224	<0.000005	0.00224	<0.00005	-	-	-
Fluoranthene by GCMS	0.000144	<0.000005	0.00144	<0.00005	-	-	-
Anthracene by GCMS	0.0000556	<0.000005	0.000556	<0.00005	-	-	-
Phenanthrene by GCMS	0.000332	<0.000005	0.00332	<0.00005	-	-	-
Fluorene by GCMS	0.000137	<0.000005	0.00137	<0.00005	-	-	-
Chrysene by GCMS	0.0000105	<0.000005	0.000105	<0.00005	-	-	-
Pyrene by GCMS	0.00011	<0.000005	0.0011	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.000007	<0.000005	0.00007	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000154	<0.000005	0.000154	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000878	<0.000005	0.0000878	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000633	<0.000002	0.0000633	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000147	<0.000005	0.000147	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000238	<0.000005	0.000238	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.00000614	<0.000005	0.0000614	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00131	<0.000082	0.0131	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	10.77
Conductivity (µS/cm)	244.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.18
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.3
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733163
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-F6
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	10.77
Conductivity (µS/cm)	244.00
Temperature (°C)	18.70
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.18
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.3
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733168
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-F6
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	<0.0005	<0.0005	<0.005	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00259	<0.001	0.0259	<0.01	-	-	-
Copper	0.00109	<0.0003	0.0109	<0.003	-	-	-
Lead	0.000585	<0.0002	0.00585	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0258	<0.001	0.258	<0.01	-	-	-
Zinc	0.0177	<0.001	0.177	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000221	<0.00001	0.000221	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000155	<0.000005	0.000155	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000144	<0.000005	0.000144	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	11.52
Conductivity (µS/cm)	1,230.00
Temperature (°C)	18.30
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.18
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.3
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733168
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-F6
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Concⁿ in 10:1 eluate (mg/l)		**A_2** 10:1 concⁿ leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	11.52
Conductivity (µS/cm)	1,230.00
Temperature (°C)	18.30
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.23
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.4
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733173
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-F6
Depth (m)	1.20 - 1.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00206	<0.0005	0.0206	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.0012	<0.001	0.012	<0.01	-	-	-
Copper	0.00146	<0.0003	0.0146	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00145	<0.001	0.0145	<0.01	-	-	-
Vanadium	0.0668	<0.001	0.668	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000184	<0.00001	0.000184	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000017	<0.000005	0.00017	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.000016	<0.000005	0.00016	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000164	<0.000005	0.000164	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00000788	<0.000005	0.0000788	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000352	<0.000002	0.0000352	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	10.73
Conductivity (µS/cm)	178.00
Temperature (°C)	18.90
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.23
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.4
Particle Size <4mm	>95%		

Case	
SDG	181114-83
Lab Sample Number(s)	18733173
Sampled Date	13-Nov-2018
Customer Sample Ref.	4G-F6
Depth (m)	1.20 - 1.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	16-Nov-2018
pH (pH Units)	10.73
Conductivity (µS/cm)	178.00
Temperature (°C)	18.90
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

05/12/2018 14:15:02

14:14:31 05/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Notification of NDPs (No determination possible)

Date Received : 14/11/2018 15:46:28

Sample No	Customer Sample Ref.	Depth (m)	Test	Comment
18733151	4G-E6	0.50 - 0.50	Total Organic Carbon	Unsuitable for Analysis

Table of Results - Appendix

Method No	Reference	Description
ASB_PREP		
PM001		Preparation of Samples for Metals Analysis
PM024	Modified BS 1377	Soil preparation including homogenisation, moisture screens of soils for Asbestos Containing Material
PM115		Leaching Procedure for CEN One Stage Leach Test 2:1 & 10:1 1 Step
SUB		Subcontracted Test
TM024	Method 4500A & B, AWWA/APHA, 20th Ed., 1999	Determination of Exchangeable Ammonium and Ammoniacal Nitrogen as N by titration on solids
TM048	HSG 248, Asbestos: The analysts' guide for sampling, analysis and clearance procedures	Identification of Asbestos in Bulk Material
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM062 (S)	National Grid Property Holdings Methods for the Collection & Analysis of Samples from National Grid Sites version 1 Sec 3.9	Determination of Phenols in Soils by HPLC
TM089	Modified: US EPA Methods 8020 & 602	Determination of Gasoline Range Hydrocarbons (GRO) by Headspace GC-FID (C4-C12)
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM116	Modified: US EPA Method 8260, 8120, 8020, 624, 610 & 602	Determination of Volatile Organic Compounds by Headspace / GC-MS
TM132	In - house Method	ELTRA CS800 Operators Guide
TM133	BS 1377: Part 3 1990;BS 6068-2.5	Determination of pH in Soil and Water using the GLpH pH Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM153	Method 4500A,B,C, I, M AWWA/APHA, 20th Ed., 1999	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate using the Skalar SANS+ System Segmented Flow Analyser
TM173	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Soils by GC-FID
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM181	US EPA Method 6010B	Determination of Routine Metals in Soil by iCap 6500 Duo ICP-OES
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM218	Shaker extraction - EPA method 3546.	The determination of PAH in soil samples by GC-MS
TM221	Inductively Coupled Plasma - Atomic Emission Spectroscopy. An Atlas of Spectral Information: Winge, Fassel, Peterson and Floyd	Determination of Acid extractable Sulphate in Soils by IRIS Emission Spectrometer
TM224	US EPA Method 6010B	Determination of Alkaline Metals by iCap 6500 Duo ICP-OES
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM243		Mixed Anions In Soils By Kone
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM304	HSE Contract research Report no 83/1996	Asbestos Quantification in Soil: Fibres identified by morphology only

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Test Completion Dates

Lab Sample No(s)	18733119	18733124	18733095	18733099	18733084	18733005	18733106	18733131	18733112	18733089
Customer Sample Ref.	4G-D3	4G-D3	4G-D4	4G-D4	4G-D5	4G-D6	4G-D6	4G-D3-V	4G-D4-V	4G-D5-V
AGS Ref.										
Depth	0.20 - 0.20	0.50 - 0.50	0.20 - 0.20	0.50 - 0.50	0.50 - 0.50	0.20 - 0.20	0.60 - 0.60	1.80 - 1.80	1.70 - 1.70	1.70 - 1.70
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)		19-Nov-2018		19-Nov-2018	26-Nov-2018		19-Nov-2018			
Ammoniacal Nitrogen	24-Nov-2018	28-Nov-2018	24-Nov-2018	28-Nov-2018	24-Nov-2018	26-Nov-2018	24-Nov-2018			
Ammonium Soil by Titration	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018
Anions by Kone (soil)		29-Nov-2018		29-Nov-2018	29-Nov-2018		29-Nov-2018			
Asbestos ID in Solid Samples		26-Nov-2018		26-Nov-2018	19-Nov-2018		19-Nov-2018			
Asbestos Quantification - Full					28-Nov-2018					
CEN 10:1 Leachate (1 Stage)	17-Nov-2018	27-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018	17-Nov-2018	15-Nov-2018			
CEN Readings	21-Nov-2018	28-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	21-Nov-2018	20-Nov-2018			
Cyanide Comp/Free/Total/Thiocyanate	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	26-Nov-2018	27-Nov-2018	27-Nov-2018
Dissolved Metals by ICP-MS	27-Nov-2018	28-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	28-Nov-2018			
EPH CWG (Aliphatic) Aqueous GC (W)	27-Nov-2018	29-Nov-2018	28-Nov-2018	27-Nov-2018	27-Nov-2018	28-Nov-2018	27-Nov-2018			
EPH CWG (Aliphatic) GC (S)	22-Nov-2018	19-Nov-2018	19-Nov-2018	22-Nov-2018	19-Nov-2018	22-Nov-2018	19-Nov-2018	22-Nov-2018	26-Nov-2018	19-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	27-Nov-2018	29-Nov-2018	28-Nov-2018	27-Nov-2018	27-Nov-2018	28-Nov-2018	27-Nov-2018			
EPH CWG (Aromatic) GC (S)	22-Nov-2018	19-Nov-2018	19-Nov-2018	22-Nov-2018	19-Nov-2018	22-Nov-2018	19-Nov-2018	22-Nov-2018	26-Nov-2018	19-Nov-2018
GRO by GC-FID (S)	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	26-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018
GRO by GC-FID (W)	27-Nov-2018	27-Nov-2018	27-Nov-2018	24-Nov-2018	24-Nov-2018	27-Nov-2018	24-Nov-2018			
Mercury Dissolved	26-Nov-2018	26-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	26-Nov-2018			
Metals in solid samples by OES	23-Nov-2018	22-Nov-2018	23-Nov-2018	21-Nov-2018	22-Nov-2018	23-Nov-2018	21-Nov-2018	27-Nov-2018	27-Nov-2018	22-Nov-2018
PAH by GCMS	19-Nov-2018	19-Nov-2018	19-Nov-2018	21-Nov-2018	19-Nov-2018	23-Nov-2018	19-Nov-2018	23-Nov-2018	26-Nov-2018	21-Nov-2018
PAH Spec MS - Aqueous (W)	27-Nov-2018	27-Nov-2018	28-Nov-2018	27-Nov-2018	26-Nov-2018	27-Nov-2018	27-Nov-2018			
pH	26-Nov-2018	27-Nov-2018	26-Nov-2018	27-Nov-2018	27-Nov-2018	26-Nov-2018	26-Nov-2018	26-Nov-2018	27-Nov-2018	26-Nov-2018
pH Value	26-Nov-2018	26-Nov-2018	26-Nov-2018	26-Nov-2018	26-Nov-2018	26-Nov-2018	26-Nov-2018			
Phenols by HPLC (S)	27-Nov-2018	27-Nov-2018	27-Nov-2018	26-Nov-2018	27-Nov-2018	27-Nov-2018	26-Nov-2018	21-Nov-2018	26-Nov-2018	27-Nov-2018
Sample description	15-Nov-2018	14-Nov-2018	15-Nov-2018	14-Nov-2018	15-Nov-2018	16-Nov-2018	14-Nov-2018	18-Nov-2018	21-Nov-2018	15-Nov-2018
Total Organic Carbon	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	27-Nov-2018	28-Nov-2018	28-Nov-2018
Total Sulphate		16-Nov-2018		16-Nov-2018	22-Nov-2018		16-Nov-2018			
Total Sulphur		27-Nov-2018		27-Nov-2018	27-Nov-2018		23-Nov-2018			
TPH CWG (W)	27-Nov-2018	29-Nov-2018	28-Nov-2018	27-Nov-2018	27-Nov-2018	28-Nov-2018	27-Nov-2018			
TPH CWG GC (S)	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	26-Nov-2018	24-Nov-2018	26-Nov-2018	24-Nov-2018
VOC MS (S)	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018

Lab Sample No(s)	18733139	18733046	18733057	18733146	18733151	18733071	18733158	18733163	18733168	18733173
Customer Sample Ref.	4G-D6-V	4G-E5	4G-E5	4G-E6	4G-E6	4G-E5-V	4G-E6-V	4G-F6	4G-F6	4G-F6
AGS Ref.										
Depth	1.70 - 1.70	0.20 - 0.20	0.60 - 0.60	0.30 - 0.30	0.50 - 0.50	3.00 - 3.00	2.20 - 2.20	0.40 - 0.40	0.60 - 0.60	1.20 - 1.20
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)		26-Nov-2018		26-Nov-2018				26-Nov-2018		26-Nov-2018
Ammoniacal Nitrogen		24-Nov-2018	24-Nov-2018	26-Nov-2018	26-Nov-2018			24-Nov-2018	26-Nov-2018	26-Nov-2018
Ammonium Soil by Titration	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018
Anions by Kone (soil)		22-Nov-2018		22-Nov-2018				29-Nov-2018		29-Nov-2018
Asbestos ID in Solid Samples		19-Nov-2018		27-Nov-2018				26-Nov-2018		26-Nov-2018
Asbestos Quantification - Full		27-Nov-2018								
Calorific Value (S)*					05-Dec-2018					
CEN 10:1 Leachate (1 Stage)		16-Nov-2018	16-Nov-2018	16-Nov-2018	16-Nov-2018			16-Nov-2018	16-Nov-2018	16-Nov-2018
CEN Readings		20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018			20-Nov-2018	20-Nov-2018	20-Nov-2018
Cyanide Comp/Free/Total/Thiocyanate	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018
Dissolved Metals by ICP-MS		28-Nov-2018	27-Nov-2018	28-Nov-2018	27-Nov-2018			28-Nov-2018	28-Nov-2018	28-Nov-2018
EPH CWG (Aliphatic) Aqueous GC (W)		28-Nov-2018	28-Nov-2018	27-Nov-2018	28-Nov-2018			27-Nov-2018	28-Nov-2018	27-Nov-2018
EPH CWG (Aliphatic) GC (S)	19-Nov-2018	19-Nov-2018	19-Nov-2018	29-Nov-2018	19-Nov-2018	23-Nov-2018	19-Nov-2018	19-Nov-2018	22-Nov-2018	22-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)		28-Nov-2018	28-Nov-2018	27-Nov-2018	28-Nov-2018			27-Nov-2018	28-Nov-2018	27-Nov-2018
EPH CWG (Aromatic) GC (S)	19-Nov-2018	19-Nov-2018	19-Nov-2018	28-Nov-2018	19-Nov-2018	23-Nov-2018	19-Nov-2018	19-Nov-2018	22-Nov-2018	22-Nov-2018
GRO by GC-FID (S)	24-Nov-2018	26-Nov-2018	24-Nov-2018	26-Nov-2018	26-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018
GRO by GC-FID (W)		27-Nov-2018	24-Nov-2018	26-Nov-2018	24-Nov-2018			26-Nov-2018	26-Nov-2018	26-Nov-2018
Mercury Dissolved		28-Nov-2018	26-Nov-2018	28-Nov-2018	26-Nov-2018			29-Nov-2018	28-Nov-2018	28-Nov-2018
Metals in solid samples by OES	22-Nov-2018	22-Nov-2018	23-Nov-2018	23-Nov-2018	21-Nov-2018	22-Nov-2018	23-Nov-2018	22-Nov-2018	23-Nov-2018	22-Nov-2018
PAH by GCMS	23-Nov-2018	28-Nov-2018	19-Nov-2018	21-Nov-2018	26-Nov-2018	21-Nov-2018	19-Nov-2018	21-Nov-2018	19-Nov-2018	21-Nov-2018
PAH Spec MS - Aqueous (W)		27-Nov-2018	28-Nov-2018	29-Nov-2018	27-Nov-2018			29-Nov-2018	27-Nov-2018	29-Nov-2018
pH	26-Nov-2018	27-Nov-2018	26-Nov-2018	27-Nov-2018	26-Nov-2018	26-Nov-2018	26-Nov-2018	27-Nov-2018	26-Nov-2018	27-Nov-2018
pH Value		26-Nov-2018	26-Nov-2018	26-Nov-2018	26-Nov-2018			26-Nov-2018	26-Nov-2018	26-Nov-2018
Phenols by HPLC (S)	27-Nov-2018	27-Nov-2018	26-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018	27-Nov-2018
Sample description	15-Nov-2018	15-Nov-2018	14-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018	15-Nov-2018
Total Organic Carbon	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018		28-Nov-2018	28-Nov-2018	27-Nov-2018	28-Nov-2018	27-Nov-2018
Total Sulphate		22-Nov-2018		21-Nov-2018				21-Nov-2018		21-Nov-2018
Total Sulphur		27-Nov-2018		27-Nov-2018				23-Nov-2018		27-Nov-2018
TPH CWG (W)		28-Nov-2018	28-Nov-2018	27-Nov-2018	28-Nov-2018			27-Nov-2018	28-Nov-2018	27-Nov-2018
TPH CWG GC (S)	24-Nov-2018	26-Nov-2018	24-Nov-2018	29-Nov-2018	26-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018	24-Nov-2018
VOC MS (S)	28-Nov-2018	26-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	26-Nov-2018

Validated

CERTIFICATE OF ANALYSIS

SDG:	181114-83	**Client Reference:**		**Report Number:**	484045
Location:	Llanwern	**Order Number:**	LLA515	**Superseded Report:**	

Lab Sample No(s)	18733019	18733028	18733037
Customer Sample Ref.	4G-F6-V	4G-G6	4G-G6
AGS Ref.			
Depth	2.70 - 2.70	0.30 - 0.30	0.50 - 0.50
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)		28-Nov-2018	
Ammoniacal Nitrogen		26-Nov-2018	24-Nov-2018
Ammonium Soil by Titration	27-Nov-2018	27-Nov-2018	27-Nov-2018
Anions by Kone (soil)		29-Nov-2018	
Asbestos ID in Solid Samples		19-Nov-2018	
CEN 10:1 Leachate (1 Stage)		17-Nov-2018	17-Nov-2018
CEN Readings		21-Nov-2018	21-Nov-2018
Cyanide Comp/Free/Total/Thiocyanate	27-Nov-2018	27-Nov-2018	26-Nov-2018
Dissolved Metals by ICP-MS		27-Nov-2018	27-Nov-2018
EPH CWG (Aliphatic) Aqueous GC (W)		27-Nov-2018	28-Nov-2018
EPH CWG (Aliphatic) GC (S)	19-Nov-2018	19-Nov-2018	19-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)		27-Nov-2018	28-Nov-2018
EPH CWG (Aromatic) GC (S)	19-Nov-2018	19-Nov-2018	19-Nov-2018
GRO by GC-FID (S)	24-Nov-2018	24-Nov-2018	24-Nov-2018
GRO by GC-FID (W)		27-Nov-2018	27-Nov-2018
Mercury Dissolved		26-Nov-2018	26-Nov-2018
Metals in solid samples by OES	22-Nov-2018	22-Nov-2018	23-Nov-2018
PAH by GCMS	21-Nov-2018	21-Nov-2018	21-Nov-2018
PAH Spec MS - Aqueous (W)		27-Nov-2018	27-Nov-2018
pH	26-Nov-2018	26-Nov-2018	26-Nov-2018
pH Value		26-Nov-2018	26-Nov-2018
Phenols by HPLC (S)	27-Nov-2018	26-Nov-2018	27-Nov-2018
Sample description	15-Nov-2018	15-Nov-2018	15-Nov-2018
Total Organic Carbon	28-Nov-2018	28-Nov-2018	28-Nov-2018
Total Sulphate		22-Nov-2018	
Total Sulphur		28-Nov-2018	
TPH CWG (W)		27-Nov-2018	28-Nov-2018
TPH CWG GC (S)	24-Nov-2018	24-Nov-2018	24-Nov-2018
VOC MS (S)	28-Nov-2018	28-Nov-2018	28-Nov-2018

CERTIFICATE OF ANALYSIS

Work Order	: **PR18C4975**	Issue Date	: 05-Dec-2018
Customer	: **ALS Life Sciences Ltd**	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Reporting	Contact	: Client Service
Address	: Unit 7-8 Hawarden Business Park Manor Road, Hawarden CH5 3US Deeside United Kingdom	Address	: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00
E-mail	: euhdnsubconresults@ALSGlobal.com	E-mail	: customer.support@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 228
Project	: 181114-83	Page	: 1 of 2
Order number	: 181114-83	Date Samples Received	: 22-Nov-2018
		Quote number	: PR2018ALSAL-GB0001 (CZ-256-17-1008)
Site	: ----	Date of test	: 26-Nov-2018 - 05-Dec-2018
Sampled by	: client	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory.
The laboratory declares that the test results relate only to the listed samples.
The IC determination of chlorides, fluorides, sulfates and nitrates, as needed for the calculation of reported results, was performed using an accredited method of a subcontractor.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2005

Signatories		*Position*
Zdeněk Jirák		Environmental Business Unit Manager

L 1163

Analytical Results

Sub-Matrix: SOIL	Client sample ID	18741780 4G-E6	----	----
	Laboratory sample ID	PR18C4975-001	----	----
	Client sampling date / time	13-Nov-2018 00:00	----	----

Parameter	Method	LOR	Unit	Result	MU	Result	MU	Result	MU
Physical Parameters									
Gross Calorific Value in Dry Matter Q(V/gr/d)	I-CV-CALS	0.50	MJ/kg DW	**9.54**	± 10.6%	----	----	----	----
Gross Calorific Value Original Q(V/gr/ar)	I-CV-CALS	0.50	MJ/kg	**8.52**	± 10.7%	----	----	----	----
Net Calorific Value in Dry Matter Q(V/net/d)	I-CV-CALS	0.50	MJ/kg DW	**9.41**	± 10.6%	----	----	----	----
Net Calorific Value Original Q(V/net/ar)	I-CV-CALS	0.50	MJ/kg	**8.16**	± 10.8%	----	----	----	----
Water Analytical M(ad)	I-WA-GR	0.50	%	**0.69**	± 52.3%	----	----	----	----
Water Gross M(ex)	I-WG-GR	0.50	%	**10.0**	± 20.3%	----	----	----	----
Water Total M(ar)	I-WT-CC	0.50	%	**10.7**	----	----	----	----	----

If no sampling time is provided, the sampling time will default 00:00 on the date of sampling. If no sampling date is provided, delivery date in brackets without a time component will be displayed instead. Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty

The end of result part of the certificate of analysis

Brief Method Summaries

Analytical Methods	Method Descriptions
Location of test performance: Bendlova 1687/7 Ceska Lipa Czech Republic 470 01	
I-CV-CALS	CZ_SOP_D06_07_124.A (CSN ISO 1928, CSN EN ISO 18125, CSN EN 15400, CSN EN 15170, CSN DIN 51900-1, CSN DIN 51900-2, CSN DIN 51900-3, CSN P CEN/TS 16023) Determination of gross calorific value by calorimetric method and calculation of net calorific value and emission factor by calculation from measured values.
I-WA-GR	CZ_SOP_D06_07_041 (CSN 44 1377, CSN EN ISO 18134-1, CSN EN ISO 18134-2, CSN EN ISO 18134-3, CSN P CEN/TS 15414-1, CSN P CEN/TS 15414-2, CSN EN 15414-3, CSN EN12880, CSN EN14346, CSN EN 15002) Determination of analytical water and gross water by gravimetry and determination of total water by calculation from measured values.
I-WG-GR	CZ_SOP_D06_07_041 (CSN 44 1377, CSN EN ISO 18134-1, CSN EN ISO 18134-2, CSN EN ISO 18134-3, CSN P CEN/TS 15414-1, CSN P CEN/TS 15414-2, CSN EN 15414-3, CSN EN12880, CSN EN14346, CSN EN 15002) Determination of analytical water and gross water by gravimetry and determination of total water by calculation from measured values.
I-WT-CC	CZ_SOP_D06_07_041 (CSN 44 1377, CSN EN ISO 18134-1, CSN EN ISO 18134-2, CSN EN ISO 18134-3, CSN P CEN/TS 15414-1, CSN P CEN/TS 15414-2, CSN EN 15414-3, CSN EN12880, CSN EN14346, CSN EN 15002) Determination of analytical water and gross water by gravimetry and determination of total water by calculation from measured values.

Preparation Methods	Method Descriptions
Location of test performance: Bendlova 1687/7 Ceska Lipa Czech Republic 470 01	
I-PPBURN	CZ_SOP_D06_07_124.A (CSN ISO 1928, CSN EN 14918, CSN EN 15400, CSN EN 15170) Determination of gross calorific value by calorimetric method and calculation of net calorific value.
* S-PPHOM.07	CZ_SOP_D06_07_P01 Preparation of solid samples for analysis (crushing, milling and pulverizing).
* S-PPHOM0.3	CZ_SOP_D06_07_P01 Preparation of solid samples for analysis (crushing, milling and pulverizing).

A `*` symbol preceding any method indicates laboratory or subcontractor non-accredited test. In the case when a procedure belonging to an accredited method was used for non-accredited matrix, would apply that the reported results are non-accredited. Please refer to General Comment section on front page for information. If the report contains subcontracted analysis, those are made in a subcontracted laboratory outside the laboratories ALS Czech Republic, s.r.o.
The calculation methods of summation parameters are available on request in the client service.

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35ºC) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as “Not detected”. If no asbestos fibre types are found all will be reported as “Not detected” and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethyphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as “mixed hydrocarbons”. Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	**Container with Headspace provided for volatiles analysis**
2	**Incorrect container received**
3	**Deviation from method**
4	**Holding time exceeded before sample received**
5	**Samples exceeded holding time before presevation was performed**
§	**Sampled on date not provided**
♦	**Sample holding time exceeded in laboratory**
@	**Sample holding time exceeded due to sampled on date**
&	**Sample Holding Time exceeded - Late arrival of instructions.**

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US
Tel: (01244) 528700
Fax: (01244) 528701
email: hawardencustomerservices@alsglobal.com
Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: John Fitzgerald

CERTIFICATE OF ANALYSIS

Date:	07 December 2018
Customer:	H_ATKINS_LDC
Sample Delivery Group (SDG):	181120-23
Your Reference:	
Location:	Llanwern
Report No:	484420

We received 15 samples on Tuesday November 20, 2018 and 15 of these samples were scheduled for analysis which was completed on Friday December 07, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:



Sonia McWhan

Operations Manager

ALS Life Sciences Limited. Registered Office: Units 7 & 8 Hawarden Business Park, Manor Road, Hawarden, Deeside, CH5 3US. Registered in England and Wales No. 4057291.

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18775424	4G-E4		0.40 - 0.40	19/11/2018
18775457	4G-E4-V		2.20 - 2.20	19/11/2018
18775464	4G-F4		0.20 - 0.20	19/11/2018
18775470	4G-F4		0.40 - 0.40	19/11/2018
18775478	4G-F5		0.50 - 0.50	19/11/2018
18775444	4G-F7		0.40 - 0.40	19/11/2018
18775448	4G-F7		0.80 - 0.80	19/11/2018
18775474	4G-F4-V		2.40 - 2.40	19/11/2018
18775482	4G-F5-V		2.60 - 2.60	19/11/2018
18775453	4G-F7-V		2.60 - 2.60	19/11/2018
18775486	4G-G5		0.40 - 0.40	19/11/2018
18775490	4G-G5		0.70 - 0.70	19/11/2018
18775436	4G-G7		0.50 - 0.50	19/11/2018
18775440	4G-G7		1.00 - 1.00	19/11/2018
18775431	4G-G5-V		3.20 - 3.20	19/11/2018

Maximum Sample/Coolbox Temperature (°C) : **10.0**

ISO5667-3 Water quality - Sampling - Part3 -
During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -
S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18775424		18775457		18775464			18775470			18775478			18775444			18775448		
Customer Sample Reference			4G-E4		4G-E4-V		4G-F4			4G-F4			4G-F5			4G-F7			4G-F7		
AGS Reference																					
Depth (m)			0.40 - 0.40		2.20 - 2.20		0.20 - 0.20			0.40 - 0.40			0.50 - 0.50			0.40 - 0.40			0.80 - 0.80		
Container			1kg TUB	250g Amber Jar (ALE210)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Alkali Metals by iCap-OES (Soil)	All	NDPs: 0 Tests: 6		X							X			X			X				
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 10	X				X			X			X			X			X		
Ammonium Soil by Titration	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X	
Anions by Kone (soil)	All	NDPs: 0 Tests: 6		X							X			X			X				
Asbestos ID in Solid Samples	All	NDPs: 0 Tests: 6	X							X			X			X					
CEN Readings	All	NDPs: 0 Tests: 10	X				X			X			X			X			X		
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 25	X	X	X		X	X		X	X		X	X		X	X		X	X	
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 10	X				X			X			X			X			X		
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 10	X				X			X			X			X			X		
EPH CWG (Aliphatic) GC (S)	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X	
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 10	X				X			X			X			X			X		
EPH CWG (Aromatic) GC (S)	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X	
GRO by GC-FID (S)	All	NDPs: 0 Tests: 15		X		X			X			X			X			X				X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 10	X				X			X			X			X			X		
Mercury Dissolved	All	NDPs: 0 Tests: 10	X				X			X			X			X			X		

18775431	4G-G5-V		3.20 - 3.20	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
18775440	4G-G7		1.00 - 1.00	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
				1kg TUB	S			X				X	X		X	X			X				X	X
18775436	4G-G7		0.50 - 0.50	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S	X			X	X			X				X			X				
				1kg TUB	S			X			X	X	X		X	X			X				X	X
18775490	4G-G5		0.70 - 0.70	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
				1kg TUB	S			X				X	X		X	X			X				X	X
18775486	4G-G5		0.40 - 0.40	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S	X			X	X			X				X			X				
				1kg TUB	S			X			X	X	X		X	X			X				X	X
18775453	4G-F7-V		2.60 - 2.60	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
18775482	4G-F5-V		2.60 - 2.60	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
18775474	4G-F4-V		2.40 - 2.40	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18775424				18775457			18775464			18775470			18775478			18775444			18775448		
Customer Sample Reference			4G-E4				4G-E4-V			4G-F4			4G-F4			4G-F5			4G-F7			4G-F7		
AGS Reference																								
Depth (m)			0.40 - 0.40				2.20 - 2.20			0.20 - 0.20			0.40 - 0.40			0.50 - 0.50			0.40 - 0.40			0.80 - 0.80		
Container			1kg TUB	250g Amber Jar (ALE210)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Metals in solid samples by OES	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X			X	
PAH by GCMS	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X			X	
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 10	X				X			X			X			X			X			X		
pH	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X			X	
pH Value	All	NDPs: 0 Tests: 10	X				X			X			X			X			X			X		
Phenols by HPLC (S)	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X			X	
Sample description	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X			X	
Total Organic Carbon	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X			X	
Total Sulphate	All	NDPs: 0 Tests: 6		X										X			X			X				
Total Sulphur	All	NDPs: 0 Tests: 6		X										X			X			X				
TPH CWG (W)	All	NDPs: 0 Tests: 10	X				X			X			X			X			X			X		
TPH CWG GC (S)	All	NDPs: 0 Tests: 15		X	X			X			X			X			X			X			X	
VOC MS (S)	All	NDPs: 0 Tests: 15		X		X			X			X			X			X			X			X	

18775431	4G-G5-V		3.20 - 3.20	60g VOC (ALE215)	S													X
				250g Amber Jar (ALE210)	S	X	X		X		X	X	X				X	
18775440	4G-G7		1.00 - 1.00	60g VOC (ALE215)	S													X
				250g Amber Jar (ALE210)	S	X	X		X		X	X	X				X	
				1kg TUB	S			X		X						X		
18775436	4G-G7		0.50 - 0.50	60g VOC (ALE215)	S													X
				250g Amber Jar (ALE210)	S	X	X		X		X	X	X	X	X		X	
				1kg TUB	S			X		X						X		
18775490	4G-G5		0.70 - 0.70	60g VOC (ALE215)	S													X
				250g Amber Jar (ALE210)	S	X	X		X		X	X	X				X	
				1kg TUB	S			X		X						X		
18775486	4G-G5		0.40 - 0.40	60g VOC (ALE215)	S													X
				250g Amber Jar (ALE210)	S	X	X		X		X	X	X	X	X		X	
				1kg TUB	S			X		X						X		
18775453	4G-F7-V		2.60 - 2.60	60g VOC (ALE215)	S													X
				250g Amber Jar (ALE210)	S	X	X		X		X	X	X				X	
18775482	4G-F5-V		2.60 - 2.60	60g VOC (ALE215)	S													X
				250g Amber Jar (ALE210)	S	X	X		X		X	X	X				X	
18775474	4G-F4-V		2.40 - 2.40	60g VOC (ALE215)	S													X
				250g Amber Jar (ALE210)	S	X	X		X		X	X	X				X	

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Sample Descriptions

Grain Sizes

very fine	<0.063mm	fine	0.063mm - 0.1mm	medium	0.1mm - 2mm	coarse	2mm - 10mm	very coarse	>10mm

Lab Sample No(s)	Customer Sample Ref.	Depth (m)	Colour	Description	Inclusions	Inclusions 2
18775424	4G-E4	0.40 - 0.40	Light Brown	Loamy Sand	Stones	None
18775457	4G-E4-V	2.20 - 2.20	Dark Brown	Clay	Vegetation	None
18775464	4G-F4	0.20 - 0.20	Light Brown	Loamy Sand	Stones	None
18775470	4G-F4	0.40 - 0.40	Light Brown	Loamy Sand	Stones	Vegetation
18775478	4G-F5	0.50 - 0.50	Dark Brown	Sand	Stones	None
18775444	4G-F7	0.40 - 0.40	Dark Brown	Sand	Stones	Vegetation
18775448	4G-F7	0.80 - 0.80	Dark Brown	Sandy Loam	Vegetation	Stones
18775474	4G-F4-V	2.40 - 2.40	Grey	Clay	None	None
18775482	4G-F5-V	2.60 - 2.60	Dark Brown	Clay	None	None
18775453	4G-F7-V	2.60 - 2.60	Dark Brown	Sandy Loam	Vegetation	Stones
18775486	4G-G5	0.40 - 0.40	Dark Brown	Sandy Loam	Vegetation	Stones
18775490	4G-G5	0.70 - 0.70	Dark Brown	Sandy Loam	Vegetation	Stones
18775436	4G-G7	0.50 - 0.50	Dark Brown	Sandy Loam	Vegetation	Stones
18775440	4G-G7	1.00 - 1.00	Dark Brown	Sandy Loam	Vegetation	Stones
18775431	4G-G5-V	3.20 - 3.20	Dark Brown	Sandy Loam	Vegetation	Stones

These descriptions are only intended to act as a cross check if sample identities are questioned, and to provide a log of sample matrices with respect to MCERTS validation. They are not intended as full geological descriptions.

We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally ocurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample.

Other coarse granular materials such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E4	4G-E4-V	4G-F4	4G-F4	4G-F5	4G-F7
			Depth (m)	0.40 - 0.40	2.20 - 2.20	0.20 - 0.20	0.40 - 0.40	0.50 - 0.50	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			SDG Ref	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23
			Lab Sample No.(s)	18775424	18775457	18775464	18775470	18775478	18775444
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		11	29	14	6.7	5.8	3.8
Exchangeable Ammonia as N	<12 mg/kg	TM024		38.4 M	281 M	20.8 M	19 M	<12 M	30.5 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	0.0141 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132		0.194			0.0816	0.115	0.0708
Sulphate, Total potential	<0.06 %	TM132		0.582			0.245	0.345	0.212
Soil Organic Matter (SOM)	<0.35 %	TM132		5.81 #	3.88 #	4.17 #	8 #	13.7 #	4.88 #
pH	1 pH Units	TM133		11.7 M	7.35 M	10.7 M	10.4 M	9.44 M	9.55 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 ♦ M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 ♦ M	<1 M
Arsenic	<0.6 mg/kg	TM181		<6 M	14.1 M	21.9 M	11.8 M	11.5 M	12.8 M
Cadmium	<0.02 mg/kg	TM181		<0.2 M	<0.02 M	<0.2 M	<0.2 M	0.634 M	<0.2 M
Chromium	<0.9 mg/kg	TM181		137 M	31.7 M	47.2 M	<9 M	<9 M	<9 M
Copper	<1.4 mg/kg	TM181		<14 M	11.4 M	36.9 M	<14 M	<14 M	22.1 M
Iron	<1000 mg/kg	TM181		232000 #	32700 #	74500 #	204000 #	179000 #	452000 #
Lead	<0.7 mg/kg	TM181		9.62 M	30 M	76.9 M	24 M	37.4 M	21.4 M
Manganese	<0.13 mg/kg	TM181		8590 M	361 M	4760 M	2840 M	7110 M	4220 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<0.14 M	<1.4 M	<1.4 M	<1.4 M	<1.4 M
Nickel	<0.2 mg/kg	TM181		44.1 M	34.3 M	36.6 M	12 M	52.3 M	37.1 M
Selenium	<1 mg/kg	TM181		<10 #	<1 #	<10 #	<10 #	<10 #	<10 #
Vanadium	<0.2 mg/kg	TM181		106 #	54.2 #	70.2 #	29.4 #	28.2 #	93.6 #
Zinc	<1.9 mg/kg	TM181		133 M	107 M	270 M	125 M	95.8 M	149 M
Sulphate, acid soluble (total)	<0.02 %	TM221		0.39			0.0473	0.0715	0.0387
Calcium	<21 mg/kg	TM224		95800			134000	126000	94500
Magnesium	<8 mg/kg	TM224		17000			35200	16100	8570
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243		0.104 M			0.028 M	0.0283 M	0.0232 M

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F7	4G-F4-V	4G-F5-V	4G-F7-V	4G-G5	4G-G5
			Depth (m)	0.80 - 0.80	2.40 - 2.40	2.60 - 2.60	2.60 - 2.60	0.40 - 0.40	0.70 - 0.70
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			SDG Ref	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23
			Lab Sample No.(s)	18775448	18775474	18775482	18775453	18775486	18775490
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		7.8	24	36	23	7.4	8.4
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	317 M	412 M	123 M	<12 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132						0.26	
Sulphate, Total potential	<0.06 %	TM132						0.78	
Soil Organic Matter (SOM)	<0.35 %	TM132		15.3 #	0.909 #	8.41 #	0.962 #	7.1 #	7.03 #
pH	1 pH Units	TM133		10.6 M	8.01 M	7.14 M	7.76 M	9.82 M	9.91 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		7.91 M	13.2 M	13.4 M	11.4 M	11.4 M	5.48 M
Cadmium	<0.02 mg/kg	TM181		<0.2 M	<0.02 M	<0.02 M	<0.02 M	1.6 M	0.524 M
Chromium	<0.9 mg/kg	TM181		<9 M	28.8 M	31.2 M	29.1 M	<9 M	5.37 M
Copper	<1.4 mg/kg	TM181		15.9 M	9.01 M	20 M	9.57 M	<14 M	6.68 M
Iron	<1000 mg/kg	TM181		134000 #	34200 #	19800 #	32500 #	164000 #	51600 #
Lead	<0.7 mg/kg	TM181		48.9 M	24.7 M	45.8 M	22.4 M	27.6 M	17.7 M
Manganese	<0.13 mg/kg	TM181		3550 M	1150 M	282 M	960 M	3660 M	2780 M
Mercury	<0.14 mg/kg	TM181		<1.4 M	<0.14 M	<0.14 M	<0.14 M	<1.4 M	<0.14 M
Nickel	<0.2 mg/kg	TM181		17.9 M	34.1 M	24.2 M	34.3 M	15.8 M	6.93 M
Selenium	<1 mg/kg	TM181		<10 #	<1 #	<1 #	<1 #	<10 #	<1 #
Vanadium	<0.2 mg/kg	TM181		46.1 #	51 #	46.7 #	49.7 #	38.3 #	36.7 #
Zinc	<1.9 mg/kg	TM181		89.7 M	104 M	146 M	102 M	72.8 M	57.3 M
Sulphate, acid soluble (total)	<0.02 %	TM221						0.683	
Calcium	<21 mg/kg	TM224						133000	
Magnesium	<8 mg/kg	TM224						27200	
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243						0.254 M	

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-G7	4G-G7	4G-G5-V			
			Depth (m)	0.50 - 0.50	1.00 - 1.00	3.20 - 3.20			
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)			
			Date Sampled	19/11/2018	19/11/2018	19/11/2018			
			Sample Time	00:00	00:00	00:00			
			Date Received	20/11/2018	20/11/2018	20/11/2018			
			SDG Ref	181120-23	181120-23	181120-23			
			Lab Sample No.(s)	18775436	18775440	18775431			
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		6.3	7.7	25			
Exchangeable Ammonia as N	<12 mg/kg	TM024		14.3 M	<12 M	89 M			
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M			
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M			
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M			
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M			
Sulphur, Total	<0.02 %	TM132		0.236					
Sulphate, Total potential	<0.06 %	TM132		0.708					
Soil Organic Matter (SOM)	<0.35 %	TM132		45.3 #	10.5 #	0.91 #			
pH	1 pH Units	TM133		9.4 M	9.3 M	8.59 M			
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M			
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M			
Arsenic	<0.6 mg/kg	TM181		11.9 M	8.44 M	11.6 M			
Cadmium	<0.02 mg/kg	TM181		<0.2 M	<0.2 M	0.326 M			
Chromium	<0.9 mg/kg	TM181		<9 M	<9 M	27.1 M			
Copper	<1.4 mg/kg	TM181		22.1 M	16 M	11 M			
Iron	<1000 mg/kg	TM181		243000 #	216000 #	28800 #			
Lead	<0.7 mg/kg	TM181		33.4 M	47 M	25.5 M			
Manganese	<0.13 mg/kg	TM181		3430 M	4820 M	985 M			
Mercury	<0.14 mg/kg	TM181		<1.4 M	<1.4 M	<0.14 M			
Nickel	<0.2 mg/kg	TM181		40.4 M	30.6 M	35.2 M			
Selenium	<1 mg/kg	TM181		<10 #	<10 #	<1 #			
Vanadium	<0.2 mg/kg	TM181		155 #	87.3 #	49.4 #			
Zinc	<1.9 mg/kg	TM181		170 M	129 M	105 M			
Sulphate, acid soluble (total)	<0.02 %	TM221		0.228					
Calcium	<21 mg/kg	TM224		63300					
Magnesium	<8 mg/kg	TM224		7020					
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243		0.14 M					

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E4	4G-E4-V	4G-F4	4G-F4	4G-F5	4G-F7
			Depth (m)	0.40 - 0.40	2.20 - 2.20	0.20 - 0.20	0.40 - 0.40	0.50 - 0.50	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			SDG Ref	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23
			Lab Sample No.(s)	18775424	18775457	18775464	18775470	18775478	18775444
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		82.7	88.7	88.9	86.1	85.5	92.4
Acenaphthene-d10 % recovery**	%	TM218		85.9	86.5	86.9	64.1	88.9	90.9
Phenanthrene-d10 % recovery**	%	TM218		83	85.5	87.5	83.7	85	90.1
Chrysene-d12 % recovery**	%	TM218		76.9	85.7	83	79.3	80.7	84.1
Perylene-d12 % recovery**	%	TM218		74.1	88.1	79.9	73.6	76.8	81.7
Naphthalene	<0.009 mg/kg	TM218		0.0963 M	<0.009 M	0.167 M	0.015 M	0.0778 M	0.0161 M
Acenaphthylene	<0.012 mg/kg	TM218		0.0284 M	<0.012 M	0.0987 M	<0.012 M	0.0571 M	<0.012 M
Acenaphthene	<0.008 mg/kg	TM218		0.0146 M	<0.008 M	0.0191 M	<0.008 M	<0.008 M	<0.008 M
Fluorene	<0.01 mg/kg	TM218		0.0236 M	<0.01 M	0.039 M	<0.01 M	0.0231 M	<0.01 M
Phenanthrene	<0.015 mg/kg	TM218		0.481 M	<0.015 M	0.488 M	0.0726 M	0.195 M	0.0454 M
Anthracene	<0.016 mg/kg	TM218		0.132 M	<0.016 M	0.15 M	<0.016 M	0.0683 M	<0.016 M
Fluoranthene	<0.017 mg/kg	TM218		1.02 M	<0.017 M	1 M	0.0906 M	0.402 M	0.0394 M
Pyrene	<0.015 mg/kg	TM218		0.843 M	<0.015 M	0.943 M	0.0789 M	0.322 M	0.0319 M
Benz(a)anthracene	<0.014 mg/kg	TM218		0.513 M	<0.014 M	0.602 M	0.0628 M	0.277 M	0.0271 M
Chrysene	<0.01 mg/kg	TM218		0.546 M	<0.01 M	0.614 M	0.0715 M	0.303 M	0.0322 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		0.777 M	<0.015 M	1.05 M	0.1 M	0.474 M	0.0505 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.191 M	<0.014 M	0.343 M	0.0367 M	0.163 M	<0.014 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.506 M	<0.015 M	0.637 M	0.0718 M	0.284 M	0.0243 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.397 M	<0.018 M	0.589 M	0.0534 M	0.253 M	0.0297 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.0824 M	<0.023 M	0.129 M	<0.023 M	0.0593 M	<0.023 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		0.372 M	<0.024 M	0.486 M	0.0495 M	0.238 M	0.026 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		6.03	<0.118	7.35	0.703	3.2	0.322

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F7	4G-F4-V	4G-F5-V	4G-F7-V	4G-G5	4G-G5
			Depth (m)	0.80 - 0.80	2.40 - 2.40	2.60 - 2.60	2.60 - 2.60	0.40 - 0.40	0.70 - 0.70
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			SDG Ref	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23
			Lab Sample No.(s)	18775448	18775474	18775482	18775453	18775486	18775490
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		85.2	91.5	83.7	91.9	87.6	84.2
Acenaphthene-d10 % recovery**	%	TM218		87.1	92.8	85.8	93.9	89.9	89
Phenanthrene-d10 % recovery**	%	TM218		92.6	101	85.4	93.9	92.8	84.9
Chrysene-d12 % recovery**	%	TM218		82.6	113	81.3	84.5	83.3	79
Perylene-d12 % recovery**	%	TM218		78.8	102	80.7	78	75	74.2
Naphthalene	<0.009 mg/kg	TM218		0.0307 M	<0.009 M	<0.009 M	<0.009 M	0.0265 M	0.0403 M
Acenaphthylene	<0.012 mg/kg	TM218		0.0133 M	<0.012 M	<0.012 M	<0.012 M	<0.012 M	<0.012 M
Acenaphthene	<0.008 mg/kg	TM218		<0.008 M	<0.008 M	<0.008 M	<0.008 M	0.0126 M	0.0643 M
Fluorene	<0.01 mg/kg	TM218		<0.01 M	<0.01 M	<0.01 M	<0.01 M	0.0109 M	0.0348 M
Phenanthrene	<0.015 mg/kg	TM218		0.0863 M	<0.015 M	0.0414 M	<0.015 M	0.118 M	0.209 M
Anthracene	<0.016 mg/kg	TM218		0.0231 M	<0.016 M	<0.016 M	<0.016 M	0.0195 M	<0.016 M
Fluoranthene	<0.017 mg/kg	TM218		0.167 M	<0.017 M	0.0776 M	<0.017 M	0.0942 M	0.269 M
Pyrene	<0.015 mg/kg	TM218		0.148 M	<0.015 M	0.0633 M	<0.015 M	0.0905 M	0.228 M
Benz(a)anthracene	<0.014 mg/kg	TM218		0.098 M	<0.014 M	0.0387 M	<0.014 M	0.0493 M	0.13 M
Chrysene	<0.01 mg/kg	TM218		0.131 M	<0.01 M	0.0428 M	<0.01 M	0.0697 M	0.158 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		0.163 M	<0.015 M	0.067 M	<0.015 M	0.0798 M	0.175 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.0814 M	<0.014 M	0.0222 M	<0.014 M	0.0255 M	0.064 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.0802 M	<0.015 M	0.0355 M	<0.015 M	0.0407 M	0.121 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.0769 M	<0.018 M	0.0347 M	<0.018 M	0.0348 M	0.0994 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		<0.023 M	<0.023 M	<0.023 M	<0.023 M	<0.023 M	<0.023 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		0.075 M	<0.024 M	<0.024 M	<0.024 M	0.0406 M	0.108 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		1.17	<0.118	0.423	<0.118	0.713	1.7

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-G7	4G-G7	4G-G5-V			
			Depth (m)	0.50 - 0.50	1.00 - 1.00	3.20 - 3.20			
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)			
			Date Sampled	19/11/2018	19/11/2018	19/11/2018			
			Sample Time	00:00	00:00	00:00			
			Date Received	20/11/2018	20/11/2018	20/11/2018			
			SDG Ref	181120-23	181120-23	181120-23			
			Lab Sample No.(s)	18775436	18775440	18775431			
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		85.3	77.2	84.7			
Acenaphthene-d10 % recovery**	%	TM218		69.9	0	87.3			
Phenanthrene-d10 % recovery**	%	TM218		82.7	83.4	88.7			
Chrysene-d12 % recovery**	%	TM218		71.2	93.8	83.7			
Perylene-d12 % recovery**	%	TM218		59.4	74.7	82.3			
Naphthalene	<0.009 mg/kg	TM218		0.0455 M	<0.09 M	<0.009 M			
Acenaphthylene	<0.012 mg/kg	TM218		0.017 M	<0.12 M	<0.012 M			
Acenaphthene	<0.008 mg/kg	TM218		<0.008 M	<0.08 M	<0.008 M			
Fluorene	<0.01 mg/kg	TM218		0.0116 M	<0.1 M	<0.01 M			
Phenanthrene	<0.015 mg/kg	TM218		0.181 M	<0.15 M	<0.015 M			
Anthracene	<0.016 mg/kg	TM218		<0.016 M	<0.16 M	<0.016 M			
Fluoranthene	<0.017 mg/kg	TM218		0.0906 M	0.649 M	<0.017 M			
Pyrene	<0.015 mg/kg	TM218		0.0824 M	0.492 M	<0.015 M			
Benz(a)anthracene	<0.014 mg/kg	TM218		0.0567 M	0.453 M	<0.014 M			
Chrysene	<0.01 mg/kg	TM218		0.0663 M	0.372 M	<0.01 M			
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		0.0797 M	0.439 M	<0.015 M			
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.0193 M	0.177 M	<0.014 M			
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.0363 M	0.25 M	<0.015 M			
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.0369 M	<0.18 M	<0.018 M			
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		<0.023 M	<0.23 M	<0.023 M			
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		0.0392 M	<0.24 M	<0.024 M			
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		0.763	2.83	<0.118			

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E4	4G-E4-V	4G-F4	4G-F4	4G-F5	4G-F7
			Depth (m)	0.40 - 0.40	2.20 - 2.20	0.20 - 0.20	0.40 - 0.40	0.50 - 0.50	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			SDG Ref	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23
			Lab Sample No.(s)	18775424	18775457	18775464	18775470	18775478	18775444
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		90 2	91.9 ♦	126	91.3 ♦	91.1	70.1 ♦
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.1 2 M	<0.2 ♦ M	<0.2 M	<0.2 ♦ M	<0.2 M	<0.2 ♦ M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.01 2	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02 ♦
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.01 2	<0.02 ♦	<0.02	<0.02 ♦	<0.02	0.0239 ♦
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.01 2	<0.02 ♦	<0.02	<0.02 ♦	<0.02	0.0229 ♦
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.01 2	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02 ♦
Aliphatics >C12-C16	<0.1 mg/kg	TM173		1.13	<0.1	1.26	<0.1	<0.1	0.888
Aliphatics >C16-C21	<0.1 mg/kg	TM173		8.1	<0.1	11.3	<0.1	4.37	5.14
Aliphatics >C21-C35	<0.1 mg/kg	TM173		70.6	4.06	60.9	<0.1	20.7	27.7
Aliphatics >C35-C44	<0.1 mg/kg	TM173		15.4	<0.1	19.7	<0.1	5.23	4.18
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		95.2	4.06	93.1	<0.1	30.3	37.9
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.01 2	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02 ♦
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.01 2	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02 ♦
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.01 2	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02 ♦
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.01 2	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02 ♦
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		0.556	<0.1	1.58	<0.1	1.31	0.216
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		8.71	<0.1	8.71	2.14	6.31	1.55
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		37.9	13	48.3	5.55	29	10.8
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		11.3	1.26	24.1	0.824	11.7	1.21
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		3.79	<0.1	9.38	<0.1	4.52	<0.1
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		58.5	14.3	82.7	8.51	48.3	13.7
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		154	18.3	176	8.51	78.6	51.7

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F7	4G-F4-V	4G-F5-V	4G-F7-V	4G-G5	4G-G5
			Depth (m)	0.80 - 0.80	2.40 - 2.40	2.60 - 2.60	2.60 - 2.60	0.40 - 0.40	0.70 - 0.70
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			SDG Ref	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23
			Lab Sample No.(s)	18775448	18775474	18775482	18775453	18775486	18775490
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		85.3 ♦	97.8 ♦	88.6	92.8 ♦	127	94
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 ♦ M	<0.2 ♦ M	<0.2 M	<0.2 ♦ M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02 ♦	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		0.0412 ♦	<0.02 ♦	0.022	<0.02 ♦	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		0.039 ♦	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		0.0466 ♦	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		4.51	<0.1	0.878	<0.1	<0.1	3.09
Aliphatics >C16-C21	<0.1 mg/kg	TM173		16.3	<0.1	1.97	<0.1	3.35	7.46
Aliphatics >C21-C35	<0.1 mg/kg	TM173		36.6	2.16	4.16	3.39	34.2	53.2
Aliphatics >C35-C44	<0.1 mg/kg	TM173		11.5	<0.1	<0.1	<0.1	6.07	41
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		69	2.16	7.01	3.39	43.6	105
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02 ♦	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02 ♦	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		0.026 ♦	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		0.0314 ♦	<0.02 ♦	<0.02	<0.02 ♦	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		0.644	<0.1	<0.1	<0.1	0.719	1.23
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		3.9	<0.1	2.07	<0.1	3.83	5.31
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		18.4	1.75	29.2	2.03	23.6	49.2
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		7.79	<0.1	2.02	0.615	13.3	73.4
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		2.56	<0.1	<0.1	<0.1	5.81	34.8
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		30.7	1.75	33.3	2.65	41.4	129
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		99.9	3.91	40.3	6.04	85.1	234

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-G7	4G-G7	4G-G5-V			
			Depth (m)	0.50 - 0.50	1.00 - 1.00	3.20 - 3.20			
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)			
			Date Sampled	19/11/2018	19/11/2018	19/11/2018			
			Sample Time	00:00	00:00	00:00			
			Date Received	20/11/2018	20/11/2018	20/11/2018			
			SDG Ref	181120-23	181120-23	181120-23			
			Lab Sample No.(s)	18775436	18775440	18775431			
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		87	81.5 ♦	117			
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 ♦ M	<0.2 M			
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02 ♦	<0.02			
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02 ♦	<0.02			
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02 ♦	<0.02			
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02 ♦	<0.02			
Aliphatics >C12-C16	<0.1 mg/kg	TM173		2.35	1.33	<0.1			
Aliphatics >C16-C21	<0.1 mg/kg	TM173		12.3	4.58	<0.1			
Aliphatics >C21-C35	<0.1 mg/kg	TM173		50.8	24.5	2.25			
Aliphatics >C35-C44	<0.1 mg/kg	TM173		17.9	10.6	<0.1			
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		83.3	40.9	2.25			
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02 ♦	<0.02			
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02 ♦	<0.02			
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02 ♦	<0.02			
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02 ♦	<0.02			
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		1	<0.1	<0.1			
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		6.01	2.15	<0.1			
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		26.1	14.8	<0.1			
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		16.1	14.1	<0.1			
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		6.65	6.05	<0.1			
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		49.3	31	<0.1			
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		133	72	2.25			

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-E4	4G-E4-V	4G-F4	4G-F4	4G-F5	4G-F7
			Depth (m)	0.40 - 0.40	2.20 - 2.20	0.20 - 0.20	0.40 - 0.40	0.50 - 0.50	0.40 - 0.40
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			SDG Ref	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23
			Lab Sample No.(s)	18775424	18775457	18775464	18775470	18775478	18775444
			AGS Reference						
Dibromofluoromethane**	%	TM116		107 2	121	113	115	110	111
Toluene-d8**	%	TM116		94.3 2	103	102	104	102	102
4-Bromofluorobenzene**	%	TM116		91.9 2	85.2	79.8	83.3	85.4	72.8
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 2 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 2 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 2 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 2 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 2 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 2 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 2 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4 2	<0.4	<0.4	<0.4	<0.4	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F7	4G-F4-V	4G-F5-V	4G-F7-V	4G-G5	4G-G5
			Depth (m)	0.80 - 0.80	2.40 - 2.40	2.60 - 2.60	2.60 - 2.60	0.40 - 0.40	0.70 - 0.70
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018	19/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			SDG Ref	181120-23	181120-23	181120-23	181120-23	181120-23	181120-23
			Lab Sample No.(s)	18775448	18775474	18775482	18775453	18775486	18775490
			AGS Reference						
Dibromofluoromethane**	%	TM116		115	122	111	137	108	113
Toluene-d8**	%	TM116		103	103	99	102	99.1	102
4-Bromofluorobenzene**	%	TM116		83.6	86.6	80.8	85.2	95.8	85.3
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-G7	4G-G7	4G-G5-V			
			Depth (m)	0.50 - 0.50	1.00 - 1.00	3.20 - 3.20			
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)			
			Date Sampled	19/11/2018	19/11/2018	19/11/2018			
			Sample Time	00:00	00:00	00:00			
			Date Received	20/11/2018	20/11/2018	20/11/2018			
			SDG Ref	181120-23	181120-23	181120-23			
			Lab Sample No.(s)	18775436	18775440	18775431			
			AGS Reference						
Dibromofluoromethane**	%	TM116		112	105	114			
Toluene-d8**	%	TM116		101	97.4	102			
4-Bromofluorobenzene**	%	TM116		80.2	94.1	88.2			
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M			
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M			
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M			
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M			
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #			
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M			
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M			
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4			

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Asbestos Identification - Solid Samples

		Date of Analysis	Analysed By	Comments	Amosite (Brown) Asbestos	Chrysotile (White) Asbestos	Crocidolite (Blue) Asbestos	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non-Asbestos Fibre
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-E4 0.40 - 0.40 SOLID 19/11/2018 00:00:00 20/11/2018 11:07:41 181120-23 18775424 TM048	30/11/2018	Paul Poynton	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F4 0.40 - 0.40 SOLID 19/11/2018 00:00:00 20/11/2018 12:48:54 181120-23 18775470 TM048	30/11/2018	Paul Poynton	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F5 0.50 - 0.50 SOLID 19/11/2018 00:00:00 20/11/2018 11:11:23 181120-23 18775478 TM048	30/11/2018	Paul Poynton	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F7 0.40 - 0.40 SOLID 19/11/2018 00:00:00 20/11/2018 11:42:05 181120-23 18775444 TM048	30/11/2018	Paul Poynton	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-G5 0.40 - 0.40 SOLID 19/11/2018 00:00:00 20/11/2018 11:46:28 181120-23 18775486 TM048	30/11/2018	Paul Poynton	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-G7 0.50 - 0.50 SOLID 19/11/2018 00:00:00 20/11/2018 13:48:57 181120-23 18775436 TM048	30/11/2018	Paul Poynton	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775424
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-E4
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00114	<0.0005	0.0114	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00406	<0.001	0.0406	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.0011	<0.001	0.011	<0.01	-	-	-
Vanadium	0.0205	<0.001	0.205	<0.01	-	-	-
Zinc	0.00565	<0.001	0.0565	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000222	<0.00001	0.000222	<0.0001	-	-	-
Acenaphthene by GCMS	0.00000557	<0.000005	0.0000557	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000223	<0.000005	0.000223	<0.00005	-	-	-
Anthracene by GCMS	0.00000568	<0.000005	0.0000568	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000225	<0.000005	0.000225	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000269	<0.000005	0.000269	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000105	<0.000082	0.00105	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	11.62
Conductivity (µS/cm)	792.00
Temperature (°C)	18.30
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.101	**Natural Moisture Content (%)**	12.4
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	89
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775424
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-E4
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	11.62
Conductivity (µS/cm)	792.00
Temperature (°C)	18.30
Volume Leachant (Litres)	0.889

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.096	**Natural Moisture Content (%)**	6.72
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.7
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775436
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-G7
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	1.45	<0.2	14.5	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00414	<0.0005	0.0414	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.000725	<0.0003	0.00725	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.0019	<0.001	0.019	<0.01	-	-	-
Vanadium	0.34	<0.001	3.4	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000174	<0.00001	0.000174	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000246	<0.000005	0.000246	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000069	<0.000005	0.000069	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000111	<0.000005	0.000111	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.00000548	<0.000005	0.0000548	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.09
Conductivity (µS/cm)	241.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.096	**Natural Moisture Content (%)**	6.72
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.7
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775436
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-G7
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.09
Conductivity (µS/cm)	241.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.34
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.3
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775440
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-G7
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.0104	<0.0005	0.104	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00113	<0.001	0.0113	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00114	<0.001	0.0114	<0.01	-	-	-
Vanadium	0.0965	<0.001	0.965	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000024	<0.000005	0.00024	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000288	<0.000005	0.000288	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000178	<0.000005	0.000178	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00000881	<0.000005	0.0000881	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000234	<0.000002	0.0000234	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	9.83
Conductivity (µS/cm)	98.90
Temperature (°C)	18.30
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.34
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.3
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775440
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-G7
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	9.83
Conductivity (µS/cm)	98.90
Temperature (°C)	18.30
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.094	**Natural Moisture Content (%)**	3.95
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	96.2
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775444
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F7
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00639	<0.0005	0.0639	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.141	<0.001	1.41	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.00000685	<0.000005	0.0000685	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000104	<0.000005	0.000104	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.00000535	<0.000005	0.0000535	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.25
Conductivity (µS/cm)	94.00
Temperature (°C)	18.30
Volume Leachant (Litres)	0.896

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.094	**Natural Moisture Content (%)**	3.95
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	96.2
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775444
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F7
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.25
Conductivity (µS/cm)	94.00
Temperature (°C)	18.30
Volume Leachant (Litres)	0.896

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.46
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.2
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775448
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F7
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00153	<0.0005	0.0153	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00702	<0.001	0.0702	<0.01	-	-	-
Vanadium	0.0523	<0.001	0.523	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000623	<0.00001	0.000623	<0.0001	-	-	-
Acenaphthene by GCMS	0.00000831	<0.000005	0.0000831	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000538	<0.000005	0.000538	<0.00005	-	-	-
Anthracene by GCMS	0.0000147	<0.000005	0.000147	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000842	<0.000005	0.000842	<0.00005	-	-	-
Fluorene by GCMS	0.0000133	<0.000005	0.000133	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000533	<0.000005	0.000533	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00029	<0.000082	0.0029	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.36
Conductivity (µS/cm)	213.00
Temperature (°C)	18.00
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.46
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.2
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775448
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F7
Depth (m)	0.80 - 0.80

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.36
Conductivity (µS/cm)	213.00
Temperature (°C)	18.00
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775464
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F4
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000271	<0.00001	0.000271	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00174	<0.0005	0.0174	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00146	<0.001	0.0146	<0.01	-	-	-
Copper	0.00221	<0.0003	0.0221	<0.003	-	-	-
Lead	0.000904	<0.0002	0.00904	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000677	<0.0004	0.00677	<0.004	-	-	-
Selenium	0.00156	<0.001	0.0156	<0.01	-	-	-
Vanadium	0.0333	<0.001	0.333	<0.01	-	-	-
Zinc	0.00244	<0.001	0.0244	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000397	<0.00001	0.000397	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000103	<0.000005	0.000103	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00000673	<0.000005	0.0000673	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000521	<0.000005	0.000521	<0.00005	-	-	-
Anthracene by GCMS	0.000011	<0.000005	0.00011	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000294	<0.000005	0.000294	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.00000776	<0.000005	0.0000776	<0.00005	-	-	-
Pyrene by GCMS	0.000106	<0.000005	0.00106	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.00000839	<0.000005	0.0000839	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000271	<0.000082	0.00271	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	11.20
Conductivity (µS/cm)	566.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.105	**Natural Moisture Content (%)**	16.3
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	86
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775464
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F4
Depth (m)	0.20 - 0.20

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	11.20
Conductivity (µS/cm)	566.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.885

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.18
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.3
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775470
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F4
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00201	<0.0005	0.0201	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0201	<0.001	0.201	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.00000621	<0.000005	0.0000621	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000166	<0.000005	0.000166	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.52
Conductivity (µS/cm)	158.00
Temperature (°C)	17.90
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.18
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	93.3
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775470
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F4
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.52
Conductivity (µS/cm)	158.00
Temperature (°C)	17.90
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.096	**Natural Moisture Content (%)**	6.16
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	94.2
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775478
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F5
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00375	<0.0005	0.0375	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00126	<0.001	0.0126	<0.01	-	-	-
Vanadium	0.035	<0.001	0.35	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000126	<0.000005	0.000126	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000109	<0.000005	0.000109	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	0.00000706	<0.000005	0.0000706	<0.00005	-	-	-
Pyrene by GCMS	0.0000113	<0.000005	0.000113	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00000998	<0.000005	0.0000998	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000059	<0.000005	0.000059	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000483	<0.000002	0.0000483	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.000017	<0.000005	0.00017	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	9.09
Conductivity (µS/cm)	77.80
Temperature (°C)	17.90
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.096	**Natural Moisture Content (%)**	6.16
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	94.2
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775478
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-F5
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	9.09
Conductivity (µS/cm)	77.80
Temperature (°C)	17.90
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.99
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.6
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775486
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-G5
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00147	<0.0005	0.0147	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.0039	<0.001	0.039	<0.01	-	-	-
Vanadium	0.0159	<0.001	0.159	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	0.00000592	<0.000005	0.0000592	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000189	<0.000005	0.000189	<0.00005	-	-	-
Anthracene by GCMS	0.00000521	<0.000005	0.0000521	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000595	<0.000005	0.000595	<0.00005	-	-	-
Fluorene by GCMS	0.0000116	<0.000005	0.000116	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000124	<0.000005	0.000124	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000114	<0.000082	0.00114	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	9.50
Conductivity (µS/cm)	131.00
Temperature (°C)	17.90
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates
07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.99
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.6
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775486
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-G5
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	9.50
Conductivity (µS/cm)	131.00
Temperature (°C)	17.90
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	9.17
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.6
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775490
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-G5
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.0015	<0.0005	0.015	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00277	<0.001	0.0277	<0.01	-	-	-
Vanadium	0.0374	<0.001	0.374	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000938	<0.00001	0.000938	<0.0001	-	-	-
Acenaphthene by GCMS	0.000842	<0.000005	0.00842	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000591	<0.000005	0.000591	<0.00005	-	-	-
Anthracene by GCMS	0.0000171	<0.000005	0.000171	<0.00005	-	-	-
Phenanthrene by GCMS	0.000244	<0.000005	0.00244	<0.00005	-	-	-
Fluorene by GCMS	0.000117	<0.000005	0.00117	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000492	<0.000005	0.000492	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00142	<0.000082	0.0142	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.16
Conductivity (µS/cm)	152.00
Temperature (°C)	18.40
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	9.17
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.6
Particle Size <4mm	>95%		

Case	
SDG	181120-23
Lab Sample Number(s)	18775490
Sampled Date	19-Nov-2018
Customer Sample Ref.	4G-G5
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	21-Nov-2018
pH (pH Units)	10.16
Conductivity (µS/cm)	152.00
Temperature (°C)	18.40
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

07/12/2018 15:59:29

15:58:39 07/12/2018

Table of Results - Appendix

Method No	Reference	Description
PM001		Preparation of Samples for Metals Analysis
PM024	Modified BS 1377	Soil preparation including homogenisation, moisture screens of soils for Asbestos Containing Material
PM115		Leaching Procedure for CEN One Stage Leach Test 2:1 & 10:1 1 Step
TM024	Method 4500A & B, AWWA/APHA, 20th Ed., 1999	Determination of Exchangeable Ammonium and Ammoniacal Nitrogen as N by titration on solids
TM048	HSG 248, Asbestos: The analysts' guide for sampling, analysis and clearance procedures	Identification of Asbestos in Bulk Material
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM062 (S)	National Grid Property Holdings Methods for the Collection & Analysis of Samples from National Grid Sites version 1 Sec 3.9	Determination of Phenols in Soils by HPLC
TM089	Modified: US EPA Methods 8020 & 602	Determination of Gasoline Range Hydrocarbons (GRO) by Headspace GC-FID (C4-C12)
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM116	Modified: US EPA Method 8260, 8120, 8020, 624, 610 & 602	Determination of Volatile Organic Compounds by Headspace / GC-MS
TM132	In - house Method	ELTRA CS800 Operators Guide
TM133	BS 1377: Part 3 1990;BS 6068-2.5	Determination of pH in Soil and Water using the GLpH pH Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM153	Method 4500A,B,C, I, M AWWA/APHA, 20th Ed., 1999	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate using the Skalar SANS+ System Segmented Flow Analyser
TM173	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Soils by GC-FID
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM181	US EPA Method 6010B	Determination of Routine Metals in Soil by iCap 6500 Duo ICP-OES
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM218	Shaker extraction - EPA method 3546.	The determination of PAH in soil samples by GC-MS
TM221	Inductively Coupled Plasma - Atomic Emission Spectroscopy. An Atlas of Spectral Information: Winge, Fassel, Peterson and Floyd	Determination of Acid extractable Sulphate in Soils by IRIS Emission Spectrometer
TM224	US EPA Method 6010B	Determination of Alkaline Metals by iCap 6500 Duo ICP-OES
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM243		Mixed Anions In Soils By Kone
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

CERTIFICATE OF ANALYSIS

SDG:	181120-23	**Client Reference:**		**Report Number:**	484420
Location:	Llanwern	**Order Number:**	LLA521	**Superseded Report:**	

Test Completion Dates

Lab Sample No(s)	18775424	18775457	18775464	18775470	18775478	18775444	18775448	18775474	18775482	18775453
Customer Sample Ref.	4G-E4	4G-E4-V	4G-F4	4G-F4	4G-F5	4G-F7	4G-F7	4G-F4-V	4G-F5-V	4G-F7-V
AGS Ref.										
Depth	0.40 - 0.40	2.20 - 2.20	0.20 - 0.20	0.40 - 0.40	0.50 - 0.50	0.40 - 0.40	0.80 - 0.80	2.40 - 2.40	2.60 - 2.60	2.60 - 2.60
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)	27-Nov-2018			27-Nov-2018	28-Nov-2018	27-Nov-2018				
Ammoniacal Nitrogen	29-Nov-2018		29-Nov-2018	29-Nov-2018	29-Nov-2018	29-Nov-2018	29-Nov-2018			
Ammonium Soil by Titration	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018
Anions by Kone (soil)	03-Dec-2018			03-Dec-2018	03-Dec-2018	03-Dec-2018				
Asbestos ID in Solid Samples	30-Nov-2018			30-Nov-2018	30-Nov-2018	30-Nov-2018				
CEN 10:1 Leachate (1 Stage)	21-Nov-2018		21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018			
CEN Readings	22-Nov-2018		22-Nov-2018	22-Nov-2018	22-Nov-2018	23-Nov-2018	23-Nov-2018			
Cyanide Comp/Free/Total/Thiocyanate	29-Nov-2018	29-Nov-2018	29-Nov-2018	30-Nov-2018	07-Dec-2018	29-Nov-2018	29-Nov-2018	30-Nov-2018	29-Nov-2018	29-Nov-2018
Dissolved Metals by ICP-MS	03-Dec-2018		03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018			
EPH CWG (Aliphatic) Aqueous GC (W)	01-Dec-2018		01-Dec-2018	01-Dec-2018	01-Dec-2018	01-Dec-2018	01-Dec-2018			
EPH CWG (Aliphatic) GC (S)	26-Nov-2018	22-Nov-2018	26-Nov-2018	22-Nov-2018	26-Nov-2018	26-Nov-2018	22-Nov-2018	26-Nov-2018	26-Nov-2018	22-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	01-Dec-2018		01-Dec-2018	01-Dec-2018	01-Dec-2018	01-Dec-2018	01-Dec-2018			
EPH CWG (Aromatic) GC (S)	26-Nov-2018	22-Nov-2018	26-Nov-2018	22-Nov-2018	26-Nov-2018	26-Nov-2018	22-Nov-2018	26-Nov-2018	26-Nov-2018	22-Nov-2018
GRO by GC-FID (S)	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018
GRO by GC-FID (W)	03-Dec-2018		03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018			
Mercury Dissolved	30-Nov-2018		30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018			
Metals in solid samples by OES	26-Nov-2018	26-Nov-2018	26-Nov-2018	26-Nov-2018	29-Nov-2018	26-Nov-2018	26-Nov-2018	04-Dec-2018	26-Nov-2018	04-Dec-2018
PAH by GCMS	04-Dec-2018	04-Dec-2018	30-Nov-2018	04-Dec-2018	04-Dec-2018	30-Nov-2018	04-Dec-2018	03-Dec-2018	30-Nov-2018	29-Nov-2018
PAH Spec MS - Aqueous (W)	03-Dec-2018		03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018			
pH	30-Nov-2018	03-Dec-2018	03-Dec-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018
pH Value	29-Nov-2018		23-Nov-2018	23-Nov-2018	23-Nov-2018	23-Nov-2018	23-Nov-2018			
Phenols by HPLC (S)	03-Dec-2018	03-Dec-2018	04-Dec-2018	03-Dec-2018	03-Dec-2018	04-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018
Sample description	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018
Total Organic Carbon	04-Dec-2018	30-Nov-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018
Total Sulphate	22-Nov-2018			22-Nov-2018	29-Nov-2018	22-Nov-2018				
Total Sulphur	23-Nov-2018			23-Nov-2018	03-Dec-2018	23-Nov-2018				
TPH CWG (W)	03-Dec-2018		03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018			
TPH CWG GC (S)	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018
VOC MS (S)	04-Dec-2018	01-Dec-2018	01-Dec-2018	01-Dec-2018	04-Dec-2018	01-Dec-2018	01-Dec-2018	01-Dec-2018	04-Dec-2018	01-Dec-2018

Lab Sample No(s)	18775486	18775490	18775436	18775440	18775431
Customer Sample Ref.	4G-G5	4G-G5	4G-G7	4G-G7	4G-G5-V
AGS Ref.					
Depth	0.40 - 0.40	0.70 - 0.70	0.50 - 0.50	1.00 - 1.00	3.20 - 3.20
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)	28-Nov-2018		27-Nov-2018		
Ammoniacal Nitrogen	29-Nov-2018	29-Nov-2018	29-Nov-2018	29-Nov-2018	
Ammonium Soil by Titration	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018	30-Nov-2018
Anions by Kone (soil)	03-Dec-2018		03-Dec-2018		
Asbestos ID in Solid Samples	30-Nov-2018		30-Nov-2018		
CEN 10:1 Leachate (1 Stage)	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	
CEN Readings	23-Nov-2018	22-Nov-2018	22-Nov-2018	23-Nov-2018	
Cyanide Comp/Free/Total/Thiocyanate	05-Dec-2018	05-Dec-2018	06-Dec-2018	29-Nov-2018	05-Dec-2018
Dissolved Metals by ICP-MS	03-Dec-2018	03-Dec-2018	04-Dec-2018	03-Dec-2018	
EPH CWG (Aliphatic) Aqueous GC (W)	01-Dec-2018	01-Dec-2018	01-Dec-2018	01-Dec-2018	
EPH CWG (Aliphatic) GC (S)	26-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	01-Dec-2018	01-Dec-2018	01-Dec-2018	01-Dec-2018	
EPH CWG (Aromatic) GC (S)	26-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018	22-Nov-2018
GRO by GC-FID (S)	03-Dec-2018	04-Dec-2018	03-Dec-2018	04-Dec-2018	03-Dec-2018
GRO by GC-FID (W)	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	
Mercury Dissolved	30-Nov-2018	30-Nov-2018	03-Dec-2018	30-Nov-2018	
Metals in solid samples by OES	26-Nov-2018	27-Nov-2018	26-Nov-2018	26-Nov-2018	27-Nov-2018
PAH by GCMS	04-Dec-2018	04-Dec-2018	04-Dec-2018	03-Dec-2018	04-Dec-2018
PAH Spec MS - Aqueous (W)	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	
pH	30-Nov-2018	03-Dec-2018	30-Nov-2018	03-Dec-2018	03-Dec-2018
pH Value	23-Nov-2018	25-Nov-2018	04-Dec-2018	23-Nov-2018	
Phenols by HPLC (S)	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018
Sample description	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018	20-Nov-2018
Total Organic Carbon	04-Dec-2018	30-Nov-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018
Total Sulphate	04-Dec-2018		04-Dec-2018		
Total Sulphur	03-Dec-2018		23-Nov-2018		
TPH CWG (W)	03-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	
TPH CWG GC (S)	03-Dec-2018	04-Dec-2018	03-Dec-2018	04-Dec-2018	03-Dec-2018
VOC MS (S)	01-Dec-2018	01-Dec-2018	01-Dec-2018	02-Dec-2018	01-Dec-2018

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35ºC) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as “Not detected”. If no asbestos fibre types are found all will be reported as “Not detected” and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethyphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as “mixed hydrocarbons”. Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	**Container with Headspace provided for volatiles analysis**
2	**Incorrect container received**
3	**Deviation from method**
4	**Holding time exceeded before sample received**
5	**Samples exceeded holding time before presevation was performed**
§	**Sampled on date not provided**
♦	**Sample holding time exceeded in laboratory**
@	**Sample holding time exceeded due to sampled on date**
&	**Sample Holding Time exceeded - Late arrival of instructions.**

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US
Tel: (01244) 528700
Fax: (01244) 528701
email: hawardencustomerservices@alsglobal.com
Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: John Fitzgerald

CERTIFICATE OF ANALYSIS

Date:	06 December 2018
Customer:	H_ATKINS_LDC
Sample Delivery Group (SDG):	181121-47
Your Reference:	
Location:	Llanwern
Report No:	484278

We received 13 samples on Wednesday November 21, 2018 and 13 of these samples were scheduled for analysis which was completed on Thursday December 06, 2018. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

Approved By:



Sonia McWhan

Operations Manager

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
18786527	4G-A7		0.50 - 0.50	20/11/2018
18786511	4G-A8		0.40 - 0.40	20/11/2018
18786517	4G-A8		0.70 - 0.70	20/11/2018
18786535	4G-A7-V		1.80 - 1.80	20/11/2018
18786522	4G-A8-V		2.10 - 2.10	20/11/2018
18786500	4G-B9		0.50 - 0.50	20/11/2018
18786505	4G-B9-V		1.60 - 1.60	20/11/2018
18786553	4G-D7		0.30 - 0.30	20/11/2018
18786557	4G-D7		0.60 - 0.60	20/11/2018
18786495	4G-D7-V		1.70 - 1.70	20/11/2018
18786486	4G-F8		0.50 - 0.50	20/11/2018
18786540	4G-F8		1.00 - 1.00	20/11/2018
18786545	4G-F8-V		2.60 - 2.60	20/11/2018

Maximum Sample/Coolbox Temperature (°C) : **9.2**

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -
S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

			Lab Sample No(s)	18786527			18786511			18786517		18786535		18786522		18786500			18786505		18786553
			Customer Sample Reference	4G-A7			4G-A8			4G-A8		4G-A7-V		4G-A8-V		4G-B9			4G-B9-V		4G-D7
			AGS Reference																		
			Depth (m)	0.50 - 0.50			0.40 - 0.40			0.70 - 0.70		1.80 - 1.80		2.10 - 2.10		0.50 - 0.50			1.60 - 1.60		0.30 - 0.30
			Container	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB
			Sample Type	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Alkali Metals by iCap-OES (Soil)	All	NDPs: 0 Tests: 5			X			X									X				
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 8		X			X			X						X					X
Ammonium Soil by Titration	All	NDPs: 0 Tests: 13			X			X			X		X		X		X			X	
Anions by Kone (soil)	All	NDPs: 0 Tests: 5			X			X									X				
Asbestos ID in Solid Samples	All	NDPs: 0 Tests: 5		X			X									X					X
CEN Readings	All	NDPs: 0 Tests: 8		X			X			X						X					X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 21		X	X		X	X		X	X		X		X		X	X		X		X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 8		X			X			X						X					X
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 8		X			X			X						X					X
EPH CWG (Aliphatic) GC (S)	All	NDPs: 0 Tests: 13			X			X			X		X		X		X			X	
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 8		X			X			X						X					X
EPH CWG (Aromatic) GC (S)	All	NDPs: 0 Tests: 13			X			X			X		X		X		X			X	
GRO by GC-FID (S)	All	NDPs: 0 Tests: 13				X			X			X		X		X			X			X
GRO by GC-FID (W)	All	NDPs: 0 Tests: 8		X			X			X						X					X
Mercury Dissolved	All	NDPs: 0 Tests: 8		X			X			X						X					X

18786545	4G-F8-V		2.60 - 2.60	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
18786540	4G-F8		1.00 - 1.00	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
				1kg TUB	S			X				X	X		X	X			X				X	X
18786486	4G-F8		0.50 - 0.50	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S	X			X	X			X				X			X				
				1kg TUB	S			X			X	X	X		X	X			X				X	X
18786495	4G-D7-V		1.70 - 1.70	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
18786557	4G-D7		0.60 - 0.60	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S				X				X				X			X				
				1kg TUB	S			X				X	X		X	X			X				X	X
18786553	4G-D7		0.30 - 0.30	60g VOC (ALE215)	S																X			
				250g Amber Jar (ALE210)	S	X			X	X			X				X			X				

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Results Legend

X Test

N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)			18786527			18786511			18786517			18786535		18786522		18786500			18786505		18786553
Customer Sample Reference			4G-A7			4G-A8			4G-A8			4G-A7-V		4G-A8-V		4G-B9			4G-B9-V		4G-D7
AGS Reference																					
Depth (m)			0.50 - 0.50			0.40 - 0.40			0.70 - 0.70			1.80 - 1.80		2.10 - 2.10		0.50 - 0.50			1.60 - 1.60		0.30 - 0.30
Container			1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB	250g Amber Jar (ALE210)	60g VOC (ALE215)	250g Amber Jar (ALE210)	60g VOC (ALE215)	1kg TUB
Sample Type			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Metals in solid samples by OES	All	NDPs: 0 Tests: 13		X			X			X		X		X			X		X		
PAH by GCMS	All	NDPs: 0 Tests: 13		X			X			X		X		X			X		X		
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 8	X			X			X							X					X
pH	All	NDPs: 0 Tests: 13		X			X			X		X		X			X		X		
pH Value	All	NDPs: 0 Tests: 8	X			X			X							X					X
Phenols by HPLC (S)	All	NDPs: 0 Tests: 13		X			X			X		X		X			X		X		
Sample description	All	NDPs: 0 Tests: 13		X			X			X		X		X			X		X		
Total Organic Carbon	All	NDPs: 0 Tests: 13		X			X			X		X		X			X		X		
Total Sulphate	All	NDPs: 0 Tests: 5		X			X										X				
Total Sulphur	All	NDPs: 0 Tests: 5		X			X										X				
TPH CWG (W)	All	NDPs: 0 Tests: 8	X			X			X							X					X
TPH CWG GC (S)	All	NDPs: 0 Tests: 13		X			X			X		X		X			X		X		
VOC MS (S)	All	NDPs: 0 Tests: 13			X			X			X		X		X			X		X	

18786545	4G-F8-V		2.60 - 2.60	60g VOC (ALE215)	S
				250g Amber Jar (ALE210)	S
18786540	4G-F8		1.00 - 1.00	60g VOC (ALE215)	S
				250g Amber Jar (ALE210)	S
				1kg TUB	S
18786486	4G-F8		0.50 - 0.50	60g VOC (ALE215)	S
				250g Amber Jar (ALE210)	S
				1kg TUB	S
18786495	4G-D7-V		1.70 - 1.70	60g VOC (ALE215)	S
				250g Amber Jar (ALE210)	S
18786557	4G-D7		0.60 - 0.60	60g VOC (ALE215)	S
				250g Amber Jar (ALE210)	S
				1kg TUB	S
18786553	4G-D7		0.30 - 0.30	60g VOC (ALE215)	S
				250g Amber Jar (ALE210)	S

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Sample Descriptions

Grain Sizes

very fine	<0.063mm	fine	0.063mm - 0.1mm	medium	0.1mm - 2mm	coarse	2mm - 10mm	very coarse	>10mm

Lab Sample No(s)	Customer Sample Ref.	Depth (m)	Colour	Description	Inclusions	Inclusions 2
18786527	4G-A7	0.50 - 0.50	Dark Brown	Sandy Loam	Stones	None
18786511	4G-A8	0.40 - 0.40	Light Brown	Loamy Sand	Stones	Vegetation
18786517	4G-A8	0.70 - 0.70	Dark Brown	Sand	Stones	None
18786535	4G-A7-V	1.80 - 1.80	Grey	Clay	None	None
18786522	4G-A8-V	2.10 - 2.10	Grey	Clay	None	None
18786500	4G-B9	0.50 - 0.50	Dark Brown	Sandy Loam	Stones	N/A
18786505	4G-B9-V	1.60 - 1.60	Dark Brown	Silty Clay Loam	Stones	Vegetation
18786553	4G-D7	0.30 - 0.30	Dark Brown	Sandy Loam	Stones	None
18786557	4G-D7	0.60 - 0.60	Dark Brown	Sand	Stones	None
18786495	4G-D7-V	1.70 - 1.70	Dark Brown	Silty Clay	Vegetation	None
18786486	4G-F8	0.50 - 0.50	Dark Brown	Sand	Stones	None
18786540	4G-F8	1.00 - 1.00	Dark Brown	Sandy Loam	Vegetation	Stones
18786545	4G-F8-V	2.60 - 2.60	Dark Brown	Clay	None	None

These descriptions are only intended to act as a cross check if sample identities are questioned, and to provide a log of sample matrices with respect to MCERTS validation. They are not intended as full geological descriptions.

We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally ocurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample.

Other coarse granular materials such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-A7	4G-A8	4G-A8	4G-A7-V	4G-A8-V	4G-B9
			Depth (m)	0.50 - 0.50	0.40 - 0.40	0.70 - 0.70	1.80 - 1.80	2.10 - 2.10	0.50 - 0.50
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018
			SDG Ref	181121-47	181121-47	181121-47	181121-47	181121-47	181121-47
			Lab Sample No.(s)	18786527	18786511	18786517	18786535	18786522	18786500
			AGS Reference						
Moisture Content Ratio (% of as received sample)	%	PM024		9.2	8.2	4.6	22	28	7.6
Exchangeable Ammonia as N	<12 mg/kg	TM024		<12 M	<12 M	<12 M	59.7 M	202 M	<12 M
Phenol	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)		<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)		<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)		<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M	<0.035 M
Sulphur, Total	<0.02 %	TM132		0.159	0.389				0.498
Sulphate, Total potential	<0.06 %	TM132		0.477	1.17				1.49
Soil Organic Matter (SOM)	<0.35 %	TM132		24.8 #	6.1 #	10.8 #	1.56 #	4.14 #	9.64 #
pH	1 pH Units	TM133		10.7 M	10.1 M	11.4 M	8.76 M	7.48 M	11.7 M
Cyanide, Total	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Cyanide, Free	<1 mg/kg	TM153		<1 M	<1 M	<1 M	<1 M	<1 M	<1 M
Arsenic	<0.6 mg/kg	TM181		6.83 M	7.85 M	2.33 M	12.4 M	11 M	7.56 M
Cadmium	<0.02 mg/kg	TM181		<0.02 M	0.686 M	0.604 M	0.267 M	0.264 M	1.84 M
Chromium	<0.9 mg/kg	TM181		33 M	245 M	49.4 M	74.3 M	33.1 M	403 M
Copper	<1.4 mg/kg	TM181		10.7 M	19.2 M	4.82 M	12 M	14.7 M	62.8 M
Iron	<1000 mg/kg	TM181		43400 #	91800 #	26700 #	38300 #	22300 #	196000 #
Lead	<0.7 mg/kg	TM181		32.4 M	37.2 M	28.5 M	24.8 M	29.7 M	30.4 M
Manganese	<0.13 mg/kg	TM181		4350 M	15700 M	2950 M	2710 M	328 M	3380 M
Mercury	<0.14 mg/kg	TM181		<0.14 M	<1.4 M	<0.14 M	<0.14 M	<0.14 M	<1.4 M
Nickel	<0.2 mg/kg	TM181		13.1 M	18.9 M	2.88 M	36 M	30.9 M	24.3 M
Selenium	<1 mg/kg	TM181		1.3 #	<10 #	<1 #	1.04 #	<1 #	15.6 #
Vanadium	<0.2 mg/kg	TM181		58.8 #	225 #	38.8 #	89.4 #	54.1 #	453 #
Zinc	<1.9 mg/kg	TM181		114 M	112 M	109 M	97.8 M	108 M	69.1 M
Sulphate, acid soluble (total)	<0.02 %	TM221		<0.02	0.731				0.0292
Calcium	<21 mg/kg	TM224		136000	175000				190000
Magnesium	<8 mg/kg	TM224		14000	19900				10300
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243		0.125 M	0.0917 M				0.103 M

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Customer Sample Ref.	4G-B9-V	4G-D7	4G-D7	4G-D7-V	4G-F8	4G-F8
Depth (m)	1.60 - 1.60	0.30 - 0.30	0.60 - 0.60	1.70 - 1.70	0.50 - 0.50	1.00 - 1.00
Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Date Sampled	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
Date Received	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018
SDG Ref	181121-47	181121-47	181121-47	181121-47	181121-47	181121-47
Lab Sample No.(s)	18786505	18786553	18786557	18786495	18786486	18786540
AGS Reference						

Component	LOD/Units	Method											
Moisture Content Ratio (% of as received sample)	%	PM024	22		5.8		21		18		4.4		7.2	
Exchangeable Ammonia as N	<12 mg/kg	TM024	113	M	<12	M	<12	M	47.1	M	<12	M	<12	M
Phenol	<0.01 mg/kg	TM062 (S)	<0.01	M	<0.01	M	<0.01	M	<0.01	M	<0.01	M	<0.01	M
Cresols	<0.01 mg/kg	TM062 (S)	<0.01	M	<0.01	M	<0.01	M	<0.01	M	<0.01	M	<0.01	M
Xylenols	<0.015 mg/kg	TM062 (S)	<0.015	M	<0.015	M	<0.015	M	<0.015	M	<0.015	M	<0.015	M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)	<0.035	M	<0.035	M	<0.035	M	<0.035	M	<0.035	M	<0.035	M
Sulphur, Total	<0.02 %	TM132			0.187						0.0711			
Sulphate, Total potential	<0.06 %	TM132			0.561						0.213			
Soil Organic Matter (SOM)	<0.35 %	TM132	0.85	#	7.57	#	>100	#	0.8	#	12.2	#	2.78	#
pH	1 pH Units	TM133	8.48	M	11.4	M	8.55	M	7.99	M	10.3	M	9.7	M
Cyanide, Total	<1 mg/kg	TM153	<1	M	1.38	M	7.38	M	<1	M	<1	M	<1	M
Cyanide, Free	<1 mg/kg	TM153	<1	M	<1	M	<1	M	<1	M	<1	M	<1	M
Arsenic	<0.6 mg/kg	TM181	8.08	M	6.99	M	8.13	M	15.1	M	11.9	M	10	M
Cadmium	<0.02 mg/kg	TM181	<0.02	M	1.39	M	0.678	M	<0.02	M	<0.2	M	<0.02	M
Chromium	<0.9 mg/kg	TM181	25.9	M	210	M	10.3	M	27.7	M	<9	M	3.57	M
Copper	<1.4 mg/kg	TM181	7.73	M	52.3	M	22.6	M	9.05	M	21.7	M	11.4	M
Iron	<1000 mg/kg	TM181	23600	#	161000	#	18100	#	32600	#	337000	#	149000	#
Lead	<0.7 mg/kg	TM181	20	M	151	M	63	M	22.4	M	21.6	M	24	M
Manganese	<0.13 mg/kg	TM181	650	M	17900	M	1610	M	954	M	4030	M	3670	M
Mercury	<0.14 mg/kg	TM181	<0.14	M	<1.4	M	0.59	M	<0.14	M	<1.4	M	<0.14	M
Nickel	<0.2 mg/kg	TM181	31.1	M	36.5	M	10.9	M	32.6	M	27	M	13.9	M
Selenium	<1 mg/kg	TM181	<1	#	<10	#	2.02	#	<1	#	<10	#	<1	#
Vanadium	<0.2 mg/kg	TM181	43.3	#	1080	#	31.2	#	46.8	#	47.1	#	68.9	#
Zinc	<1.9 mg/kg	TM181	83.5	M	440	M	285	M	95.2	M	136	M	59.5	M
Sulphate, acid soluble (total)	<0.02 %	TM221			<0.02						0.0319			
Calcium	<21 mg/kg	TM224			144000						44900			
Magnesium	<8 mg/kg	TM224			9380						5890			
Soluble Sulphate 2:1 extract as SO4 BRE	<0.004 g/l	TM243			0.0581	M					0.0188	M		

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Customer Sample Ref.	4G-F8-V
Depth (m)	2.60 - 2.60
Sample Type	Soil/Solid (S)
Date Sampled	20/11/2018
Sample Time	00:00
Date Received	21/11/2018
SDG Ref	181121-47
Lab Sample No.(s)	18786545
AGS Reference	

Component	LOD/Units	Method	
Moisture Content Ratio (% of as received sample)	%	PM024	23
Exchangeable Ammonia as N	<12 mg/kg	TM024	140 M
Phenol	<0.01 mg/kg	TM062 (S)	<0.01 M
Cresols	<0.01 mg/kg	TM062 (S)	<0.01 M
Xylenols	<0.015 mg/kg	TM062 (S)	<0.015 M
Phenols, Total Detected monohydric	<0.035 mg/kg	TM062 (S)	<0.035 M
Soil Organic Matter (SOM)	<0.35 %	TM132	1.21 #
pH	1 pH Units	TM133	6.96 M
Cyanide, Total	<1 mg/kg	TM153	<1 M
Cyanide, Free	<1 mg/kg	TM153	<1 M
Arsenic	<0.6 mg/kg	TM181	16.5 M
Cadmium	<0.02 mg/kg	TM181	<0.02 M
Chromium	<0.9 mg/kg	TM181	34.4 M
Copper	<1.4 mg/kg	TM181	11 M
Iron	<1000 mg/kg	TM181	33500 #
Lead	<0.7 mg/kg	TM181	28.5 M
Manganese	<0.13 mg/kg	TM181	459 M
Mercury	<0.14 mg/kg	TM181	<0.14 M
Nickel	<0.2 mg/kg	TM181	40.2 M
Selenium	<1 mg/kg	TM181	<1 #
Vanadium	<0.2 mg/kg	TM181	58.9 #
Zinc	<1.9 mg/kg	TM181	104 M

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-A7	4G-A8	4G-A8	4G-A7-V	4G-A8-V	4G-B9
			Depth (m)	0.50 - 0.50	0.40 - 0.40	0.70 - 0.70	1.80 - 1.80	2.10 - 2.10	0.50 - 0.50
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018
			SDG Ref	181121-47	181121-47	181121-47	181121-47	181121-47	181121-47
			Lab Sample No.(s)	18786527	18786511	18786517	18786535	18786522	18786500
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		73.8	71	86.8	88.1	68.9	84.1
Acenaphthene-d10 % recovery**	%	TM218		73.6	68.2	87.4	83	71.2	90
Phenanthrene-d10 % recovery**	%	TM218		74.5	72.8	89.6	81.4	69.7	98.2
Chrysene-d12 % recovery**	%	TM218		71	72.7	85.4	86.3	72.8	90.8
Perylene-d12 % recovery**	%	TM218		72.2	75.1	84.1	94.8	74.4	95.2
Naphthalene	<0.009 mg/kg	TM218		0.105 M	0.167 M	0.0268 M	<0.009 M	<0.009 M	0.0951 M
Acenaphthylene	<0.012 mg/kg	TM218		0.0402 M	<0.12 M	<0.012 M	<0.012 M	<0.012 M	0.0328 M
Acenaphthene	<0.008 mg/kg	TM218		0.0159 M	<0.08 M	0.0113 M	<0.008 M	<0.008 M	0.124 M
Fluorene	<0.01 mg/kg	TM218		0.0223 M	<0.1 M	0.0178 M	<0.01 M	<0.01 M	0.0574 M
Phenanthrene	<0.015 mg/kg	TM218		0.239 M	0.432 M	0.186 M	<0.015 M	<0.015 M	1.13 M
Anthracene	<0.016 mg/kg	TM218		0.0897 M	0.254 M	0.0357 M	<0.016 M	<0.016 M	0.247 M
Fluoranthene	<0.017 mg/kg	TM218		0.497 M	1.06 M	0.221 M	0.0387 M	<0.017 M	3.18 M
Pyrene	<0.015 mg/kg	TM218		0.408 M	0.903 M	0.216 M	0.0401 M	<0.015 M	3.43 M
Benz(a)anthracene	<0.014 mg/kg	TM218		0.333 M	0.486 M	0.178 M	0.0383 M	<0.014 M	2.57 M
Chrysene	<0.01 mg/kg	TM218		0.375 M	0.608 M	0.189 M	0.0441 M	<0.01 M	2.73 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		0.582 M	0.95 M	0.355 M	0.0658 M	<0.015 M	4.91 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		0.219 M	0.318 M	0.0971 M	0.0198 M	<0.014 M	1.73 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		0.371 M	0.58 M	0.214 M	0.0669 M	<0.015 M	3.19 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		0.19 M	0.328 M	0.149 M	0.0378 M	<0.018 M	2.58 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		0.0599 M	<0.23 M	0.0391 M	<0.023 M	<0.023 M	0.539 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		0.25 M	0.435 M	0.158 M	0.0502 M	<0.024 M	2.24 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		3.8	6.52	2.09	0.402	<0.118	28.8

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B9-V	4G-D7	4G-D7	4G-D7-V	4G-F8	4G-F8
			Depth (m)	1.60 - 1.60	0.30 - 0.30	0.60 - 0.60	1.70 - 1.70	0.50 - 0.50	1.00 - 1.00
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018
			SDG Ref	181121-47	181121-47	181121-47	181121-47	181121-47	181121-47
			Lab Sample No.(s)	18786505	18786553	18786557	18786495	18786486	18786540
			AGS Reference						
Naphthalene-d8 % recovery**	%	TM218		86.4	73.2	70.2	85.8	77.5	81
Acenaphthene-d10 % recovery**	%	TM218		83.4	74	70.6	82.8	75.7	85.5
Phenanthrene-d10 % recovery**	%	TM218		83.8	73.5	66.9	84	75.5	94.7
Chrysene-d12 % recovery**	%	TM218		84.9	70.8	39.1	89	73.2	83.2
Perylene-d12 % recovery**	%	TM218		89.7	70.5	29	94	75.1	85.7
Naphthalene	<0.009 mg/kg	TM218		<0.009 M	0.341 M	1.08 M	<0.009 M	0.0352 M	0.0191 M
Acenaphthylene	<0.012 mg/kg	TM218		<0.012 M	0.219 M	0.186 M	<0.012 M	0.0204 M	0.0136 M
Acenaphthene	<0.008 mg/kg	TM218		<0.008 M	0.0306 M	0.0102 M	<0.008 M	0.009 M	<0.008 M
Fluorene	<0.01 mg/kg	TM218		<0.01 M	0.131 M	0.0175 M	<0.01 M	0.0124 M	0.0155 M
Phenanthrene	<0.015 mg/kg	TM218		<0.015 M	1.5 M	0.215 M	<0.015 M	0.148 M	0.132 M
Anthracene	<0.016 mg/kg	TM218		<0.016 M	0.409 M	0.108 M	<0.016 M	0.062 M	0.0313 M
Fluoranthene	<0.017 mg/kg	TM218		<0.017 M	2.68 M	0.315 M	<0.017 M	0.275 M	0.172 M
Pyrene	<0.015 mg/kg	TM218		<0.015 M	2.35 M	0.249 M	<0.015 M	0.201 M	0.136 M
Benz(a)anthracene	<0.014 mg/kg	TM218		<0.014 M	1.41 M	0.238 M	<0.014 M	0.161 M	0.0908 M
Chrysene	<0.01 mg/kg	TM218		<0.01 M	1.51 M	0.313 M	<0.01 M	0.179 M	0.0961 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		<0.015 M	2.33 M	0.614 M	<0.015 M	0.27 M	0.151 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		<0.014 M	0.833 M	0.189 M	<0.014 M	0.093 M	0.0463 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		<0.015 M	1.36 M	0.337 M	<0.015 M	0.144 M	0.0883 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		<0.018 M	0.735 M	0.309 M	<0.018 M	0.0919 M	0.0694 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		<0.023 M	0.213 M	0.0852 M	<0.023 M	0.0286 M	<0.023 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		<0.024 M	0.94 M	0.413 M	<0.024 M	0.116 M	0.0773 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		<0.118	17	4.68	<0.118	1.85	1.14

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

PAH by GCMS

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-F8-V
			Depth (m)	2.60 - 2.60
			Sample Type	Soil/Solid (S)
			Date Sampled	20/11/2018
			Sample Time	00:00
			Date Received	21/11/2018
			SDG Ref	181121-47
			Lab Sample No.(s)	18786545
			AGS Reference	
Naphthalene-d8 % recovery**	%	TM218		71.4
Acenaphthene-d10 % recovery**	%	TM218		73.4
Phenanthrene-d10 % recovery**	%	TM218		69.7
Chrysene-d12 % recovery**	%	TM218		70.8
Perylene-d12 % recovery**	%	TM218		74
Naphthalene	<0.009 mg/kg	TM218		<0.009 M
Acenaphthylene	<0.012 mg/kg	TM218		<0.012 M
Acenaphthene	<0.008 mg/kg	TM218		<0.008 M
Fluorene	<0.01 mg/kg	TM218		<0.01 M
Phenanthrene	<0.015 mg/kg	TM218		<0.015 M
Anthracene	<0.016 mg/kg	TM218		<0.016 M
Fluoranthene	<0.017 mg/kg	TM218		<0.017 M
Pyrene	<0.015 mg/kg	TM218		<0.015 M
Benz(a)anthracene	<0.014 mg/kg	TM218		<0.014 M
Chrysene	<0.01 mg/kg	TM218		<0.01 M
Benzo(b)fluoranthene	<0.015 mg/kg	TM218		<0.015 M
Benzo(k)fluoranthene	<0.014 mg/kg	TM218		<0.014 M
Benzo(a)pyrene	<0.015 mg/kg	TM218		<0.015 M
Indeno(1,2,3-cd)pyrene	<0.018 mg/kg	TM218		<0.018 M
Dibenzo(a,h)anthracene	<0.023 mg/kg	TM218		<0.023 M
Benzo(g,h,i)perylene	<0.024 mg/kg	TM218		<0.024 M
PAH, Total Detected USEPA 16	<0.118 mg/kg	TM218		<0.118

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

TPH CWG (S)

Results Legend

#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-A7	4G-A8	4G-A8	4G-A7-V	4G-A8-V	4G-B9
			Depth (m)	0.50 - 0.50	0.40 - 0.40	0.70 - 0.70	1.80 - 1.80	2.10 - 2.10	0.50 - 0.50
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018
			SDG Ref	181121-47	181121-47	181121-47	181121-47	181121-47	181121-47
			Lab Sample No.(s)	18786527	18786511	18786517	18786535	18786522	18786500
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		82.6	74.7	93	97.3	81	88
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		0.793	2.71	0.593	<0.1	0.156	1.85
Aliphatics >C16-C21	<0.1 mg/kg	TM173		4.98	26.9	5.21	<0.1	<0.1	9.2
Aliphatics >C21-C35	<0.1 mg/kg	TM173		60.5	167	24.7	<0.1	0.692	60.7
Aliphatics >C35-C44	<0.1 mg/kg	TM173		17.2	45.8	4.74	<0.1	0.235	13.7
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		83.5	242	35.2	<0.1	1.08	85.4
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		1.82	2.11	0.867	<0.1	0.122	1.44
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		7.24	11.8	6.21	<0.1	<0.1	17.7
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		50.3	109	16.8	4.61	3.67	130
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		22.5	60.2	4.96	0.547	0.395	42.1
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		10.5	27.9	1.75	<0.1	<0.1	17.8
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		81.8	183	28.9	5.16	4.18	192
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		165	425	64.1	5.16	5.27	277

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B9-V	4G-D7	4G-D7	4G-D7-V	4G-F8	4G-F8
			Depth (m)	1.60 - 1.60	0.30 - 0.30	0.60 - 0.60	1.70 - 1.70	0.50 - 0.50	1.00 - 1.00
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018
			SDG Ref	181121-47	181121-47	181121-47	181121-47	181121-47	181121-47
			Lab Sample No.(s)	18786505	18786553	18786557	18786495	18786486	18786540
			AGS Reference						
GRO Surrogate % recovery**	%	TM089		93	78.8	82.2	95.9	97	90.4
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089		<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M	<0.2 M
Aliphatics >C5-C6	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C6-C8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C8-C10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C10-C12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aliphatics >C12-C16	<0.1 mg/kg	TM173		<0.1	3.42	10.8	<0.1	<0.1	<0.1
Aliphatics >C16-C21	<0.1 mg/kg	TM173		<0.1	26.3	373	<0.1	<0.1	3.02
Aliphatics >C21-C35	<0.1 mg/kg	TM173		<0.1	99.7	127	<0.1	13.9	12
Aliphatics >C35-C44	<0.1 mg/kg	TM173		<0.1	26.6	19.3	<0.1	1.25	3.42
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173		<0.1	156	531	<0.1	15.2	18.5
Aromatics >EC5-EC7	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC7-EC8	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC8-EC10	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC10-EC12	<0.01 mg/kg	TM089		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Aromatics >EC12-EC16	<0.1 mg/kg	TM173		<0.1	3.13	5.52	<0.1	<0.1	<0.1
Aromatics >EC16-EC21	<0.1 mg/kg	TM173		<0.1	24.3	72.5	<0.1	<0.1	0.971
Aromatics >EC21-EC35	<0.1 mg/kg	TM173		<0.1	86.5	190	2.55	6.57	8.16
Aromatics >EC35-EC44	<0.1 mg/kg	TM173		<0.1	30.5	48.3	<0.1	5.17	3.63
Aromatics >EC40-EC44	<0.1 mg/kg	TM173		<0.1	10.7	13.3	<0.1	2.77	1.75
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173		<0.1	144	317	2.55	11.7	12.8
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173		<0.1	300	848	2.55	26.9	31.2

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

TPH CWG (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref. 4G-F8-V				
			Depth (m) 2.60 - 2.60				
			Sample Type Soil/Solid (S)				
			Date Sampled 20/11/2018				
			Sample Time 00:00				
			Date Received 21/11/2018				
			SDG Ref 181121-47				
			Lab Sample No.(s) 18786545				
			AGS Reference				
GRO Surrogate % recovery**	%	TM089	101				
GRO TOT (Moisture Corrected)	<0.1 mg/kg	TM089	<0.2 M				
Aliphatics >C5-C6	<0.01 mg/kg	TM089	<0.02				
Aliphatics >C6-C8	<0.01 mg/kg	TM089	<0.02				
Aliphatics >C8-C10	<0.01 mg/kg	TM089	<0.02				
Aliphatics >C10-C12	<0.01 mg/kg	TM089	<0.02				
Aliphatics >C12-C16	<0.1 mg/kg	TM173	<0.1				
Aliphatics >C16-C21	<0.1 mg/kg	TM173	<0.1				
Aliphatics >C21-C35	<0.1 mg/kg	TM173	<0.1				
Aliphatics >C35-C44	<0.1 mg/kg	TM173	<0.1				
Total Aliphatics >C12-C44	<0.1 mg/kg	TM173	<0.1				
Aromatics >EC5-EC7	<0.01 mg/kg	TM089	<0.02				
Aromatics >EC7-EC8	<0.01 mg/kg	TM089	<0.02				
Aromatics >EC8-EC10	<0.01 mg/kg	TM089	<0.02				
Aromatics >EC10-EC12	<0.01 mg/kg	TM089	<0.02				
Aromatics >EC12-EC16	<0.1 mg/kg	TM173	<0.1				
Aromatics >EC16-EC21	<0.1 mg/kg	TM173	<0.1				
Aromatics >EC21-EC35	<0.1 mg/kg	TM173	<0.1				
Aromatics >EC35-EC44	<0.1 mg/kg	TM173	<0.1				
Aromatics >EC40-EC44	<0.1 mg/kg	TM173	<0.1				
Total Aromatics >EC12-EC44	<0.1 mg/kg	TM173	<0.1				
Total Aliphatics & Aromatics >C5-C44	<0.1 mg/kg	TM173	<0.1				

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-A7	4G-A8	4G-A8	4G-A7-V	4G-A8-V	4G-B9
			Depth (m)	0.50 - 0.50	0.40 - 0.40	0.70 - 0.70	1.80 - 1.80	2.10 - 2.10	0.50 - 0.50
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018
			SDG Ref	181121-47	181121-47	181121-47	181121-47	181121-47	181121-47
			Lab Sample No.(s)	18786527	18786511	18786517	18786535	18786522	18786500
			AGS Reference						
Dibromofluoromethane**	%	TM116		107	109	109	108	108	108
Toluene-d8**	%	TM116		101	98.2	102	97.5	101	100
4-Bromofluorobenzene**	%	TM116		81.1	76.5	85.6	100	85.2	82
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	4G-B9-V	4G-D7	4G-D7	4G-D7-V	4G-F8	4G-F8
			Depth (m)	1.60 - 1.60	0.30 - 0.30	0.60 - 0.60	1.70 - 1.70	0.50 - 0.50	1.00 - 1.00
			Sample Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
			Date Sampled	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018	20/11/2018
			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
			Date Received	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018	21/11/2018
			SDG Ref	181121-47	181121-47	181121-47	181121-47	181121-47	181121-47
			Lab Sample No.(s)	18786505	18786553	18786557	18786495	18786486	18786540
			AGS Reference						
Dibromofluoromethane**	%	TM116		108	105	112	108	109	110
Toluene-d8**	%	TM116		102	99.7	101	103	102	103
4-Bromofluorobenzene**	%	TM116		85.2	75.1	79.2	85.8	86.2	85
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Benzene	<0.009 mg/kg	TM116		<0.09 M	<0.09 M	0.296 M	<0.09 M	<0.09 M	<0.09 M
Toluene	<0.007 mg/kg	TM116		<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M	<0.07 M
Ethylbenzene	<0.004 mg/kg	TM116		<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M	<0.04 M
p/m-Xylene	<0.01 mg/kg	TM116		<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #	<0.1 #
o-Xylene	<0.01 mg/kg	TM116		<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M	<0.1 M
Naphthalene	<0.013 mg/kg	TM116		<0.13 M	<0.13 M	0.201 M	<0.13 M	<0.13 M	<0.13 M
Sum of BTEX	<0.04 mg/kg	TM116		<0.4	<0.4	<0.4	<0.4	<0.4	<0.4

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

VOC MS (S)

Results Legend	
#	ISO17025 accredited.
M	*m*CERTS accredited.
aq	Aqueous / settled sample.
diss.filt	Dissolved / filtered sample.
tot.unfilt	Total / unfiltered sample.
*	Subcontracted test.
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery
(F)	Trigger breach confirmed
1-5&+§@	Sample deviation (see appendix)

Component	LOD/Units	Method	Customer Sample Ref.	Depth (m)	Sample Type	Date Sampled	Sample Time	Date Received	SDG Ref	Lab Sample No.(s)	AGS Reference
			4G-F8-V	2.60 - 2.60	Soil/Solid (S)	20/11/2018	00:00	21/11/2018	181121-47	18786545	
Dibromofluoromethane**	%	TM116	110								
Toluene-d8**	%	TM116	101								
4-Bromofluorobenzene**	%	TM116	86.1								
Methyl Tertiary Butyl Ether	<0.01 mg/kg	TM116	<0.1 M								
Benzene	<0.009 mg/kg	TM116	<0.09 M								
Toluene	<0.007 mg/kg	TM116	<0.07 M								
Ethylbenzene	<0.004 mg/kg	TM116	<0.04 M								
p/m-Xylene	<0.01 mg/kg	TM116	<0.1 #								
o-Xylene	<0.01 mg/kg	TM116	<0.1 M								
Naphthalene	<0.013 mg/kg	TM116	<0.13 M								
Sum of BTEX	<0.04 mg/kg	TM116	<0.4								

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Asbestos Identification - Solid Samples

		Date of Analysis	Analysed By	Comments	Amosite (Brown) Asbestos	Chrysotile (White) Asbestos	Crocidolite (Blue) Asbestos	Fibrous Actinolite	Fibrous Anthophyllite	Fibrous Tremolite	Non-Asbestos Fibre
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-A7 0.50 - 0.50 SOLID 20/11/2018 00:00:00 21/11/2018 20:45:23 181121-47 18786527 TM048	03/12/2018	Christian Hallam	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-A8 0.40 - 0.40 SOLID 20/11/2018 00:00:00 21/11/2018 16:12:14 181121-47 18786511 TM048	03/12/2018	Christian Hallam	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-B9 0.50 - 0.50 SOLID 20/11/2018 00:00:00 21/11/2018 20:48:03 181121-47 18786500 TM048	03/12/2018	Christian Hallam	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-D7 0.30 - 0.30 SOLID 20/11/2018 00:00:00 21/11/2018 13:26:46 181121-47 18786553 TM048	03/12/2018	Christian Hallam	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected
Cust. Sample Ref. Depth (m) Sample Type Date Sampled Date Receieved SDG Original Sample Method Number	4G-F8 0.50 - 0.50 SOLID 20/11/2018 00:00:00 22/11/2018 20:36:54 181121-47 18786486 TM048	03/12/2018	Christian Hallam	-	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected (#)	Not Detected

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.094	**Natural Moisture Content (%)**	4.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	95.6
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786486
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-F8
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.0074	<0.0005	0.074	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.000552	<0.0003	0.00552	<0.003	-	-	-
Lead	0.00146	<0.0002	0.0146	<0.002	-	-	-
Manganese	0.0141	<0.003	0.141	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.0357	<0.001	0.357	<0.01	-	-	-
Zinc	0.00731	<0.001	0.0731	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.403	<0.019	4.03	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.00002	<0.000005	0.0002	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000189	<0.000005	0.000189	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000178	<0.000005	0.000178	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000179	<0.000005	0.000179	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.00000588	<0.000005	0.0000588	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000768	<0.000002	0.0000768	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.0000881	<0.000082	0.000881	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	9.69
Conductivity (µS/cm)	97.80
Temperature (°C)	18.10
Volume Leachant (Litres)	0.896

Mcerts Certification does not apply to leachates
06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.094	**Natural Moisture Content (%)**	4.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	95.6
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786486
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-F8
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	9.69
Conductivity (µS/cm)	97.80
Temperature (°C)	18.10
Volume Leachant (Litres)	0.896

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	8.23
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.4
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786500
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-B9
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.000515	<0.0005	0.00515	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.0116	<0.001	0.116	<0.01	-	-	-
Copper	0.00211	<0.0003	0.0211	<0.003	-	-	-
Lead	0.0143	<0.0002	0.143	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	<0.001	<0.001	<0.01	<0.01	-	-	-
Vanadium	0.012	<0.001	0.12	<0.01	-	-	-
Zinc	0.00679	<0.001	0.0679	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.000039	<0.00001	0.00039	<0.0001	-	-	-
Acenaphthene by GCMS	0.0000297	<0.000005	0.000297	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000207	<0.000005	0.00207	<0.00005	-	-	-
Anthracene by GCMS	0.000023	<0.000005	0.00023	<0.00005	-	-	-
Phenanthrene by GCMS	0.000108	<0.000005	0.00108	<0.00005	-	-	-
Fluorene by GCMS	0.00000812	<0.000005	0.0000812	<0.00005	-	-	-
Chrysene by GCMS	0.0000328	<0.000005	0.000328	<0.00005	-	-	-
Pyrene by GCMS	0.000283	<0.000005	0.00283	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.000016	<0.000005	0.00016	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.00000756	<0.000005	0.0000756	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000331	<0.000002	0.0000331	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000758	<0.000082	0.00758	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	23-Nov-2018
pH (pH Units)	11.36
Conductivity (µS/cm)	1,090.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates
06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	8.23
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.4
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786500
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-B9
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	23-Nov-2018
pH (pH Units)	11.36
Conductivity (µS/cm)	1,090.00
Temperature (°C)	18.20
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.93
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.8
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786511
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-A8
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	5.95	<0.2	59.5	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000116	<0.00001	0.000116	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.000901	<0.0005	0.00901	<0.005	-	-	-
Cadmium	0.000191	<0.00008	0.00191	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00215	<0.0003	0.0215	<0.003	-	-	-
Lead	0.0156	<0.0002	0.156	<0.002	-	-	-
Manganese	0.321	<0.003	3.21	<0.03	-	-	-
Nickel	0.000775	<0.0004	0.00775	<0.004	-	-	-
Selenium	0.00327	<0.001	0.0327	<0.01	-	-	-
Vanadium	0.0591	<0.001	0.591	<0.01	-	-	-
Zinc	0.0449	<0.001	0.449	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.428	<0.019	4.28	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000287	<0.00001	0.000287	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000938	<0.000005	0.000938	<0.00005	-	-	-
Anthracene by GCMS	0.0000101	<0.000005	0.000101	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000609	<0.000005	0.000609	<0.00005	-	-	-
Fluorene by GCMS	0.00000948	<0.000005	0.0000948	<0.00005	-	-	-
Chrysene by GCMS	0.0000269	<0.000005	0.000269	<0.00005	-	-	-
Pyrene by GCMS	0.0000791	<0.000005	0.000791	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000245	<0.000005	0.000245	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000451	<0.000005	0.000451	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000219	<0.000005	0.000219	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000185	<0.000002	0.000185	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.0000257	<0.000005	0.000257	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.000023	<0.000005	0.00023	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000468	<0.000082	0.00468	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	10.23
Conductivity (µS/cm)	142.00
Temperature (°C)	18.40
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.098	**Natural Moisture Content (%)**	8.93
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	91.8
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786511
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-A8
Depth (m)	0.40 - 0.40

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	10.23
Conductivity (µS/cm)	142.00
Temperature (°C)	18.40
Volume Leachant (Litres)	0.892

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.094	**Natural Moisture Content (%)**	4.82
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	95.4
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786517
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-A8
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.000814	<0.0005	0.00814	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00249	<0.001	0.0249	<0.01	-	-	-
Copper	0.00252	<0.0003	0.0252	<0.003	-	-	-
Lead	0.000278	<0.0002	0.00278	<0.002	-	-	-
Manganese	0.0051	<0.003	0.051	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00103	<0.001	0.0103	<0.01	-	-	-
Vanadium	0.0247	<0.001	0.247	<0.01	-	-	-
Zinc	0.00127	<0.001	0.0127	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000011	<0.000005	0.00011	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.00000947	<0.000005	0.0000947	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.00000824	<0.000005	0.0000824	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	11.04
Conductivity (µS/cm)	575.00
Temperature (°C)	18.50
Volume Leachant (Litres)	0.896

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.094	**Natural Moisture Content (%)**	4.82
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	95.4
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786517
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-A8
Depth (m)	0.70 - 0.70

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	11.04
Conductivity (µS/cm)	575.00
Temperature (°C)	18.50
Volume Leachant (Litres)	0.896

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	10.1
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90.8
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786527
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-A7
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00208	<0.0005	0.0208	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00407	<0.0003	0.0407	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000784	<0.0004	0.00784	<0.004	-	-	-
Selenium	0.00127	<0.001	0.0127	<0.01	-	-	-
Vanadium	0.0572	<0.001	0.572	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000253	<0.00001	0.000253	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000418	<0.000005	0.000418	<0.00005	-	-	-
Anthracene by GCMS	0.00000933	<0.000005	0.0000933	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000271	<0.000005	0.000271	<0.00005	-	-	-
Fluorene by GCMS	0.00000584	<0.000005	0.0000584	<0.00005	-	-	-
Chrysene by GCMS	0.0000133	<0.000005	0.000133	<0.00005	-	-	-
Pyrene by GCMS	0.0000287	<0.000005	0.000287	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000166	<0.000005	0.000166	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.0000152	<0.000005	0.000152	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000121	<0.000005	0.000121	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.00000876	<0.000002	0.0000876	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.00000864	<0.000005	0.0000864	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000213	<0.000082	0.00213	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	23-Nov-2018
pH (pH Units)	10.71
Conductivity (µS/cm)	257.00
Temperature (°C)	17.40
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.099	**Natural Moisture Content (%)**	10.1
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	90.8
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786527
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-A7
Depth (m)	0.50 - 0.50

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	0.016	<0.01	0.16	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	23-Nov-2018
pH (pH Units)	10.71
Conductivity (µS/cm)	257.00
Temperature (°C)	17.40
Volume Leachant (Litres)	0.891

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.76
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.8
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786540
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-F8
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00433	<0.0005	0.0433	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	<0.0003	<0.0003	<0.003	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00291	<0.001	0.0291	<0.01	-	-	-
Vanadium	0.0261	<0.001	0.261	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Fluoranthene by GCMS	0.000019	<0.000005	0.00019	<0.00005	-	-	-
Anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000163	<0.000005	0.000163	<0.00005	-	-	-
Fluorene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.0000152	<0.000005	0.000152	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	<0.000082	<0.000082	<0.00082	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	24-Nov-2018
pH (pH Units)	9.83
Conductivity (µS/cm)	92.30
Temperature (°C)	18.10
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.097	**Natural Moisture Content (%)**	7.76
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	92.8
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786540
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-F8
Depth (m)	1.00 - 1.00

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	24-Nov-2018
pH (pH Units)	9.83
Conductivity (µS/cm)	92.30
Temperature (°C)	18.10
Volume Leachant (Litres)	0.893

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

Validated

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.095	**Natural Moisture Content (%)**	6.16
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	94.2
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786553
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-D7
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	<0.00001	<0.00001	<0.0001	<0.0001	-	-	-
Total Cyanide (W)	<0.05	<0.05	<0.5	<0.5	-	-	-
Arsenic	0.00151	<0.0005	0.0151	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	0.00293	<0.001	0.0293	<0.01	-	-	-
Copper	0.00263	<0.0003	0.0263	<0.003	-	-	-
Lead	<0.0002	<0.0002	<0.002	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	<0.0004	<0.0004	<0.004	<0.004	-	-	-
Selenium	0.00214	<0.001	0.0214	<0.01	-	-	-
Vanadium	0.221	<0.001	2.21	<0.01	-	-	-
Zinc	<0.001	<0.001	<0.01	<0.01	-	-	-
Iron (Dis.Filt) mg/l	<0.019	<0.019	<0.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000118	<0.00001	0.000118	<0.0001	-	-	-
Acenaphthene by GCMS	0.00000981	<0.000005	0.0000981	<0.00005	-	-	-
Acenaphthylene by GCMS	0.00000886	<0.000005	0.0000886	<0.00005	-	-	-
Fluoranthene by GCMS	0.0000853	<0.000005	0.000853	<0.00005	-	-	-
Anthracene by GCMS	0.00000738	<0.000005	0.0000738	<0.00005	-	-	-
Phenanthrene by GCMS	0.00000867	<0.000005	0.0000867	<0.00005	-	-	-
Fluorene by GCMS	0.00000843	<0.000005	0.0000843	<0.00005	-	-	-
Chrysene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Pyrene by GCMS	0.000127	<0.000005	0.00127	<0.00005	-	-	-
Benz(a)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	<0.000002	<0.000002	<0.00002	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.000267	<0.000082	0.00267	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	11.24
Conductivity (µS/cm)	412.00
Temperature (°C)	17.30
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.095	**Natural Moisture Content (%)**	6.16
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	94.2
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786553
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-D7
Depth (m)	0.30 - 0.30

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	11.24
Conductivity (µS/cm)	412.00
Temperature (°C)	17.30
Volume Leachant (Litres)	0.894

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.114	**Natural Moisture Content (%)**	26.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	79
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786557
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-D7
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
Ammoniacal Nitrogen as N	<0.2	<0.2	<2	<2	-	-	-
Mercury Dissolved (CVAF)	0.0000145	<0.00001	0.000145	<0.0001	-	-	-
Total Cyanide (W)	0.06	<0.05	0.6	<0.5	-	-	-
Arsenic	0.00323	<0.0005	0.0323	<0.005	-	-	-
Cadmium	<0.00008	<0.00008	<0.0008	<0.0008	-	-	-
Chromium	<0.001	<0.001	<0.01	<0.01	-	-	-
Copper	0.00138	<0.0003	0.0138	<0.003	-	-	-
Lead	0.000822	<0.0002	0.00822	<0.002	-	-	-
Manganese	<0.003	<0.003	<0.03	<0.03	-	-	-
Nickel	0.000497	<0.0004	0.00497	<0.004	-	-	-
Selenium	0.00215	<0.001	0.0215	<0.01	-	-	-
Vanadium	0.00447	<0.001	0.0447	<0.01	-	-	-
Zinc	0.002	<0.001	0.02	<0.01	-	-	-
Iron (Dis.Filt) mg/l	0.919	<0.019	9.19	<0.19	-	-	-
PAH Spec MS - Aqueous (W)							
Naphthalene by GCMS	0.0000239	<0.00001	0.000239	<0.0001	-	-	-
Acenaphthene by GCMS	<0.000005	<0.000005	<0.00005	<0.00005	-	-	-
Acenaphthylene by GCMS	0.0000244	<0.000005	0.000244	<0.00005	-	-	-
Fluoranthene by GCMS	0.000145	<0.000005	0.00145	<0.00005	-	-	-
Anthracene by GCMS	0.0000259	<0.000005	0.000259	<0.00005	-	-	-
Phenanthrene by GCMS	0.0000311	<0.000005	0.000311	<0.00005	-	-	-
Fluorene by GCMS	0.00000531	<0.000005	0.0000531	<0.00005	-	-	-
Chrysene by GCMS	0.0000612	<0.000005	0.000612	<0.00005	-	-	-
Pyrene by GCMS	0.000114	<0.000005	0.00114	<0.00005	-	-	-
Benz(a)anthracene by GCMS	0.0000403	<0.000005	0.000403	<0.00005	-	-	-
Benzo(b)fluoranthene by GCMS	0.000159	<0.000005	0.00159	<0.00005	-	-	-
Benzo(k)fluoranthene by GCMS	0.0000722	<0.000005	0.000722	<0.00005	-	-	-
Benzo(a)pyrene by GCMS	0.0000891	<0.000002	0.000891	<0.00002	-	-	-
Dibenzo(ah)anthracene by GCMS	0.0000275	<0.000005	0.000275	<0.00005	-	-	-
Benzo(ghi)perylene by GCMS	0.000227	<0.000005	0.00227	<0.00005	-	-	-
Indeno(123cd)pyrene by GCMS	0.000126	<0.000005	0.00126	<0.00005	-	-	-
PAH 16 EPA Total by GCMS	0.00117	<0.000082	0.0117	<0.00082	-	-	-
TPH CWG (W)							
Surrogate Recovery	-	<0	-	<0	-	-	-
GRO TOT (C5-C12)	<0.05	<0.05	<0.5	<0.5	-	-	-
Aliphatics C5-C6	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C6-C8	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	8.87
Conductivity (µS/cm)	81.20
Temperature (°C)	15.90
Volume Leachant (Litres)	0.876

Mcerts Certification does not apply to leachates
06/12/2018 16:59:30

16:59:11 06/12/2018

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

CEN 10:1 SINGLE STAGE LEACHATE TEST

CEN ANALYTICAL RESULTS

REF : BS EN 12457/2

Client Reference		**Site Location**	Llanwern
Mass Sample taken (kg)	0.114	**Natural Moisture Content (%)**	26.6
Mass of dry sample (kg)	0.090	**Dry Matter Content (%)**	79
Particle Size <4mm	>95%		

Case	
SDG	181121-47
Lab Sample Number(s)	18786557
Sampled Date	20-Nov-2018
Customer Sample Ref.	4G-D7
Depth (m)	0.60 - 0.60

Eluate Analysis	**C_2** Conc^n in 10:1 eluate (mg/l)		**A_2** 10:1 conc^n leached (mg/kg)				
	Result	**Limit of Detection**	**Result**	**Limit of Detection**			
TPH CWG (W)							
Aliphatics >C8-C10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C10-C12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C12-C16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C16-C21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aliphatics >C21-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aliphatics >C12-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics C6-C7	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >C7-C8	<0.01	<0.01	<0.1	<0.1	-	-	-
MTBE GC-FID	<0.003	<0.003	<0.03	<0.03	-	-	-
Aromatics >EC8 -EC10	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC10-EC12	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC12-EC16	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC16-EC21	<0.01	<0.01	<0.1	<0.1	-	-	-
Aromatics >EC21-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Total Aromatics >EC12-EC35	<0.01	<0.01	<0.1	<0.1	-	-	-
Benzene by GC	<0.007	<0.007	<0.07	<0.07	-	-	-
TPH (Total Aliphatics + Total Aromatics) >C5-C35	<0.01	<0.01	<0.1	<0.1	-	-	-
Toluene by GC	<0.004	<0.004	<0.04	<0.04	-	-	-
Ethylbenzene by GC	<0.005	<0.005	<0.05	<0.05	-	-	-
m & p Xylene by GC	<0.008	<0.008	<0.08	<0.08	-	-	-
o Xylene by GC	<0.003	<0.003	<0.03	<0.03	-	-	-
Sum m&p and o Xylene by GC	<0.011	<0.011	<0.11	<0.11	-	-	-
Sum of BTEX by GC	<0.028	<0.028	<0.28	<0.28	-	-	-
Aliphatics >C16-C35	<0.01	<0.01	<0.1	<0.1	-	-	-

Leach Test Information

Date Prepared	22-Nov-2018
pH (pH Units)	8.87
Conductivity (µS/cm)	81.20
Temperature (°C)	15.90
Volume Leachant (Litres)	0.876

Mcerts Certification does not apply to leachates

06/12/2018 16:59:30

16:59:11 06/12/2018

Table of Results - Appendix

Method No	Reference	Description
PM001		Preparation of Samples for Metals Analysis
PM024	Modified BS 1377	Soil preparation including homogenisation, moisture screens of soils for Asbestos Containing Material
PM115		Leaching Procedure for CEN One Stage Leach Test 2:1 & 10:1 1 Step
TM024	Method 4500A & B, AWWA/APHA, 20th Ed., 1999	Determination of Exchangeable Ammonium and Ammoniacal Nitrogen as N by titration on solids
TM048	HSG 248, Asbestos: The analysts' guide for sampling, analysis and clearance procedures	Identification of Asbestos in Bulk Material
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)
TM062 (S)	National Grid Property Holdings Methods for the Collection & Analysis of Samples from National Grid Sites version 1 Sec 3.9	Determination of Phenols in Soils by HPLC
TM089	Modified: US EPA Methods 8020 & 602	Determination of Gasoline Range Hydrocarbons (GRO) by Headspace GC-FID (C4-C12)
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM116	Modified: US EPA Method 8260, 8120, 8020, 624, 610 & 602	Determination of Volatile Organic Compounds by Headspace / GC-MS
TM132	In - house Method	ELTRA CS800 Operators Guide
TM133	BS 1377: Part 3 1990;BS 6068-2.5	Determination of pH in Soil and Water using the GLpH pH Meter
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM153	Method 4500A,B,C, I, M AWWA/APHA, 20th Ed., 1999	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate using the Skalar SANS+ System Segmented Flow Analyser
TM173	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Soils by GC-FID
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM181	US EPA Method 6010B	Determination of Routine Metals in Soil by iCap 6500 Duo ICP-OES
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM218	Shaker extraction - EPA method 3546.	The determination of PAH in soil samples by GC-MS
TM221	Inductively Coupled Plasma - Atomic Emission Spectroscopy. An Atlas of Spectral Information: Winge, Fassel, Peterson and Floyd	Determination of Acid extractable Sulphate in Soils by IRIS Emission Spectrometer
TM224	US EPA Method 6010B	Determination of Alkaline Metals by iCap 6500 Duo ICP-OES
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM243		Mixed Anions In Soils By Kone
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

CERTIFICATE OF ANALYSIS

SDG:	181121-47	**Client Reference:**		**Report Number:**	484278
Location:	Llanwern	**Order Number:**	LLA523	**Superseded Report:**	

Test Completion Dates

Lab Sample No(s)	18786527	18786511	18786517	18786535	18786522	18786500	18786505	18786553	18786557	18786495
Customer Sample Ref.	4G-A7	4G-A8	4G-A8	4G-A7-V	4G-A8-V	4G-B9	4G-B9-V	4G-D7	4G-D7	4G-D7-V
AGS Ref.										
Depth	0.50 - 0.50	0.40 - 0.40	0.70 - 0.70	1.80 - 1.80	2.10 - 2.10	0.50 - 0.50	1.60 - 1.60	0.30 - 0.30	0.60 - 0.60	1.70 - 1.70
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)	28-Nov-2018	28-Nov-2018				28-Nov-2018		28-Nov-2018		
Ammoniacal Nitrogen	30-Nov-2018	30-Nov-2018	30-Nov-2018			30-Nov-2018		30-Nov-2018	30-Nov-2018	
Ammonium Soil by Titration	05-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018
Anions by Kone (soil)	04-Dec-2018	04-Dec-2018				04-Dec-2018		04-Dec-2018		
Asbestos ID in Solid Samples	03-Dec-2018	03-Dec-2018				03-Dec-2018		03-Dec-2018		
CEN 10:1 Leachate (1 Stage)	23-Nov-2018	04-Dec-2018	22-Nov-2018			23-Nov-2018		23-Nov-2018	23-Nov-2018	
CEN Readings	24-Nov-2018	28-Nov-2018	28-Nov-2018			28-Nov-2018		24-Nov-2018	24-Nov-2018	
Cyanide Comp/Free/Total/Thiocyanate	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018
Dissolved Metals by ICP-MS	04-Dec-2018	04-Dec-2018	04-Dec-2018			04-Dec-2018		04-Dec-2018	04-Dec-2018	
EPH CWG (Aliphatic) Aqueous GC (W)	03-Dec-2018	03-Dec-2018	01-Dec-2018			01-Dec-2018		03-Dec-2018	03-Dec-2018	
EPH CWG (Aliphatic) GC (S)	03-Dec-2018	03-Dec-2018	03-Dec-2018	26-Nov-2018	04-Dec-2018	03-Dec-2018	04-Dec-2018	26-Nov-2018	03-Dec-2018	26-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	03-Dec-2018	03-Dec-2018	01-Dec-2018			01-Dec-2018		03-Dec-2018	03-Dec-2018	
EPH CWG (Aromatic) GC (S)	03-Dec-2018	03-Dec-2018	03-Dec-2018	26-Nov-2018	04-Dec-2018	03-Dec-2018	04-Dec-2018	26-Nov-2018	03-Dec-2018	26-Nov-2018
GRO by GC-FID (S)	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018
GRO by GC-FID (W)	04-Dec-2018	04-Dec-2018	04-Dec-2018			04-Dec-2018		04-Dec-2018	04-Dec-2018	
Mercury Dissolved	03-Dec-2018	03-Dec-2018	03-Dec-2018			03-Dec-2018		03-Dec-2018	03-Dec-2018	
Metals in solid samples by OES	27-Nov-2018	29-Nov-2018	28-Nov-2018	28-Nov-2018	28-Nov-2018	27-Nov-2018	04-Dec-2018	29-Nov-2018	28-Nov-2018	04-Dec-2018
PAH by GCMS	04-Dec-2018	04-Dec-2018	04-Dec-2018	03-Dec-2018	04-Dec-2018	04-Dec-2018	03-Dec-2018	04-Dec-2018	04-Dec-2018	03-Dec-2018
PAH Spec MS - Aqueous (W)	03-Dec-2018	03-Dec-2018	03-Dec-2018			03-Dec-2018		03-Dec-2018	03-Dec-2018	
pH	04-Dec-2018	04-Dec-2018	03-Dec-2018	03-Dec-2018	03-Dec-2018	04-Dec-2018	03-Dec-2018	04-Dec-2018	03-Dec-2018	03-Dec-2018
pH Value	29-Nov-2018	29-Nov-2018	29-Nov-2018			29-Nov-2018		29-Nov-2018	29-Nov-2018	
Phenols by HPLC (S)	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018
Sample description	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018	21-Nov-2018
Total Organic Carbon	05-Dec-2018	06-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	05-Dec-2018	28-Nov-2018	05-Dec-2018	05-Dec-2018	04-Dec-2018
Total Sulphate	05-Dec-2018	05-Dec-2018				05-Dec-2018		05-Dec-2018		
Total Sulphur	04-Dec-2018	30-Nov-2018				04-Dec-2018		29-Nov-2018		
TPH CWG (W)	04-Dec-2018	04-Dec-2018	04-Dec-2018			04-Dec-2018		04-Dec-2018	04-Dec-2018	
TPH CWG GC (S)	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018
VOC MS (S)	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018	04-Dec-2018

Lab Sample No(s)	18786486	18786540	18786545
Customer Sample Ref.	4G-F8	4G-F8	4G-F8-V
AGS Ref.			
Depth	0.50 - 0.50	1.00 - 1.00	2.60 - 2.60
Type	Soil/Solid (S)	Soil/Solid (S)	Soil/Solid (S)
Alkali Metals by iCap-OES (Soil)	06-Dec-2018		
Ammoniacal Nitrogen	30-Nov-2018	30-Nov-2018	
Ammonium Soil by Titration	04-Dec-2018	04-Dec-2018	04-Dec-2018
Anions by Kone (soil)	05-Dec-2018		
Asbestos ID in Solid Samples	03-Dec-2018		
CEN 10:1 Leachate (1 Stage)	22-Nov-2018	24-Nov-2018	
CEN Readings	28-Nov-2018	28-Nov-2018	
Cyanide Comp/Free/Total/Thiocyanate	05-Dec-2018	05-Dec-2018	05-Dec-2018
Dissolved Metals by ICP-MS	04-Dec-2018	04-Dec-2018	
EPH CWG (Aliphatic) Aqueous GC (W)	03-Dec-2018	03-Dec-2018	
EPH CWG (Aliphatic) GC (S)	03-Dec-2018	03-Dec-2018	26-Nov-2018
EPH CWG (Aromatic) Aqueous GC (W)	03-Dec-2018	03-Dec-2018	
EPH CWG (Aromatic) GC (S)	03-Dec-2018	03-Dec-2018	26-Nov-2018
GRO by GC-FID (S)	04-Dec-2018	04-Dec-2018	05-Dec-2018
GRO by GC-FID (W)	04-Dec-2018	04-Dec-2018	
Mercury Dissolved	03-Dec-2018	03-Dec-2018	
Metals in solid samples by OES	03-Dec-2018	04-Dec-2018	04-Dec-2018
PAH by GCMS	05-Dec-2018	04-Dec-2018	04-Dec-2018
PAH Spec MS - Aqueous (W)	03-Dec-2018	03-Dec-2018	
pH	04-Dec-2018	03-Dec-2018	03-Dec-2018
pH Value	29-Nov-2018	29-Nov-2018	
Phenols by HPLC (S)	05-Dec-2018	05-Dec-2018	05-Dec-2018
Sample description	21-Nov-2018	23-Nov-2018	21-Nov-2018
Total Organic Carbon	06-Dec-2018	05-Dec-2018	06-Dec-2018
Total Sulphate	04-Dec-2018		
Total Sulphur	03-Dec-2018		
TPH CWG (W)	04-Dec-2018	04-Dec-2018	
TPH CWG GC (S)	04-Dec-2018	04-Dec-2018	05-Dec-2018
VOC MS (S)	04-Dec-2018	04-Dec-2018	04-Dec-2018

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35ºC) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as “Not detected”. If no asbestos fibre types are found all will be reported as “Not detected” and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethyphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

21. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as “mixed hydrocarbons”. Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	**Container with Headspace provided for volatiles analysis**
2	**Incorrect container received**
3	**Deviation from method**
4	**Holding time exceeded before sample received**
5	**Samples exceeded holding time before presevation was performed**
§	**Sampled on date not provided**
♦	**Sample holding time exceeded in laboratory**
@	**Sample holding time exceeded due to sampled on date**
&	**Sample Holding Time exceeded - Late arrival of instructions.**

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.

Appendix J
Geotechnical Screening

Soil ID	Compaction				General	Particle Distribution							BRE								
						Fines															
	Optimum Moisture Content (%)	Max Dry Density (Mg/m3)	Natural Moisture Content (%)	Assumed/ Measured Particle Density (Mg/m3)	Water Content (%)	Clay % (<0.004m m)	Silt % (0.004 - 0.062mm)	% Fines (<0.062)	Sand % (0.062 - 2mm)	Gravel % (2-63mm)	Cobbles % (64-124mm)	Total	Initial Moisture Content %	Wet Density in Mould (Mg/m3)	Dry Density in Mould (Mg/m3)	Total Expansion (%)	Initial Moisture Content %	Density on a saturated and surface-dried basis (Mg/m3)	Partilcle density on an oven-dried basis (Mg/m3)	Apparent Particle Density	Total Expansio n (%)
4G-C1	10	2.11		2.85	12.3			10.6	14.4	75	0	100		2.5	2.43	0.10					
4G-C2	12	2.33		3.35	11.6			4.2	14.8	73	8	100		2.25	2.14	-0.10					
4G-3C	11	2.12		2.9	7.9			15.6	28.4	56	0	100		2.54	2.44	-0.40					
4G-D1	9.8	2.18		2.9	9.5			6	11	79	4	100		2.39	2.32	0.60					
4G-D2	11	1.94		2.65	12.7			3.9	20.1	66	10	100		2.75	2.64	1.10					
4G-C4	12	1.95		2.7	16.6			4.2	17.8	78	0	100		2.45	2.34	0.60					
4G-C5	12	1.73		2.3	19			5.3	27.7	67	0	100		1.59	1.48	-0.20					
4G-C6	11	2.03		2.75	13			6	9	85	0	100		2.38	2.3	0.30					
4G-E2	10	2.11		2.8	13.2			11.5	32.5	56	0	100		2.48	2.4	0.20					
4G-D3	8.5	2.10		2.7	15			12	24	64	0	100		2.54	2.48	0.10					
4G-E3	7.7	2.18		2.8	13.5			3.2	18.80	78	0	100		2.89	2.89	0.60					
4G-D4	11	1.99		2.7	17.3			13.5	29.5	57	0	100		2.4	2.31	0.50					
4G-D5	10	1.99		2.75	14.8			13.3	19.7	67	0	100		2.45	2.38	0.90					
4G-D6	13	1.83		2.5	21.5			14.2	24.8	61	0	100		2.55	2.41	0.20					
4G-E1	11	2.24		3.1	14.9			7.7	12.3	80	0	100		2.78	2.67	-0.60					
4G-F1	6.7	2.93		4	16.5			0.1	37.9	62	0	100		3.3	3.29	0.40					
4G-F2	7	2.80		2.26	8.9			14.3	48.7	37	0	100		2.44	2.36	1.20					
4G-F3	12	2.31		3.3	11.6			4.1	13.9	71	11	100		2.81	2.68	0.70					
4G-E5	12	1.73		2.75	7.6			6.8	19.2	74	0	100		2.62	2.54	0.40					
4G-E6	11	1.95		2.7	14.3			12.3	18.7	51	18	100		2.49	2.41	0.20					
4G-F6	11	2.13		2.95	9.7			6.2	19.8	74	0	100		2.7	2.64	-0.50					
4G-G6	12	2.00		2.75	11.6			6.2	32.8	61	0	100		2.32	2.19	0.50					
AJ21-1 (0.3)	11	2.03		2.8	11.1			5.3	32.7	59	3	100						2.4	2.32	2.53	0.24
AF22-1 (0.2)	8.7	1.97		2.8	11			1.9	21.1	57	20	100				0.28					
Number of Tests:	24	24		24	24			24	24	24	24	24	0	22	22	23	0	1	1	1	1
Max	13.00	2.93		4.00	21.50			15.60	48.70	85.00	20.00	100.00	0.00	3.30	3.29	1.20	0.00	2.40	2.32	2.53	0.24
Min	6.70	1.73		2.26	7.60			0.10	9.00	37.00	0.00	100.00	0.00	1.59	1.48	-0.60	0.00	2.40	2.32	2.53	0.24
Av	10.48	2.11		2.84	13.13			7.85	22.90	66.17	3.08	100.00	#DIV/0!	2.53	2.44	0.31	#DIV/0!	2.40	2.32	2.53	0.24

Appendix K
Geotechnical Test Certificates

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639917

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G 3C - 0.7m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G 3C - 0.7m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	93	
31.5 mm	92	
20.0 mm	82	
16.0 mm	76	
14.0 mm	73	
10.0 mm	65	
8.0 mm	60	
4.0 mm	49	
2.8 mm	46	
2.0 mm	44	
1.0 mm	39	
0.500 mm	33	
0.250 mm	25	
0.125 mm	20	
0.063 mm	15.6	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640025

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G 3C - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G 3C - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**7.9**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640138

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G 3C - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**10/01/2019**
Sampling Location:	**4G 3C - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.44 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.54 Mg/m³**
Apparent Particle density =	**2.69 Mg/m³**
Water absorption (of dry mass) =	**3.8%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 13 February 2019
Test Report Ref: TR 640252

Order No: Bacs-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G 3C - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**16/01/2019**
Sampling Location:	**4G 3C - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = -0.4



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 06 February 2019
Test Report Ref: TR 640377

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G 3C - 0.7m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**25/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G 3C - 0.7m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.9Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	10 %
Retained on 20mm Sieve:	25 %

Moisture Content (%)	Dry Density Mg/m^3
7.1	2.00
9.0	2.11
11.0	2.12
13.2	2.07
14.8	2.02
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
11.0	**2.12**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639914

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G C1 - 1.0m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G C1 - 1.0m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	100	
31.5 mm	91	
20.0 mm	80	
16.0 mm	76	
14.0 mm	74	
10.0 mm	68	
8.0 mm	64	
4.0 mm	50	
2.8 mm	32	
2.0 mm	25	
1.0 mm	17	
0.500 mm	13	
0.250 mm	11	
0.125 mm	11	
0.063 mm	10.6	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640022

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C1 - 1.0m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G C1 - 1.0m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**12.3**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640135

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C1 - 1.0m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G C1 - 1.0m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.43 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.50 Mg/m³**
Apparent Particle density =	**2.61 Mg/m³**
Water absorption (of dry mass) =	**2.8%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 13 February 2019
Test Report Ref: TR 640249

Order No: Bacs-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C1 - 1.0m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**16/01/2019**
Sampling Location:	**4G C1 - 1.0m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.1



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 13 February 2019
Test Report Ref: TR 640374

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G C1 - 1.0m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**31/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G C1 - 1.0m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.85Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	1 %
Retained on 20mm Sieve:	21 %

Moisture Content (%)	Dry Density Mg/m^3
5.9	2.05
8.2	2.09
10.3	2.11
12.2	2.08
14.0	2.03
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
10.0	**2.11**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639916

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G C2 - 1.2m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G C2 - 1.2m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	92	
40.0 mm	86	
31.5 mm	79	
20.0 mm	70	
16.0 mm	65	
14.0 mm	62	
10.0 mm	52	
8.0 mm	47	
4.0 mm	31	
2.8 mm	24	
2.0 mm	19	
1.0 mm	13	
0.500 mm	9	
0.250 mm	6	
0.125 mm	5	
0.063 mm	4.2	

Comments:
None

Report checked and approved by:
S Parry-Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640024

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C2 - 1.2m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G C2 - 1.2m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 11.6

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 09 May 2019
Test Report Ref: TR 640137

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C2 - 1.2m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**18/01/2019**
Sampling Location:	**4G C2 - 1.2m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.14 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.25 Mg/m³**
Apparent Particle density =	**2.39 Mg/m³**
Water absorption (of dry mass) =	**4.9%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 13 February 2019
Test Report Ref: TR 640251

Order No: Bacs-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C2 - 1.2m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**16/01/2019**
Sampling Location:	**4G C2 - 1.2m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = -0.1



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 13 February 2019
Test Report Ref: TR 640376

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G C2 - 1.2m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**31/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G C2 - 1.2m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 3.35Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	7 %
Retained on 20mm Sieve:	26 %

Moisture Content (%)	Dry Density Mg/m^3
7.8	2.22
9.9	2.30
12.1	2.33
14.1	2.27
15.9	2.12
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
12.0	**2.33**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639919

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G C4 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G C4 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	97	
31.5 mm	91	
20.0 mm	78	
16.0 mm	71	
14.0 mm	67	
10.0 mm	56	
8.0 mm	49	
4.0 mm	33	
2.8 mm	26	
2.0 mm	22	
1.0 mm	14	
0.500 mm	9	
0.250 mm	6	
0.125 mm	5	
0.063 mm	4.2	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640027

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C4 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G C4 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**16.6**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640140

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C4 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G C4 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.34 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.45 Mg/m³**
Apparent Particle density =	**2.62 Mg/m³**
Water absorption (of dry mass) =	**4.6%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 22 January 2019
Test Report Ref: TR 640379

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G C4 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**18/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G C4 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.7Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	12 %
Retained on 20mm Sieve:	25 %

Moisture Content (%)	Dry Density Mg/m^3
6.9	1.83
9.1	1.91
11.3	1.95
13.1	1.95
15.0	1.92
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
12.0	**1.95**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640254

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C4 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.6



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 07 January 2019
Test Report Ref: TR 639920

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G C5 - 1.0m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G C5 - 1.0m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	86	
31.5 mm	79	
20.0 mm	71	
16.0 mm	67	
14.0 mm	65	
10.0 mm	61	
8.0 mm	58	
4.0 mm	42	
2.8 mm	37	
2.0 mm	33	
1.0 mm	25	
0.500 mm	18	
0.250 mm	11	
0.125 mm	7	
0.063 mm	5.3	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640028

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C5 - 1.0m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G C5 - 1.0m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = **19.0**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640141

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C5 - 1.0m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G C5 - 1.0m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**1.48 Mg/m³**
Particle density on a saturated and surface-dried basis =	**1.59 Mg/m³**
Apparent Particle density =	**1.66 Mg/m³**
Water absorption (of dry mass) =	**7.4%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 13 February 2019
Test Report Ref: TR 640255

Order No: Bacs-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C5 - 1.0m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**16/01/2019**
Sampling Location:	**4G C5 - 1.0m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = -0.2



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING | DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 06 February 2019
Test Report Ref: TR 640380

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G C5 - 1.0m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**29/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G C5 - 1.0m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.3Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	24 %
Retained on 20mm Sieve:	32 %

Moisture Content (%)	Dry Density Mg/m^3
7.9	1.63
10.1	1.70
12.0	1.73
14.3	1.70
16.2	1.67
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
12.0	**1.73**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639924

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G C6 - 0.4m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G C6 - 0.4m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	91	
31.5 mm	87	
20.0 mm	78	
16.0 mm	70	
14.0 mm	66	
10.0 mm	55	
8.0 mm	50	
4.0 mm	36	
2.8 mm	20	
2.0 mm	15	
1.0 mm	9	
0.500 mm	7	
0.250 mm	6	
0.125 mm	6	
0.063 mm	6	

Comments:
None

Report checked and approved by:
S Parry-Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640033

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C6 - 0.4m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G C6 - 0.4m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**13.0**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640147

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C6 - 0.4m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G C6 - 0.4m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.30 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.38 Mg/m³**
Apparent Particle density =	**2.51 Mg/m³**
Water absorption (of dry mass) =	**3.7%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING | DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 18 February 2019
Test Report Ref: TR 640385

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G C6 - 0.4m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**04/02/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G C6 - 0.4m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.75Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	13 %
Retained on 20mm Sieve:	30 %

Moisture Content (%)	Dry Density Mg/m^3
6.1	1.83
8.4	1.98
10.2	2.03
12.3	2.00
13.9	1.97
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
11.0	**2.03**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640260

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G C6 0.4m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.3



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:

S Parry-Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639929

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G D1 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G D1 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	96	
40.0 mm	55	
31.5 mm	49	
20.0 mm	43	
16.0 mm	41	
14.0 mm	38	
10.0 mm	32	
8.0 mm	30	
4.0 mm	23	
2.8 mm	18	
2.0 mm	17	
1.0 mm	13	
0.500 mm	10	
0.250 mm	8	
0.125 mm	7	
0.063 mm	6	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640038

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D1 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G D1 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = **9.5**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640152

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D1 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G D1 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.32 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.39 Mg/m³**
Apparent Particle density =	**2.48 Mg/m³**
Water absorption (of dry mass) =	**2.8%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 24 January 2019
Test Report Ref: TR 640390

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G D1 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**22/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G D1 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.9Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	20 %
Retained on 20mm Sieve:	34 %

Moisture Content (%)	Dry Density Mg/m^3
6.0	2.07
7.9	2.15
9.8	2.18
12.1	2.14
13.9	2.07
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
9.8	**2.18**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640265

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D1 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.6



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:

S Parry-Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639934

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G D2 - 0.4m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G D2 - 0.4m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	90	
63.0 mm	90	
40.0 mm	73	
31.5 mm	72	
20.0 mm	61	
16.0 mm	55	
14.0 mm	52	
10.0 mm	50	
8.0 mm	42	
4.0 mm	31	
2.8 mm	27	
2.0 mm	24	
1.0 mm	19	
0.500 mm	14	
0.250 mm	10	
0.125 mm	7	
0.063 mm	3.9	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640043

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D2 - 0.4m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G D2 - 0.4m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 12.7

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640157

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D2 - 0.4m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G D2 - 0.4m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.64 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.75 Mg/m³**
Apparent Particle density =	**2.98 Mg/m³**
Water absorption (of dry mass) =	**4.3%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 06 February 2019
Test Report Ref: TR 640395

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G D2 - 0.4m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**28/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G D2 - 0.4m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.65Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	1.94 %
Retained on 20mm Sieve:	11 %

Moisture Content (%)	Dry Density Mg/m^3
7.9	1.88
10.1	1.94
12.2	1.94
14.0	1.91
15.8	1.85
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
11.0	**1.94**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640270

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D2 0.4m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) =



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 07 January 2019
Test Report Ref: TR 639943

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G D3 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G D3 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	99	
31.5 mm	89	
20.0 mm	82	
16.0 mm	77	
14.0 mm	74	
10.0 mm	63	
8.0 mm	59	
4.0 mm	43	
2.8 mm	39	
2.0 mm	36	
1.0 mm	30	
0.500 mm	23	
0.250 mm	16	
0.125 mm	13	
0.063 mm	12	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640052

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D3 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G D3 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 15.0

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640166

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D3 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G D3 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.48 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.54 Mg/m³**
Apparent Particle density =	**2.66 Mg/m³**
Water absorption (of dry mass) =	**2.8%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 18 February 2019
Test Report Ref: TR 640404

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G D3 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**13/02/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G D3 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.7Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	7 %
Retained on 20mm Sieve:	18 %

Moisture Content (%)	Dry Density Mg/m^3
4.1	1.96
5.9	2.05
8.0	2.10
10.3	2.08
12.1	2.01
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
8.5	**2.10**



Comments:
None

Report checked and approved by:

S Parry-Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640279

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D3 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**17/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.1



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 07 January 2019
Test Report Ref: TR 639942

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G D4 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G D4 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	93	
31.5 mm	91	
20.0 mm	85	
16.0 mm	80	
14.0 mm	77	
10.0 mm	69	
8.0 mm	65	
4.0 mm	51	
2.8 mm	47	
2.0 mm	43	
1.0 mm	33	
0.500 mm	23	
0.250 mm	16	
0.125 mm	14	
0.063 mm	13.5	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640051

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D4 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G D4 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 17.3

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640165

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D4 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G D4 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.31 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.40 Mg/m³**
Apparent Particle density =	**2.54 Mg/m³**
Water absorption (of dry mass) =	**3.8%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 06 February 2019
Test Report Ref: TR 640403

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G D4 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**25/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G D4 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.7Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	7 %
Retained on 20mm Sieve:	18 %

Moisture Content (%)	Dry Density Mg/m^3
7.0	1.86
9.2	1.97
11.2	1.99
13.1	1.96
14.9	1.90
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
11.0	**1.99**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640278

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D4 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**17/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.5



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639941

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G D5 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G D5 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	81	
31.5 mm	76	
20.0 mm	68	
16.0 mm	64	
14.0 mm	61	
10.0 mm	55	
8.0 mm	52	
4.0 mm	43	
2.8 mm	37	
2.0 mm	33	
1.0 mm	28	
0.500 mm	23	
0.250 mm	17	
0.125 mm	14	
0.063 mm	13.3	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640050

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D5 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G D5 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 14.8

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 January 2019
Test Report Ref: TR 640164

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D5 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**11/01/2019**
Sampling Location:	**4G D5 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.38 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.45 Mg/m³**
Apparent Particle density =	**2.56 Mg/m³**
Water absorption (of dry mass) =	**3.0%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 06 February 2019
Test Report Ref: TR 640402

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G D5 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**28/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G D5 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.75Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	14 %
Retained on 20mm Sieve:	25 %

Moisture Content (%)	Dry Density Mg/m^3
8.0	1.93
10.2	1.99
12.1	1.99
14.0	1.96
16.3	1.89
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
10.0	**1.99**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640277

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D5 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**17/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.9



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639937

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G D6 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G D6 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	97	
31.5 mm	91	
20.0 mm	85	
16.0 mm	80	
14.0 mm	76	
10.0 mm	55	
8.0 mm	53	
4.0 mm	46	
2.8 mm	42	
2.0 mm	39	
1.0 mm	31	
0.500 mm	24	
0.250 mm	17	
0.125 mm	15	
0.063 mm	14.2	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640046

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D6 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G D6 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**21.5**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640160

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D6 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G D6 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.41 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.55 Mg/m³**
Apparent Particle density =	**2.78 Mg/m³**
Water absorption (of dry mass) =	**5.4%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 22 January 2019
Test Report Ref: TR 640398

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G D6 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**21/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G D6 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.5Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	9 %
Retained on 20mm Sieve:	17 %

Moisture Content (%)	Dry Density Mg/m^3
9.0	1.72
11.0	1.81
12.9	1.83
14.8	1.80
17.1	1.72
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
13.0	**1.83**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640273

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G D6 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**17/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.2



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639930

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G E1 - 0.7m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G E1 - 0.7m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	87	
31.5 mm	85	
20.0 mm	71	
16.0 mm	65	
14.0 mm	61	
10.0 mm	52	
8.0 mm	48	
4.0 mm	36	
2.8 mm	25	
2.0 mm	20	
1.0 mm	12	
0.500 mm	10	
0.250 mm	8	
0.125 mm	8	
0.063 mm	7.7	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640039

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E1 - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G E1 - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**14.9**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640153

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E1 - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G E1 - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.67 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.78 Mg/m³**
Apparent Particle density =	**3.00 Mg/m³**
Water absorption (of dry mass) =	**4.2%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 13 March 2019
Test Report Ref: TR 640266

Order No: Bacs-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E1 - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**16/01/2019**
Sampling Location:	**4G E1 - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = -0.6



Comments:
Material crushed to pass 20mm

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 06 February 2019
Test Report Ref: TR 640391

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G E1 - 0.7m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**24/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G E1 - 0.7m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 3.1Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	4 %
Retained on 20mm Sieve:	19 %

Moisture Content (%)	Dry Density Mg/m^3
6.8	2.06
9.2	2.20
11.1	2.24
13.0	2.19
14.8	2.12
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
11.0	**2.24**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639933

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G E2 - 0.8m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G E2 - 0.8m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	97	
31.5 mm	90	
20.0 mm	78	
16.0 mm	75	
14.0 mm	73	
10.0 mm	68	
8.0 mm	64	
4.0 mm	51	
2.8 mm	48	
2.0 mm	44	
1.0 mm	35	
0.500 mm	27	
0.250 mm	21	
0.125 mm	16	
0.063 mm	11.5	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640042

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E2 - 0.8m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G E2 - 0.8m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 13.2

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640156

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E2 - 0.8m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G E2 - 0.8m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.40 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.48 Mg/m³**
Apparent Particle density =	**2.61 Mg/m³**
Water absorption (of dry mass) =	**3.2%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 25 February 2019
Test Report Ref: TR 640269

Order No: Bacs-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E2 - 0.8m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**28/01/2019**
Sampling Location:	**4G E2 - 0.8m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.2



Comments:
Material crushed to pass 20mm

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 18 February 2019
Test Report Ref: TR 640394

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G E2 - 0.8m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**05/02/2019**	Sample Preparation Procedure:	**Szone X**
Sampling Location:	**4G E2 - 0.8m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.8Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	18 %
Retained on 20mm Sieve:	44 %

Moisture Content (%)	Dry Density Mg/m^3
5.9	1.98
8.2	2.08
10.3	2.11
12.3	2.06
14.2	1.96
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
10.0	**2.11**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639935

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G E3 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G E3 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	88	
31.5 mm	85	
20.0 mm	72	
16.0 mm	66	
14.0 mm	61	
10.0 mm	51	
8.0 mm	46	
4.0 mm	30	
2.8 mm	25	
2.0 mm	22	
1.0 mm	17	
0.500 mm	14	
0.250 mm	10	
0.125 mm	6	
0.063 mm	3.2	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640044

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E3 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G E3 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**13.5**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640158

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E3 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G E3 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.89 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.89 Mg/m³**
Apparent Particle density =	**3.10 Mg/m³**
Water absorption (of dry mass) =	**3.6%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING | DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 18 February 2019
Test Report Ref: TR 640396

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G E3 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**13/02/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G E3 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.8Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	8 %
Retained on 20mm Sieve:	22 %

Moisture Content (%)	Dry Density Mg/m^3
4.2	2.09
6.1	2.16
8.0	2.18
10.0	2.13
11.9	2.05
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
7.7	**2.18**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640271

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E3 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.6



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 16 January 2019
Test Report Ref: TR 639940

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G E5 - 0.4m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**08/01/2019**		
Sampling Location:	**4G E5 - 0.4m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	100	
31.5 mm	97	
20.0 mm	79	
16.0 mm	70	
14.0 mm	67	
10.0 mm	60	
8.0 mm	55	
4.0 mm	41	
2.8 mm	33	
2.0 mm	26	
1.0 mm	16	
0.500 mm	10	
0.250 mm	8	
0.125 mm	7	
0.063 mm	6.8	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 16 January 2019
Test Report Ref: TR 640049

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E5 - 0.4m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**08/01/2019**
Sampling Location:	**4G E5 - 0.4m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 7.6

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 18 January 2019
Test Report Ref: TR 640163

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E5 - 0.4m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**18/01/2019**
Sampling Location:	**4G E5 - 0.4m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.54 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.62 Mg/m³**
Apparent Particle density =	**2.77 Mg/m³**
Water absorption (of dry mass) =	**3.3%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 06 February 2019
Test Report Ref: TR 640401

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G E5 - 0.4m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**29/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G E5 - 0.4m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.75Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	11 %
Retained on 20mm Sieve:	31 %

Moisture Content (%)	Dry Density Mg/m^3
6.8	1.94
9.0	1.99
11.1	2.01
13.0	1.99
14.7	1.95
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
12.0	**1.73**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640276

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E5 0.4m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**17/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) =



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639938

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G E6 - 0.3m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G E6 - 0.3m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	88	
63.0 mm	82	
40.0 mm	64	
31.5 mm	61	
20.0 mm	55	
16.0 mm	52	
14.0 mm	49	
10.0 mm	44	
8.0 mm	42	
4.0 mm	35	
2.8 mm	33	
2.0 mm	31	
1.0 mm	27	
0.500 mm	24	
0.250 mm	19	
0.125 mm	16	
0.063 mm	12.3	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640047

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E6 - 0.3m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G E6 - 0.3m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**14.3**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640161

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E6 - 0.3m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G E6 - 0.3m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.41 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.49 Mg/m³**
Apparent Particle density =	**2.63 Mg/m³**
Water absorption (of dry mass) =	**3.3%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 24 January 2019
Test Report Ref: TR 640399

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G E6 - 0.3m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**23/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G E6 - 0.3m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.7Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	12 %
Retained on 20mm Sieve:	28 %

Moisture Content (%)	Dry Density Mg/m^3
7.0	1.83
8.9	1.96
11.1	2.02
13.0	1.99
14.8	1.90
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
11.0	**1.95**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640274

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G E6 0.3m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**17/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.2



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639931

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G F1 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G F1 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	99	
31.5 mm	94	
20.0 mm	90	
16.0 mm	86	
14.0 mm	82	
10.0 mm	76	
8.0 mm	72	
4.0 mm	50	
2.8 mm	44	
2.0 mm	38	
1.0 mm	24	
0.500 mm	14	
0.250 mm	6	
0.125 mm	1	
0.063 mm	0.1	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640040

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F1 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G F1 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**16.5**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640154

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F1 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G F1 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**3.29 Mg/m³**
Particle density on a saturated and surface-dried basis =	**3.30 Mg/m³**
Apparent Particle density =	**3.50 Mg/m³**
Water absorption (of dry mass) =	**2.3%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 18 February 2019
Test Report Ref: TR 640392

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G F1 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**13/02/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G F1 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 4Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	1 %
Retained on 20mm Sieve:	6 %

Moisture Content (%)	Dry Density Mg/m^3
2.1	2.79
4.1	2.87
6.0	2.93
8.2	2.91
10.3	2.84
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
6.7	**2.93**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640267

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F1 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.4



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 January 2019
Test Report Ref: TR 639932

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G F2 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G F2 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	100	
31.5 mm	99	
20.0 mm	97	
16.0 mm	97	
14.0 mm	96	
10.0 mm	94	
8.0 mm	93	
4.0 mm	81	
2.8 mm	71	
2.0 mm	63	
1.0 mm	45	
0.500 mm	32	
0.250 mm	21	
0.125 mm	16	
0.063 mm	14.3	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640041

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F2 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G F2 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**8.9**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640155

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F2 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G F2 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.36 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.44 Mg/m³**
Apparent Particle density =	**2.56 Mg/m³**
Water absorption (of dry mass) =	**3.2%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 24 January 2019
Test Report Ref: TR 640393

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G F2 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**22/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G F2 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.8Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	3 %
Retained on 20mm Sieve:	13 %

Moisture Content (%)	Dry Density Mg/m^3
3.0	2.12
5.1	2.23
7.0	2.26
8.8	2.23
11.1	2.14
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
7.0	**2.26**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640268

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F2 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 1.2



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 16 January 2019
Test Report Ref: TR 639936

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G F3 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**08/01/2019**		
Sampling Location:	**4G F3 - 0.5m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	89	
40.0 mm	77	
31.5 mm	69	
20.0 mm	57	
16.0 mm	53	
14.0 mm	49	
10.0 mm	42	
8.0 mm	38	
4.0 mm	27	
2.8 mm	22	
2.0 mm	18	
1.0 mm	11	
0.500 mm	7	
0.250 mm	5	
0.125 mm	4	
0.063 mm	4.1	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 16 January 2019
Test Report Ref: TR 640045

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F3 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**08/01/2019**
Sampling Location:	**4G F3 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 11.6

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 18 January 2019
Test Report Ref: TR 640159

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F3 - 0.5m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**18/01/2019**
Sampling Location:	**4G F3 - 0.5m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.68 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.81 Mg/m³**
Apparent Particle density =	**3.10 Mg/m³**
Water absorption (of dry mass) =	**5.2%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 13 February 2019
Test Report Ref: TR 640397

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G F3 - 0.5m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**31/01/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G F3 - 0.5m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 3.3Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	17 %
Retained on 20mm Sieve:	41 %

Moisture Content (%)	Dry Density Mg/m^3
8.3	2.07
10.1	2.24
12.0	2.31
14.0	2.24
15.7	2.13
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
12.0	**2.31**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640272

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F3 0.5m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.7



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 03 January 2019
Test Report Ref: TR 639939

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G F6 - 0.7m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G F6 - 0.7m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	91	
31.5 mm	82	
20.0 mm	68	
16.0 mm	62	
14.0 mm	60	
10.0 mm	49	
8.0 mm	45	
4.0 mm	36	
2.8 mm	30	
2.0 mm	26	
1.0 mm	19	
0.500 mm	14	
0.250 mm	8	
0.125 mm	7	
0.063 mm	6.2	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640048

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F6 - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G F6 - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**9.7**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640162

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F6 - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G F6 - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.64 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.70 Mg/m³**
Apparent Particle density =	**2.81 Mg/m³**
Water absorption (of dry mass) =	**2.3%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

celtest
INDEPENDENT MATERIALS TESTING I DIAMOND DRILLING & SAWING

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 25 February 2019
Test Report Ref: TR 640275

Order No: Bacs-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G F6 - 0.7m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**28/01/2019**
Sampling Location:	**4G F6 - 0.7m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = -0.5



Comments:
Material crushed to pass 20mm

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 25 March 2019
Test Report Ref: TR 640400

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G F6 - 0.7m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**21/03/2019**	Sample Preparation Procedure:	**3.2.4.1**
Sampling Location:	**4G F6 - 0.7m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.95Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	0 %
Retained on 20mm Sieve:	9 %

Moisture Content (%)	Dry Density Mg/m^3
6.9	2.04
9.1	2.12
11.0	2.13
13.0	2.09
15.2	2.02
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
11.0	**2.13**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 07 January 2019
Test Report Ref: TR 639944

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. No:	**4G G6 - 0.3m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**		
Date of Start of Test:	**12/12/2018**		
Sampling Location:	**4G G6 - 0.3m**		
Material Description	**Granular**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	100	
40.0 mm	96	
31.5 mm	91	
20.0 mm	84	
16.0 mm	79	
14.0 mm	76	
10.0 mm	66	
8.0 mm	63	
4.0 mm	48	
2.8 mm	43	
2.0 mm	39	
1.0 mm	30	
0.500 mm	19	
0.250 mm	10	
0.125 mm	7	
0.063 mm	6.2	

Comments:
None

Report checked and approved by:
S Parry- Didcote

Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 11 January 2019
Test Report Ref: TR 640053

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G G6 - 0.3m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**12/12/2018**
Sampling Location:	**4G G6 - 0.3m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Water Content (%) =	**11.6**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 15 January 2019
Test Report Ref: TR 640167

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G G6 - 0.3m**
Date and Time of Sampling:	**25-26/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**14/01/2019**
Sampling Location:	**4G G6 - 0.3m**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.19 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.32 Mg/m³**
Apparent Particle density =	**2.49 Mg/m³**
Water absorption (of dry mass) =	**5.4%**

Comments:	Report checked and approved by:
None	S Parry-Didcote Sharon Parry-Didcote Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 18 February 2019
Test Report Ref: TR 640405

Order No: Bacs-Former Llanwern Steelworks

Contract: The Hawk Site

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S77023**	Method of Sampling:	**Unknown**
Client Ref. :	**4G G6 - 0.3m**	Sampled By:	**Client**
Date and Time of Sampling:	**25-26/11/2018**		
Date of Receipt at Lab:	**28/11/2018**	Unrepresentative lumps present?	
Date of Start of Test:	**05/02/2019**	Sample Preparation Procedure:	**Zone X**
Sampling Location:	**4G G6 - 0.3m**	Sample Preparation Method:	**Single**
Soil Description:	**Granular**		

RESULTS:

Particle Density: 2.75Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	21 %
Retained on 20mm Sieve:	28 %

Moisture Content (%)	Dry Density Mg/m^3
8.2	1.90
10.3	1.98
12.2	2.00
14.1	1.95
16.0	1.87
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
12.0	**2.00**



Comments:
None

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ
Contract: The Hawk Site

Date: 18 January 2019
Test Report Ref: TR 640280

Order No: BACS-Former Llanwern Steelworks

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S77023**
Client Ref. No:	**4G G6 0.3m**
Date and Time of Sampling:	**01/11/2018**
Date of Receipt at Lab:	**28/11/2018**
Date of Start of Test:	**17/12/2018**
Sampling Location:	**Former Llanwern Steelworks**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Material Description:	**Granular**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0.5



Comments:
Material crushed to pass 20mm sieve

Report checked and approved by:
S Parry-Didcote
Sharon Parry-Didcote
Aggregate Team Coordinator

St Modwen Developments (Llanwern) Limited
Two Devon Way
Longbridge
Birmingham
B31 2TS

Date: 05 September 2024
Test Report Ref: TR 1051708

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S123473**
Client Ref. No:	**AF22-1 0.2m**
Date and Time of Sampling:	**15/07/2024**
Date of Receipt at Lab:	**23/07/2024**
Date of Start of Test:	**04/09/2024**
Sampling Location:	**0.2m**
Name of Source:	**Unknown**
Method of Sampling:	**Unknown**
Sampled By:	**Client (Test results apply to sample as received)**
Tested By:	**AW**
Material Description:	**Granular - 20mm Down**
Target Specification:	**N/A**

RESULTS:

Total Expansion at 28 days (%) = 0.28
Maximum Expansion (%) = 0.6



This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.

These results relate only to the items tested.

Comments:

% of material retained on the 20mm sieve = 20

Report checked and approved by:

Izabella Kantor
CS Team

celtest
CONSTRUCTION MATERIALS TESTING
A PHENNA GROUP COMPANY

Rodgers Leask Limited
St James House
St Mary's Wharf
Manfield Road
Derby
DE1 3TQ

Date: 07 August 2024
Test Report Ref: TR 1051703

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a soil sample- washing and sieving method in accordance with **BS 1377-Part 2-1990 Clause 9.2**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S123473**
Client Ref. No:	**AF22-1 0.2m**
Date and Time of Sampling:	**15/07/2024**
Date of Receipt at Lab:	**23/07/2024**
Date of Start of Test:	**24/07/2024**
Sampling Location:	**0.2m**
Name of Source:	**Unknown**
Method of Sampling:	**Unknown**
Sampled By:	**Client (Test results apply to sample as received)**
Tested By:	**EK**
Material Description:	**Granular - 20mm Down**
Target Specification:	**N/A**

RESULTS:

SEE ATTACHED

This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.


These results relate only to the items tested.

Comments:	Report checked and approved by:
None	Mathew Sayer Laboratory Operations Manager

MATERIAL DESCRIPTION
Granular - 20mm Down

Sieve Size mm	% Passing	Sieve Size mm	% Passing
200	100	3.35	28
125	100	2.36	24
100	100	2.0	23
90	100	1.18	18
75	100	0.600	14
63	80	0.425	11
50	76	0.300	9
37.5	71	0.212	6
28	64	0.150	4
20	58	0.075	3
14	52	0.063	2
10	45		
6.3	36		
5.0	33		

Cobbles	20.0
Gravel	57.0
Sand	21.1
Silt/Clay	1.9



CLAY	Fine	Medium	Coarse	Fine	Medium	Coarse	Fine	Medium	Coarse	COBBLES
	0.002 0.006 0.02			0.063 0.2 0.63			2.0 6.3 20			63 200
	SILT			SAND			GRAVEL			

celtest
CONSTRUCTION MATERIALS TESTING
A PHENNA GROUP COMPANY

Rodgers Leask Limited
St James House
St Mary's Wharf
Manfield Road
Derby
DE1 3TQ

Date: 07 August 2024
Test Report Ref: TR 1051704

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of a soil sample (definitive oven-drying method) in accordance with **BS EN ISO 17892-1: 2014 + A1: 2022**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S123473**
Client Ref. No:	**AF22-1 0.2m**
Date and Time of Sampling:	**15/07/2024**
Date of Receipt at Lab:	**23/07/2024**
Date of Start of Test:	**07/08/2024**
Sampling Location:	**0.2m**
Name of Source:	**Unknown**
Method of Sampling:	**Unknown**
Sampled By:	**Client (Test results apply to sample as received)**
Tested By:	**BR**
Material Description:	**Granular - 20mm Down**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = **11.0**

This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.

These results relate only to the items tested.

Comments:	Report checked and approved by:
None	Mathew Sayer Laboratory Operations Manager

celtest
CONSTRUCTION MATERIALS TESTING
A PHENNA GROUP COMPANY

Rodgers Leask Limited
St James House
St Mary's Wharf
Manfield Road
Derby
DE1 3TQ

Date: 30 July 2024
Test Report Ref: TR 1051705

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density of Soil – Gas Jar method, in accordance with **BS1377-2: 2022: Cl 9.2**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S123473**
Client Ref. No:	**AF22-1 0.2m**
Date and Time of Sampling:	**15/07/2024**
Date of Receipt at Lab:	**23/07/2024**
Date of Start of Test:	**26/07/2024**
Sampling Location:	**0.2m**
Name of Source:	**Unknown**
Method of Sampling:	**Unknown**
Sampled By:	**Client (Test results apply to sample as received)**
Tested By:	**OHJ**
Material Description:	**Granular - 20mm Down**
Target Specification	**N/A**

RESULTS:

Particle Density = 2.80 Mg/m^3

This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.

These results relate only to the items tested.

Comments:	Report checked and approved by:
None	N. Hughes Neil Hughes Assistant Technical Manager

CTS Limited
Warrington Laboratory
Ruby House
40A Hardwich Grange
Warrington
WA1 4RF

CONSTRUCTION TESTING SOLUTIONS
A PHENNA GROUP COMPANY

UKAS TESTING
4161

LABORATORY TEST REPORT

DRY DENSITY / MOISTURE CONTENT RELATIONSHIP - BS 1377: Part 4: 1990


Project:	123473	**Lab Ref No.:**	S0147/6
Client:	Celtest	**Date Sampled:**	30/07/2024
	Trefelin, Llandegai	**Date Received:**	30/07/2024
	Bangor, Gwynedd	**Date Tested:**	02/08/2024
	LL57 4LH	**Date Reported:**	06/09/2024

Originator: **Joseph Roberts**

Client Sample Ref :	AF22-1 0.2m	**Supplier:**	Site Won
Sample Location:	AF22-1 0.2m	**Sample Type:**	Bulk
Material:	Stoney, Gravelly Soil	**Sampled By:**	Client
Specification:	SHW Series 600: Table 6/2	**Sampling Cert/Plan:**	Sampled by client
Visual Description:	Stoney, Gravelly Soil	**Preparation Method:**	BS 1377-1: 2016

Rammer used :	4.5kg	**No of layers:**	Multiple
No of sub samples :	3	**% retained on 37.5mm sieve**	6.1
Mould Size:	CBR	**% retained on 20mm sieve**	13.0

Bulk Density: Mg/m³	1.90	2.02	2.14	2.15	2.12
Moisture Content: %	2.2	5.2	8.7	11	14
Dry Density: Mg/m³	1.86	1.92	1.97	1.94	1.85



Maximum Dry Density (Mg/m³)	**1.97**
Optimum Moisture Content (%)	**8.7**

The stated result only relates to the item/location tested, this report shall not be reproduced except in full.
Where CMTL are not responsible for sampling, the sample is tested in an as received condition

Tested in accordance with BS 1377: Part 4:1990: Clause 3.6
Particle Density (Mg/m³) - 2.7 (Assumed)

CTS Limited Approved Signature
Gareth Venn - Laboratory Manager
GVenn

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 March 2021
Test Report Ref: TR 782346


LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Size Distribution (PSD) of a aggregate sample-washing and sieving method in accordance with **BS EN 933-1: 2012.**

SAMPLE DETAILS:

Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S92900**	Method of Sampling:	**Unknown**
Client Ref. No:	**AJ21-1 - 0.3**	Sampled By:	**Client**
Date and Time of Sampling:	**29/01/2021**	Tested By:	**JP**
Date of Receipt at Lab:	**04/02/2021**		
Date of Start of Test:	**19/02/2021**		
Sampling Location:	**Unknown**		
Material Description	**Granular - 40mm Down**		

RESULTS: Were any unrepresentative lumps present? No



BS Test Sieve Size	Percentage By Mass Passing	Specification Limit
125.0 mm	100	
75.0 mm	100	
63.0 mm	97	
40.0 mm	97	
31.5 mm	89	
20.0 mm	75	
16.0 mm	75	
14.0 mm	67	
10.0 mm	60	
8.0 mm	60	
4.0 mm	47	
2.8 mm	43	
2.0 mm	38	
1.0 mm	32	
0.500 mm	23	
0.250 mm	10	
0.125 mm	7	
0.063 mm	5.3	

This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.

These results relate only to the items tested.

Comments:

None

Report checked and approved by:

S Parry

Sharon Parry
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 04 March 2021
Test Report Ref: TR 782347

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Water Content of aggregates by – drying in a ventilated oven according to **BS EN 1097-5: 2008**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S92900**
Client Ref. No:	**AJ21-1 - 0.3**
Date and Time of Sampling:	**29/01/2021**
Date of Receipt at Lab:	**04/02/2021**
Date of Start of Test:	**19/02/2021**
Sampling Location:	**Unknown**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client** **(Test result apply to sample as received)**
Tested By:	**JP**
Material Description:	**Granular - 40mm Down**
Target Specification:	**N/A**

RESULTS:

Water Content (%) = 11.1

This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.

These results relate only to the items tested.

Comments:	Report checked and approved by:
None	S Parry Sharon Parry Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 24 March 2021
Test Report Ref: TR 782348

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Dry Density and Moisture Content Relationship of soil sieve 4.5kg Rammer Method in accordance with BS 1377: 4: 1990 Clause 3.6

SAMPLE DETAILS:


Certificate of sampling received:	**No**	Name of Source:	**Former Llanwern Steelworks**
Laboratory Ref. No:	**S92900**	Method of Sampling:	**Unknown**
Client Ref. :	**AJ21-1 - 0.3**	Sampled By:	**Client**
Date and Time of Sampling:	**29/01/2021**	Tested By:	**AO**
Date of Receipt at Lab:	**04/02/2021**	Sample Preparation Procedure:	**Clause X**
Date of Start of Test:	**23/03/2021**	Sample Preparation Method:	**Single**
Sampling Location:	**Unknown**		
Soil Description:	**Granular - 40mm Down**		

RESULTS:

Particle Density: 2.8Mg/m3 (Assumed)

Retained on 37.5mm Sieve:	18 %
Retained on 20mm Sieve:	26 %

Moisture Content (%)	Dry Density Mg/m^3
7.6	1.94
9.2	1.99
10.6	2.02
12.5	2.02
14.1	1.98
Optimum Moisture Content (%)	**Maximum Dry Density Mg/m^3**
11.0	**2.03**



This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.

These results relate only to the items tested.

Comments:
None

Report checked and approved by:

S Parry

Sharon Parry
Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 10 March 2021
Test Report Ref: TR 782349

LABORATORY TEST REPORT

TEST REQUIREMENTS: To determine the Particle Density and water absorption for aggregate sample between 4 mm and 31.5mm, in accordance with **BS EN 1097-6: 2013 Clause 8**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S92900**
Client Ref. No:	**AJ21-1 - 0.3**
Date and Time of Sampling:	**29/01/2021**
Date of Receipt at Lab:	**04/02/2021**
Date of Start of Test:	**08/02/2021**
Sampling Location:	**Unknown**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Tested By:	**DW**
Material Description:	**Granular - 40mm Down**
Target Specification:	**N/A**

RESULTS:

Particle density on an oven-dried basis =	**2.32 Mg/m³**
Particle density on a saturated and surface-dried basis =	**2.40 Mg/m³**
Apparent Particle density =	**2.53 Mg/m³**
Water absorption (of dry mass) =	**3.6 %**

This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.

These results relate only to the items tested.

Comments:	Report checked and approved by:
None	S Parry Sharon Parry Aggregate Team Coordinator

St Modwen Developments Limited
Park Point
17 High Street
Longbridge
Birmingham
B31 2UQ

Date: 14 June 2021
Test Report Ref: TR 782350

LABORATORY TEST REPORT


TEST REQUIREMENTS: To determine the Expansion of Steel Slag over 28 days at 80°C by **BRE in-house method (BR 481 Part B - Appendix B)**

SAMPLE DETAILS:

Certificate of sampling received:	**No**
Laboratory Ref. No:	**S92900**
Client Ref. No:	**AJ21-1 - 0.3**
Date and Time of Sampling:	**29/01/2021**
Date of Receipt at Lab:	**04/02/2021**
Date of Start of Test:	**13/04/2021**
Sampling Location:	**Unknown**
Name of Source:	**Former Llanwern Steelworks**
Method of Sampling:	**Unknown**
Sampled By:	**Client**
Tested By:	**IJ**
Material Description:	**Granular - 40mm Down**
Target Specification:	**N/A**

RESULTS:

Total Expansion (%) = 0



This test report shall not be reproduced, except in full, without the written approval of Celtest Company Limited.

These results relate only to the items tested.

Comments:

% of material retained on the 20mm sieve = 25

Report checked and approved by:

Mathew Sayer
Aggregate Team Manager

Rodgers Leask Limited & Rodgers Leask Environmental Limited
01332 285000 • rlderby@rodgersleask.co.uk • **rodgersleask.co.uk**
St James House, St Mary's Wharf, Mansfield Road, Derby DE1 3TQ
Seven House, 18 High Street, Longbridge, Birmingham B31 2UQ