

Single site survey

Client: Newport Golf Club**Date:** 09.02.2026**Priority:** Low**Surveyed by:** James Pinder**Address:** Great Oaks Park, Rogerstone, Newport NP10 9FX**Location description:** Tree located between car park and Pro shop**Tree info:**

- Mature beech
- 28m height
- 12m spreads
- Stem 1.2m
- Normal physiology
- Normal structure
- Normal resonance test of low stem

Observations:

- Very high target area
- Reduced rooting area soils due to hard surfaced areas
- Exposed location
- 10 degrees lean towards Pro Shop
- No fungal fruiting bodies noted
- No obvious major defects
- Rubbing branches



Tree Survey Sheet

Job issued:
Completed:

- Dead wood
- Dense and large sail area
- Vehicle impact damage to low branches
- Historical large (450mm+) limb removal east side at 6m with cavity on pruning point

Conclusion:

Large open crown tree with little historical management. Tree is in an exposed location where branches or tree failure is not acceptable.

Recommendations:

1. Climb tree and assess east side limb removal wound depth.
2. Remove dead, damaged and rubbing branches.
3. Lift low foliage to 6m.
4. Crown reduce tree by up to 3m at suitable lateral branches using natural target pruning.
5. Report back on general crown structural condition following work.

Photographs

