






*AOV SMOKE VENTILATION IN STAIRCASE
Top window in staircase to be automatic opening vents for smoke control purposes. Clear opening / free geometric area to be min. 1m2. Windows to be automatically opened using an electric actuator operated upon activation by smoke detection in the staircase area.

Note: External lighting and location of ventilation louvres subject to client confirmation.

Rev J 221025 Balcony balustrade changed to vertical bar railings
Rev H 071025 Finishes from planning drawing replicated
Rev G 050925 Dimensions removed.
Rev F 230725 Lower edge detail amended. Dark bricks as below ground masonry.
Rev E 230725 AOV's noted on front elevation
Rev D 250625 Drawing status changed to Construction.
Rev C 140425 Roof raised to match sections
Rev B 110425 Staircase AOV windows enlarged to 1490mm depth.
Window depths rationalised to suit Local Homes details
Rev A 060325 External levels shown lower to rear. Ground Floor balconies added



Kennedy James Griffiths
Chartered Architects and Project Managers
Project

**Marryat Walk
Newport**

Title Date
Elevations 06 12 2024

Status Scale @ A3
Construction 1:125

Drawing Number Revision Drawn by
1554:WD:204 J DKB

Use figured dimensions only. Do not scale for construction purposes. This drawing is copyright