


Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 2

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Size: 1,805 x 2,555 mm
Corner Connections: Crimp
Drainage: Visible
Colour:

HP 9910

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 93.43 (93.43) kg
(86.69 kg Fillings / 6.74 kg Profiles)

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 2

Frame Element

Attention:		For connection of curved profiles INT210/INT210 there are no system accessories.			
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,435.0	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,435.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,805.0	V - V	B / 3
Curved Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,554.9	90° - 77.7°	F / 4
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,113 / 1,146 mm					
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,554.9	77.7° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,113 / 1,146 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed


Weight:		86.7 kg			
Glazing Beads					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,402.0	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,402.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,769.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,526.5	90° - 77.5°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,526.5	77.5° - 90°	F
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,764	2,514	4.43	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					
Gaskets					
Quantity	Number	Description	Colour		
7.82 (7.82) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
7.82 (7.82) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 8 part B

Quantity: 1 Pcs.
System: Senior SSG Horizontal Sliding Heavy Duty

Size: 1,750 x 960 mm

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 21.45 (21.45) kg
(14.70 kg Fillings / 6.75 kg Profiles)

Frame Element-Corner Connections: Nail

Drainage: Visible

Colour: Painted 9910

Target Times						
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total	
Joints				320	320	
- Corner Connections		16	20	320		

Frame Element

Profiles						
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.	
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	960.0	V - V	R / 1	
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	960.0	V - V	L / 2	
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,750.0	V - V	B / 3	
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,750.0	V - V	T / 4	
Accessories						
Quantity	Number	Description	Colour			
1 (1) Pcs.	SSGSOO625	17.0 mm seal for Secondary Glazing, 5.42 m				
1 (1) Pcs.	SSGVSSOOO	Vision Strip for Secondary Glazing, 5.42 m	Black			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 8 part B

1: Sliding Door - Handle Height: Centre (451 mm from sash outer edge)

Hardware:		SSG 3C, Handle: SSGCATCH (Silver Coloured)			
Sash:	1.1	Weight:	5.7 kg	Size:	576 x 902 mm
	1.2		5.8 kg		576 x 902 mm
	1.3		5.7 kg		576 x 902 mm
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	902.0	V - V	R / 5
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	902.0	V - V	L / 6
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	575.5	V - V	B / 7
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	575.5	V - V	T / 8
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	902.0	V - V	R / 9
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	902.0	V - V	L / 10
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	575.5	V - V	B / 11
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	575.5	V - V	T / 12
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	902.0	V - V	R / 13
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	902.0	V - V	L / 14
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	575.5	V - V	B / 15
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	575.5	V - V	T / 16
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	556	882	0.49	4mm Clear toughened , 4 mm	1
1 (1) Pcs.	556	882	0.49	4mm Clear toughened , 4 mm	2
1 (1) Pcs.	556	882	0.49	4mm Clear toughened , 4 mm	2
Hardware					
Quantity	Number	Description	Colour	Seq.No.	
3 (3) pc	SSGCATCHN	SSG Aluminium Catch	Silver Coloured		
6 (6) pc	SSGSSROLA	Secondary Glazing Carriage Wheel - Max Load 9 Kgs			
Gaskets					
Quantity	Number	Description	Colour		
9.47 (9.47) m	SSG4MM	Channel gasket For Secondary Glazing - 4mm Glass			
11.78 (11.78) m	SSGWPC375	Weatherpile Size 4.8 x 3.75mm for Secondary Glazing			
Accessories					
Quantity	Number	Description	Colour		
3 (3) pc	SSGSCOOOO	Secondary Glazing Spring Catches			
8 (8) pc	SSGSSMRES	Secondary Glazing Meeting Stile End Caps			
2 (2) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 0.9 m			

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 8 part B


Quantity	Number	Description	Colour
1 (1) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 1.8 m	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 9 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 52.47 (52.47) kg
(47.48 kg Fillings / 4.99 kg Profiles)

Size: 1,845 x 1,530 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	370.0	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	370.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,845.0	V - V	B / 3

Curved Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,599.7	90° - 77°	F / 4

This profile is curved. Please consider the profile drawing.

The inner/outer bending radius equals: 1,158 / 1,191 mm

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 9 Part A

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,599.7	77° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,158 / 1,191 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed

Weight: 47.5 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	337.0	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	337.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,809.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,571.3	90° - 76.8°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,571.3	76.8° - 90°	F

Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,804	1,488	2.69	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					

Gaskets


Quantity	Number	Description	Colour
5.76 (5.76) m	ACET843	2MM EXTERNAL GASKET ALI600 200m	
5.76 (5.76) m	ACW20038	TEARAWAY VERSION ACW20034 200M	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 9 part B

Quantity: 1 Pcs.
System: Senior SSG Horizontal Sliding Heavy Duty

Size: 1,845 x 1,590 mm

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 35.97 (35.97) kg
(26.63 kg Fillings / 9.33 kg Profiles)

Frame Element-Corner Connections: Nail

Drainage: Visible

Colour: Painted 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				320	320
- Corner Connections		16	20	320	

Frame Element

Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,590.0	V - V	R / 1
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,590.0	V - V	L / 2
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,845.0	V - V	B / 3
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,845.0	V - V	T / 4
Accessories					
Quantity	Number	Description	Colour		
1 (1) Pcs.	SSGSOO625	17.0 mm seal for Secondary Glazing, 6.87 m			
1 (1) Pcs.	SSGVSSOOO	Vision Strip for Secondary Glazing, 6.87 m	Black		

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 9 part B

1: Sliding Door - Handle Height: Centre (766 mm from sash outer edge)

Hardware:		SSG 3C, Handle: SSGCATCH (Silver Coloured)			
Sash:	1.1	Weight:	10.2 kg	Size:	607 x 1,532 mm
	1.2		10.3 kg		607 x 1,532 mm
	1.3		10.2 kg		607 x 1,532 mm
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,532.0	V - V	R / 5
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,532.0	V - V	L / 6
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	B / 7
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	T / 8
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,532.0	V - V	R / 9
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,532.0	V - V	L / 10
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	B / 11
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	T / 12
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,532.0	V - V	R / 13
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,532.0	V - V	L / 14
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	B / 15
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	T / 16
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	587	1,512	0.89	4mm Clear toughened , 4 mm	1
1 (1) Pcs.	587	1,512	0.89	4mm Clear toughened , 4 mm	2
1 (1) Pcs.	587	1,512	0.89	4mm Clear toughened , 4 mm	2
Hardware					
Quantity	Number	Description	Colour	Seq.No.	
3 (3) pc	SSGCATCHN	SSG Aluminium Catch	Silver Coloured		
6 (6) pc	SSGSSROLA	Secondary Glazing Carriage Wheel - Max Load 9 Kgs			
Gaskets					
Quantity	Number	Description	Colour		
13.91 (13.91) m	SSG4MM	Channel gasket For Secondary Glazing - 4mm Glass			
15.02 (15.02) m	SSGWPC375	Weatherpile Size 4.8 x 3.75mm for Secondary Glazing			
Accessories					
Quantity	Number	Description	Colour		
3 (3) pc	SSGSCOOOO	Secondary Glazing Spring Catches			
8 (8) pc	SSGSSMRES	Secondary Glazing Meeting Stile End Caps			
2 (2) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 1.53 m			

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 9 part B


Quantity	Number	Description	Colour
1 (1) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 3.06 m	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 10 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 55.74 (55.74) kg
(50.63 kg Fillings / 5.11 kg Profiles)

Size: 1,790 x 1,630 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	530.8	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	530.8	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,790.0	V - V	B / 3

Curved Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,534.0	90° - 78.3°	F / 4

This profile is curved. Please consider the profile drawing.

The inner/outer bending radius equals: 1,090 / 1,123 mm

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 10 Part A

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,534.0	78.3° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,090 / 1,123 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed

Weight: 50.6 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	497.8	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	497.8	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,754.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,505.7	90° - 78.1°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,505.7	78.1° - 90°	F

Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,749	1,589	2.78	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					

Gaskets


Quantity	Number	Description	Colour
5.90 (5.90) m	ACET843	2MM EXTERNAL GASKET ALI600 200m	
5.90 (5.90) m	ACW20038	TEARAWAY VERSION ACW20034 200M	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 10 part

Quantity: 1 Pcs.
System: Senior SSG Horizontal Sliding Heavy Duty

Size: 1,790 x 1,500 mm

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 33.16 (33.16) kg
(24.27 kg Fillings / 8.89 kg Profiles)

Frame Element-Corner Connections: Nail

Drainage: Visible

Colour: Painted 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				320	320
- Corner Connections		16	20	320	

Frame Element

Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,500.0	V - V	R / 1
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,500.0	V - V	L / 2
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,790.0	V - V	B / 3
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,790.0	V - V	T / 4
Accessories					
Quantity	Number	Description	Colour		
1 (1) Pcs.	SSGS00625	17.0 mm seal for Secondary Glazing, 6.58 m			
1 (1) Pcs.	SSGVSS000	Vision Strip for Secondary Glazing, 6.58 m	Black		

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 10 part

1: Sliding Door - Handle Height: Centre (721 mm from sash outer edge)

Hardware:		SSG 3C, Handle: SSGCATCH (Silver Coloured)			
Sash:	1.1	Weight:	9.3 kg	Size:	589 x 1,442 mm
	1.2		9.4 kg		589 x 1,442 mm
	1.3		9.3 kg		589 x 1,442 mm
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,442.0	V - V	R / 5
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,442.0	V - V	L / 6
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	588.9	V - V	B / 7
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	588.9	V - V	T / 8
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,442.0	V - V	R / 9
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,442.0	V - V	L / 10
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	588.9	V - V	B / 11
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	588.9	V - V	T / 12
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,442.0	V - V	R / 13
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,442.0	V - V	L / 14
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	588.9	V - V	B / 15
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	588.9	V - V	T / 16
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	569	1,422	0.81	4mm Clear toughened , 4 mm	1
1 (1) Pcs.	569	1,422	0.81	4mm Clear toughened , 4 mm	2
1 (1) Pcs.	569	1,422	0.81	4mm Clear toughened , 4 mm	2
Hardware					
Quantity	Number	Description	Colour	Seq.No.	
3 (3) pc	SSGCATCHN	SSG Aluminium Catch	Silver Coloured		
6 (6) pc	SSGSSROLA	Secondary Glazing Carriage Wheel - Max Load 9 Kgs			
Gaskets					
Quantity	Number	Description	Colour		
13.19 (13.19) m	SSG4MM	Channel gasket For Secondary Glazing - 4mm Glass			
14.37 (14.37) m	SSGWPC375	Weatherpile Size 4.8 x 3.75mm for Secondary Glazing			
Accessories					
Quantity	Number	Description	Colour		
3 (3) pc	SSGSCOOOO	Secondary Glazing Spring Catches			
8 (8) pc	SSGSSMRES	Secondary Glazing Meeting Stile End Caps			
2 (2) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 1.44 m			

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 10 part


Quantity	Number	Description	Colour
1 (1) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 2.88 m	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 11 part B

Quantity: 1 Pcs.
System: Senior SSG Horizontal Sliding Heavy Duty

Size: 1,845 x 1,500 mm

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 34.04 (34.04) kg
(25.05 kg Fillings / 8.99 kg Profiles)

Frame Element-Corner Connections: Nail

Drainage: Visible

Colour: Painted 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				320	320
- Corner Connections		16	20	320	

Frame Element

Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,500.0	V - V	R / 1
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,500.0	V - V	L / 2
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,845.0	V - V	B / 3
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,845.0	V - V	T / 4
Accessories					
Quantity	Number	Description	Colour		
1 (1) Pcs.	SSGS00625	17.0 mm seal for Secondary Glazing, 6.69 m			
1 (1) Pcs.	SSGVSS000	Vision Strip for Secondary Glazing, 6.69 m	Black		

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 11 part B

1: Sliding Door - Handle Height: Centre (721 mm from sash outer edge)

Hardware:		SSG 3C, Handle: SSGCATCH (Silver Coloured)			
Sash:	1.1	Weight:	9.6 kg	Size:	607 x 1,442 mm
	1.2		9.7 kg		607 x 1,442 mm
	1.3		9.6 kg		607 x 1,442 mm
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,442.0	V - V	R / 5
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,442.0	V - V	L / 6
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	B / 7
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	T / 8
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,442.0	V - V	R / 9
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,442.0	V - V	L / 10
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	B / 11
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	T / 12
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,442.0	V - V	R / 13
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,442.0	V - V	L / 14
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	B / 15
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	607.2	V - V	T / 16
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	587	1,422	0.84	4mm Clear toughened , 4 mm	1
1 (1) Pcs.	587	1,422	0.84	4mm Clear toughened , 4 mm	2
1 (1) Pcs.	587	1,422	0.84	4mm Clear toughened , 4 mm	2
Hardware					
Quantity	Number	Description	Colour	Seq.No.	
3 (3) pc	SSGCATCHN	SSG Aluminium Catch	Silver Coloured		
6 (6) pc	SSGSSROLA	Secondary Glazing Carriage Wheel - Max Load 9 Kgs			
Gaskets					
Quantity	Number	Description	Colour		
13.31 (13.31) m	SSG4MM	Channel gasket For Secondary Glazing - 4mm Glass			
14.62 (14.62) m	SSGWPC375	Weatherpile Size 4.8 x 3.75mm for Secondary Glazing			
Accessories					
Quantity	Number	Description	Colour		
3 (3) pc	SSGSCOOOO	Secondary Glazing Spring Catches			
8 (8) pc	SSGSSMRES	Secondary Glazing Meeting Stile End Caps			
2 (2) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 1.44 m			

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 11 part B


Quantity	Number	Description	Colour
1	(1) Pcs. SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 2.88 m	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 12 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 56.66 (56.66) kg
(51.51 kg Fillings / 5.16 kg Profiles)

Size: 1,810 x 1,640 mm
Corner Connections: Crimp
Drainage: Visible
Colour: HP 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.					
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	530.4	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	530.4	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,810.0	V - V	B / 3
Curved Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,550.0	90° - 78.4°	F / 4
This profile is curved. Please consider the profile drawing.					
The inner/outer bending radius equals: 1,100 / 1,133 mm					

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 12 Part A

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,550.0	78.4° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,100 / 1,133 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed

Weight: 51.5 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	497.4	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	497.4	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,774.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,521.6	90° - 78.2°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,521.6	78.2° - 90°	F

Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,769	1,599	2.83	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					

Gaskets


Quantity	Number	Description	Colour
5.95 (5.95) m	ACET843	2MM EXTERNAL GASKET ALI600 200m	
5.95 (5.95) m	ACW20038	TEARAWAY VERSION ACW20034 200M	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 12 Part B

Quantity: 1 Pcs.
System: Senior SSG Horizontal Sliding Heavy Duty

Size: 1,810 x 1,470 mm

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 32.84 (32.84) kg
(24.03 kg Fillings / 8.81 kg Profiles)

Frame Element-Corner Connections: Nail

Drainage: Visible

Colour: Painted 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				320	320
- Corner Connections		16	20	320	

Frame Element

Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,470.0	V - V	R / 1
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,470.0	V - V	L / 2
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,810.0	V - V	B / 3
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,810.0	V - V	T / 4
Accessories					
Quantity	Number	Description	Colour		
1 (1) Pcs.	SSGSOO625	17.0 mm seal for Secondary Glazing, 6.56 m			
1 (1) Pcs.	SSGVSSOOO	Vision Strip for Secondary Glazing, 6.56 m	Black		

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 12 Part B

1: Sliding Door - Handle Height: Centre (706 mm from sash outer edge)

Hardware:		SSG 3C, Handle: SSGCATCH (Silver Coloured)			
Sash:	1.1	Weight:	9.2 kg	Size:	596 x 1,412 mm
	1.2		9.3 kg		596 x 1,412 mm
	1.3		9.2 kg		596 x 1,412 mm
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,412.0	V - V	R / 5
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,412.0	V - V	L / 6
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	595.5	V - V	B / 7
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	595.5	V - V	T / 8
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,412.0	V - V	R / 9
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,412.0	V - V	L / 10
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	595.5	V - V	B / 11
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	595.5	V - V	T / 12
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,412.0	V - V	R / 13
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,412.0	V - V	L / 14
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	595.5	V - V	B / 15
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	595.5	V - V	T / 16
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	576	1,392	0.80	4mm Clear toughened , 4 mm	1
1 (1) Pcs.	576	1,392	0.80	4mm Clear toughened , 4 mm	2
1 (1) Pcs.	576	1,392	0.80	4mm Clear toughened , 4 mm	2
Hardware					
Quantity	Number	Description	Colour	Seq.No.	
3 (3) pc	SSGCATCHN	SSG Aluminium Catch	Silver Coloured		
6 (6) pc	SSGSSROLA	Secondary Glazing Carriage Wheel - Max Load 9 Kgs			
Gaskets					
Quantity	Number	Description	Colour		
13.03 (13.03) m	SSG4MM	Channel gasket For Secondary Glazing - 4mm Glass			
14.33 (14.33) m	SSGWPC375	Weatherpile Size 4.8 x 3.75mm for Secondary Glazing			
Accessories					
Quantity	Number	Description	Colour		
3 (3) pc	SSGSCOOOO	Secondary Glazing Spring Catches			
8 (8) pc	SSGSSMRES	Secondary Glazing Meeting Stile End Caps			
2 (2) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 1.41 m			

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 12 Part B


Quantity	Number	Description	Colour
1	(1) Pcs. SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 2.82 m	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 15 Part B - Copy

Quantity: 1 Pcs.
System: Senior SSG Horizontal Sliding Heavy Duty

Size: 2,300 x 2,180 mm

Scale: 1: 25 / Exterior View

Weight of Position (w/o Accessories): 59.02 (59.02) kg
(46.59 kg Fillings / 12.43 kg Profiles)

Frame Element-Corner Connections: Nail

Drainage: Visible

Colour: Painted 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				320	320
- Corner Connections		16	20	320	

Frame Element

Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	2,180.0	V - V	R / 1
1 (1) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	2,180.0	V - V	L / 2
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	2,300.0	V - V	B / 3
1 (1) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	2,300.0	V - V	T / 4
Accessories					
Quantity	Number	Description	Colour		
1 (1) Pcs.	SSGSOO625	17.0 mm seal for Secondary Glazing, 8.96 m			
1 (1) Pcs.	SSGVSSOOO	Vision Strip for Secondary Glazing, 8.96 m	Black		

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 15 Part B - Copy

1: Sliding Door - Handle Height: Centre (1,061 mm from sash outer edge)

Hardware:		SSG 3C, Handle: SSGCATCH (Silver Coloured)			
Sash:	1.1	Weight:	17.3 kg	Size:	759 x 2,122 mm
	1.2		17.4 kg		759 x 2,122 mm
	1.3		17.3 kg		759 x 2,122 mm
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	2,122.0	V - V	R / 5
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	2,122.0	V - V	L / 6
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	758.9	V - V	B / 7
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	758.9	V - V	T / 8
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	2,122.0	V - V	R / 9
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	2,122.0	V - V	L / 10
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	758.9	V - V	B / 11
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	758.9	V - V	T / 12
1 (1) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	2,122.0	V - V	R / 13
1 (1) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	2,122.0	V - V	L / 14
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	758.9	V - V	B / 15
1 (1) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	758.9	V - V	T / 16
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	739	2,102	1.55	4mm Clear toughened , 4 mm	1
1 (1) Pcs.	739	2,102	1.55	4mm Clear toughened , 4 mm	2
1 (1) Pcs.	739	2,102	1.55	4mm Clear toughened , 4 mm	2
Hardware					
Quantity	Number	Description	Colour	Seq.No.	
3 (3) pc	SSGCATCHN	SSG Aluminium Catch	Silver Coloured		
6 (6) pc	SSGSSROLA	Secondary Glazing Carriage Wheel - Max Load 9 Kgs			
Gaskets					
Quantity	Number	Description	Colour		
18.90 (18.90) m	SSG4MM	Channel gasket For Secondary Glazing - 4mm Glass			
19.71 (19.71) m	SSGWPC375	Weatherpile Size 4.8 x 3.75mm for Secondary Glazing			
Accessories					
Quantity	Number	Description	Colour		
3 (3) pc	SSGSCOOOO	Secondary Glazing Spring Catches			
8 (8) pc	SSGSSMRES	Secondary Glazing Meeting Stile End Caps			
2 (2) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 2.12 m			

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 15 Part B - Copy


Quantity	Number	Description	Colour
1	(1) Pcs. SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 4.24 m	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 15 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 25 / Exterior View

Weight of Position (w/o Accessories): 93.95 (93.95) kg
(87.29 kg Fillings / 6.66 kg Profiles)

Size: 2,300 x 2,045 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	885.0	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	885.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	2,300.0	V - V	B / 3

Curved Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,811.7	90° - 89.5°	F / 4

This profile is curved. Please consider the profile drawing.

The inner/outer bending radius equals: 1,128 / 1,161 mm

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 15 Part A

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,811.7	89.5° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,128 / 1,161 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed

Weight: 87.3 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	852.0	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	852.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	2,264.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,783.5	90° - 89.4°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,783.5	89.4° - 90°	F

Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	2,259	2,004	4.53	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					

Gaskets


Quantity	Number	Description	Colour
7.73 (7.73) m	ACET843	2MM EXTERNAL GASKET ALI600 200m	
7.73 (7.73) m	ACW20038	TEARAWAY VERSION ACW20034 200M	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 14 &1 Part B

Quantity: 2 Pcs.

System: Senior SSG Horizontal Sliding Heavy Duty

Size: 1,270 x 1,215 mm

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 19.46 (38.91) kg
(13.52 kg Fillings / 5.94 kg Profiles)

Stated quantities refer to one position each.

Frame Element-Corner Connections: Nail

Drainage: Visible

Colour: Painted 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				240	480
- Corner Connections		12	20	240	

Frame Element

Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,215.0	V - V	R / 1
1 (2) Pcs.	SSG76286	Jambs Outer Frames for Sliding Sashes	1,215.0	V - V	L / 2
1 (2) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,270.0	V - V	B / 3
1 (2) Pcs.	SSG76285	Head and Cill Outer Frames for Sliding Sashes, Aluminium	1,270.0	V - V	T / 4

Accessories

Quantity	Number	Description	Colour
1 (2) Pcs.	SSGSOO625	17.0 mm seal for Secondary Glazing, 4.97 m	
1 (2) Pcs.	SSGVSSOOO	Vision Strip for Secondary Glazing, 4.97 m	Black

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 14 &1 Part B

1: Sliding Door - Handle Height: 1,050 mm from sash outer edge


Hardware:		SSG 2A, Handle: SSGCATCH (Without)			
Sash:	1.1	Weight:	7.8 kg	Size:	615 x 1,157 mm
	1.2		7.8 kg		615 x 1,157 mm
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (2) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,157.0	V - V	R / 5
1 (2) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,157.0	V - V	L / 6
1 (2) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	614.6	V - V	B / 7
1 (2) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	614.6	V - V	T / 8
1 (2) Pcs.	SSG76283	Handle Stile for Sliding Sashes, Aluminium	1,157.0	V - V	R / 9
1 (2) Pcs.	SSG76281	Heavy Duty Meeting Stile for Sliding Sashes, Aluminium	1,157.0	V - V	L / 10
1 (2) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	614.6	V - V	B / 11
1 (2) Pcs.	SSG76280	Top and Bottom Rails for Sliding Sashes, Aluminium	614.6	V - V	T / 12
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (2) Pcs.	595	1,137	0.68	4mm Clear toughened , 4 mm	1
1 (2) Pcs.	595	1,137	0.68	4mm Clear toughened , 4 mm	2
Hardware					
Quantity	Number	Description	Colour	Seq.No.	
2 (4) pc	SSGCATCHM	SSG Aluminium Catch			
4 (8) pc	SSGSSROLA	Secondary Glazing Carriage Wheel - Max Load 9 Kgs			
Gaskets					
Quantity	Number	Description	Colour		
7.63 (15.26) m	SSG4MM	Channel gasket For Secondary Glazing - 4mm Glass			
10.69 (21.38) m	SSGWPC375	Weatherpile Size 4.8 x 3.75mm for Secondary Glazing			
Accessories					
Quantity	Number	Description	Colour		
2 (4) pc	SSGSCOOOO	Secondary Glazing Spring Catches			
4 (8) pc	SSGSSMRES	Secondary Glazing Meeting Stile End Caps			
2 (4) Pcs.	SSGWPO762	Weatherpile Size 4.8 x 7.75mm for Secondary Glazing, 1.16 m			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 13 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Size: 1,280 x 1,640 mm
Corner Connections: Crimp
Drainage: Visible
Colour: HP 9910

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 43.71 (43.71) kg
(39.20 kg Fillings / 4.52 kg Profiles)

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention:		For connection of curved profiles INT210/INT210 there are no system accessories.			
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	935.0	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	935.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,280.0	V - V	B / 3

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 13 Part A

Curved Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,044.0	90° - 84.4°	F / 4
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 676 / 709 mm					
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,044.0	84.4° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 676 / 709 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed


Weight:	39.2 kg				
Glazing Beads					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	902.0	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	902.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,244.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,015.7	90° - 84.3°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,015.7	84.3° - 90°	F
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,239	1,599	1.98	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					
Gaskets					
Quantity	Number	Description	Colour		
5.20 (5.20) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
5.20 (5.20) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 11 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 58.85 (58.85) kg
(53.59 kg Fillings / 5.26 kg Profiles)

Size: 1,845 x 1,680 mm
Corner Connections: Crimp
Drainage: Visible
Colour: HP 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention:

For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	530.0	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	530.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,845.0	V - V	B / 3

Curved Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,592.6	90° - 77.4°	F / 4

This profile is curved. Please consider the profile drawing.

The inner/outer bending radius equals: 1.146 / 1.179 mm

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 11 Part A

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,592.6	77.4° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,146 / 1,179 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed


Weight:	53.6 kg				
Glazing Beads					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	497.0	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	497.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,809.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,564.3	90° - 77.2°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,564.3	77.2° - 90°	F
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,804	1,638	2.96	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					
Gaskets					
Quantity	Number	Description	Colour		
6.07 (6.07) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
6.07 (6.07) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 4 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 75.44 (75.44) kg
(69.50 kg Fillings / 5.94 kg Profiles)

Size: 1,857 x 1,996 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,021.0	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,021.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,857.0	V - V	B / 3

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 4 Part A

Curved Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,485.4	90° - 87.2°	F / 4
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 944 / 977 mm					
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,485.4	87.2° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 944 / 977 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed


Weight:		69.5 kg			
Glazing Beads					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	988.0	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	988.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,821.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,457.1	90° - 87.1°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,457.1	87.1° - 90°	F
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,816	1,955	3.55	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					
Gaskets					
Quantity	Number	Description	Colour		
6.88 (6.88) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
6.88 (6.88) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 3 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 74.40 (74.40) kg
(68.50 kg Fillings / 5.91 kg Profiles)

Size: 1,850 x 2,035 mm
Corner Connections: Crimp
Drainage: Visible
Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	930.0	V - 89.8°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	930.0	89.8° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,850.0	V - V	B / 3

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 3 Part A

Curved Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,562.1	89.8° - 79.5°	F / 4
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,099 / 1,132 mm					
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,562.1	79.5° - 89.8°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,099 / 1,132 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed


Weight:		68.5 kg			
Glazing Beads					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	897.0	I - 89.8°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	897.0	89.8° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,814.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,533.8	89.8° - 79.3°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,533.8	79.3° - 89.8°	F
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,809	1,994	3.61	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					
Gaskets					
Quantity	Number	Description	Colour		
6.84 (6.84) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
6.84 (6.84) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 5 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 72.77 (72.77) kg
(66.94 kg Fillings / 5.83 kg Profiles)

Size: 1,850 x 1,977 mm
Corner Connections: Crimp
Drainage: Visible
Colour: HP 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.					
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	910.0	V - I	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	910.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,850.0	V - V	B / 3

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 5 Part A

Curved Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,539.7	I - 81.8°	F / 4
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,045 / 1,078 mm					
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,539.7	81.8° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,045 / 1,078 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed


Weight:		66.9 kg			
Glazing Beads					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	877.0	I - I	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	877.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,814.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,511.5	I - 81.7°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,511.5	81.7° - I	F
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,809	1,936	3.50	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					
Gaskets					
Quantity	Number	Description	Colour		
6.75 (6.75) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
6.75 (6.75) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 6 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 81.70 (81.70) kg
(75.46 kg Fillings / 6.24 kg Profiles)

Size: 1,775 x 2,290 mm
Corner Connections: Crimp
Drainage: Visible
Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,200.0	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,200.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,775.0	V - V	B / 3

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 6 Part A

Curved Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,521.0	90° - 78.3°	F / 4
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,081 / 1,114 mm					
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,521.0	78.3° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,081 / 1,114 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed


Weight:	75.5 kg				
Glazing Beads					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,167.0	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,167.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,739.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,492.7	90° - 78.1°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,492.7	78.1° - 90°	F
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,734	2,249	3.90	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					
Gaskets					
Quantity	Number	Description	Colour		
7.23 (7.23) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
7.23 (7.23) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 13 Part B 30 min FR

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Size: 1,280 x 1,050 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 24.05 (24.05) kg
(20.00 kg Fillings / 4.05 kg Profiles)

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				68	68
- Corner Connections		4	17	68	

Frame Element

Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,050.0	V - V	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,050.0	V - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,280.0	V - V	B / 3
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,280.0	V - V	T / 4
Accessories					
Quantity	Number	Description	Colour		
4 (4) pc	ACET045	CHEVRON FOR ETC010/20/21			
4 (4) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed

Weight: 20.0 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	984.0	I - I	R

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 13 Part B 30 min FR


Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	984.0	I - I	L
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,244.0	I - I	B
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,244.0	I - I	T
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,239	1,009	1.25	6.4mm Laminated Glass Clear , 6 mm	1
Gaskets					
Quantity	Number	Description	Colour		
4.53 (4.53) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
4.53 (4.53) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 3 Part B 30 min FR

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 25.17 (25.17) kg
(20.64 kg Fillings / 4.53 kg Profiles)

Size: 1,850 x 754 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				68	68
- Corner Connections		4	17	68	

Frame Element

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	754.0	V - V	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	754.0	V - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,850.0	V - V	B / 3
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,850.0	V - V	T / 4

Accessories

Quantity	Number	Description	Colour
4 (4) pc	ACET045	CHEVRON FOR ETC010/20/21	
4 (4) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE	

1: Fixed Field Inside Glazed

Weight: 20.6 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	688.0	I - I	R
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	688.0	I - I	L
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,814.0	I - I	B

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 3 Part B 30 min FR


Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,814.0	I - I	T
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,809	713	1.29	6.4mm Laminated Glass Clear , 6 mm	1
Gaskets					
Quantity	Number	Description	Colour		
5.09 (5.09) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
5.09 (5.09) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 8 Part A

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 51.30 (51.30) kg
(46.40 kg Fillings / 4.90 kg Profiles)

Size: 1,750 x 1,520 mm
Corner Connections: Crimp
Drainage: Visible
Colour: HP 9910

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	139
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention:		For connection of curved profiles INT210/INT210 there are no system accessories.			
Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	500.0	V - 90°	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	500.0	90° - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,750.0	V - V	B / 3
Curved Profiles					
Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,463.2	90° - 81.2°	F / 4
This profile is curved. Please consider the profile drawing.					
The inner/outer bending radius equals: 1,000 / 1,033 mm					

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 8 Part A

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	1,463.2	81.2° - 90°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 1,000 / 1,033 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (2) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (2) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed

Weight: 46.4 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	467.0	I - 90°	R
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	467.0	90° - I	L
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,714.0	I - I	B
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,434.9	90° - 81°	F
1 (1) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,434.9	81° - 90°	F

Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,709	1,479	2.53	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					

Gaskets


Quantity	Number	Description	Colour
5.65 (5.65) m	ACET843	2MM EXTERNAL GASKET ALI600 200m	
5.65 (5.65) m	ACW20038	TEARAWAY VERSION ACW20034 200M	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 4 Part B 30 min FR - Copy

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 26.46 (26.46) kg
(21.85 kg Fillings / 4.61 kg Profiles)

Size: 1,857 x 793 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				68	68
- Corner Connections		4	17	68	

Frame Element

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	793.0	V - V	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	793.0	V - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,857.0	V - V	B / 3
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,857.0	V - V	T / 4

Accessories

Quantity	Number	Description	Colour
4 (4) pc	ACET045	CHEVRON FOR ETC010/20/21	
4 (4) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE	

1: Fixed Field Inside Glazed

Weight: 21.9 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	727.0	I - I	R
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	727.0	I - I	L
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,821.0	I - I	B

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 4 Part B 30 min FR - Copy


Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,821.0	I - I	T
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,816	752	1.37	6.4mm Laminated Glass Clear , 6 mm	1
Gaskets					
Quantity	Number	Description	Colour		
5.19 (5.19) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
5.19 (5.19) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 6 Part B 30 min FR

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 18.61 (18.61) kg
(14.54 kg Fillings / 4.07 kg Profiles)

Size: 1,775 x 565 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				68	68
- Corner Connections		4	17	68	

Frame Element

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	565.0	V - V	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	565.0	V - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,775.0	V - V	B / 3
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,775.0	V - V	T / 4

Accessories

Quantity	Number	Description	Colour
4 (4) pc	ACET045	CHEVRON FOR ETC010/20/21	
4 (4) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE	

1: Fixed Field Inside Glazed

Weight: 14.5 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	499.0	I - I	R
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	499.0	I - I	L
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,739.0	I - I	B
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,739.0	I - I	T

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 6 Part B 30 min FR


Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,734	524	0.91	6.4mm Laminated Glass Clear , 6 mm	1
Gaskets					
Quantity	Number	Description		Colour	
4.55 (4.55) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
4.55 (4.55) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 5 Part B 30 min FR

Quantity: 1 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 26.66 (26.66) kg
(22.05 kg Fillings / 4.61 kg Profiles)

Size: 1,840 x 807 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Target Times

Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				68	68
- Corner Connections		4	17	68	

Frame Element

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	807.0	V - V	R / 1
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	807.0	V - V	L / 2
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,840.0	V - V	B / 3
1 (1) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,840.0	V - V	T / 4

Accessories

Quantity	Number	Description	Colour
4 (4) pc	ACET045	CHEVRON FOR ETC010/20/21	
4 (4) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE	

1: Fixed Field Inside Glazed

Weight: 22.0 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	741.0	I - I	R
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	741.0	I - I	L
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,804.0	I - I	B

Assembly List

Date: 19/02/2025 / 12:10

Project: D Bendon (Old St Peters Church)

Continuation of position item 5 Part B 30 min FR


Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No
1 (1) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,804.0	I - I	T
Glass					
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (1) Pcs.	1,799	766	1.38	6.4mm Laminated Glass Clear , 6 mm	1
Gaskets					
Quantity	Number	Description	Colour		
5.18 (5.18) m	ACET843	2MM EXTERNAL GASKET ALI600 200m			
5.18 (5.18) m	ACW20038	TEARAWAY VERSION ACW20034 200M			

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item 14 & 1 Part A

Quantity: 2 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Size: 1,270 x 1,260 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 33.58 (67.15) kg
(29.67 kg Fillings / 3.91 kg Profiles)

Stated quantities refer to one position each.

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				139	278
- Corner Connections >45°		3	35	105	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	790.0	V - 81.3°	R / 1
1 (2) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	790.0	81.3° - V	L / 2
1 (2) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,270.0	V - V	B / 3

Curved Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	844.9	81.4° - 89.6°	F / 4

This profile is curved. Please consider the profile drawing.

The inner/outer bending radius equals: 637 / 670 mm

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item 14 & 1 Part A

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	844.9	89.6° - 81.4°	F / 5
This profile is curved. Please consider the profile drawing. The inner/outer bending radius equals: 637 / 670 mm					
Accessories					
Quantity	Number	Description	Colour		
2 (4) pc	ACET045	CHEVRON FOR ETC010/20/21			
2 (4) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE			

1: Fixed Field Inside Glazed

Weight: 29.7 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	755.1	I - 81.1°	R
1 (2) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	755.1	81.1° - I	L
1 (2) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	1,234.0	I - I	B
1 (2) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	819.3	81.2° - 89.6°	F
1 (2) Pcs.	INT271	SQUARE BEAD FOR INT210 ALUSPACE	819.3	89.6° - 81.2°	F

Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (2) Pcs.	1,229	1,219	1.50	8.8mm Laminated Glass Clear , 8 mm	1
Shaped Glass					

Gaskets


Quantity	Number	Description	Colour
4.47 (8.94) m	ACET843	2MM EXTERNAL GASKET ALI600 200m	
4.47 (8.94) m	ACW20038	TEARAWAY VERSION ACW20034 200M	

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Mr
Dai Bendon
DB Construction LTD

Person in Charge: Ashlie Vaughan



Position: item extra window

Quantity: 2 Pcs.
System: SMA ALUSPACE (BETA) Sliding Door
INT218 Standard

Size: 520 x 1,400 mm

Corner Connections: Crimp

Drainage: Visible

Colour: HP 9910

Scale: 1: 20 / Exterior View

Weight of Position (w/o Accessories): 13.52 (27.03) kg
(10.27 kg Fillings / 3.24 kg Profiles)


Stated quantities refer to one position each.

Target Times					
Description	Comment	Quantity	Minutes/Pcs.	Minutes	Total
Joints				104	208
- Corner Connections >45°		2	35	70	
- Corner Connections		2	17	34	

Frame Element

Attention: For connection of curved profiles INT210/INT210 there are no system accessories.

Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,335.0	V - 58.8°	R / 1
					
1 (2) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	1,335.0	58.8° - V	L / 2
					

Assembly List

Date: 19/02/2025 / 12:10
Project: D Bendon (Old St Peters Church)

Continuation of position item extra window

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	INT210	OUTER FRAME FOR ALUSPACE	520.0	V - V	B / 3

Curved Profiles

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	INT210 ,Curved	OUTER FRAME FOR ALUSPACE	541.4	59.3° - 59.3°	F / 4

This profile is curved. Please consider the profile drawing.

The inner/outer bending radius equals: 520 / 553 mm

Accessories

Quantity	Number	Description	Colour
2 (4) pc	ACET045	CHEVRON FOR ETC010/20/21	
2 (4) pc	ACINT210	CRIMPING CORNER CLEAT INT210 ALUSPACE	

1: Fixed Field Inside Glazed

Weight: 10.3 kg

Glazing Beads

Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
1 (2) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,294.6	I - 58.2°	R
1 (2) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	1,294.6	58.2° - I	L
1 (2) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	484.0	I - I	B
1 (2) Pcs.	INT291	SQUARE BEAD 6MM GLAZING INT210 ALUSPACE	502.3	58.7° - 58.7°	F

Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Number
1 (2) Pcs.	479	1,359	0.65	6.4mm Laminated Glass Clear , 6 mm	1
Shaped Glass					

Gaskets

Quantity	Number	Description	Colour
3.61 (7.21) m	ACET843	2MM EXTERNAL GASKET ALI600 200m	
3.61 (7.21) m	ACW20038	TEARAWAY VERSION ACW20034 200M	

Factory Production Control

Characteristics	Check		Remark
	Yes	No	
Profiles / Glazing Beads			
Corner connectors			
T-Connector			
Sealing			
Nail Connection			
Crimp Connection			
Cut Surface Bonding			
Glass			
Glazing Bead			
Glass Support			
Correct Glazing Side Outside			
Glazing Bead Cutting			
Filling Free from Defects			
Hardware			
Installation			
Hardware			
Locking Distance			
Function			
Gaskets			
Gasket			
Corner Design			
Joint Bonding			
Accessories			
End Caps Glued/Screwed			
Sealing			
Fixing Distance			
Final Check			
Visual Defects			
Function			

Date, Signature